
Selected CF Dye References, by dye color and by application

[Click on a reference to link to the article](#)

Abbreviations: FC: flow cytometry; FISH: fluorescence in situ hybridization; FLImP: fluorophore localization imaging with Photobleaching; FRAP: fluorescence recovery after photobleaching; gSHRImP: generalized single molecule high-resolution imaging with photobleaching; IF: immunofluorescence; ICW: In Cell Western®; IHF: immuno-histofluorescence; STORM: stochastic optical reconstruction microscopy; TIRF: total internal reflection microscopy; WB: Western blotting; WGA: wheat germ agglutinin.

LI-COR, Odyssey, and In-Cell Western are registered trademarks of LI-COR Biosciences in the United States and other countries. IVIS is a registered trademark of Caliper Life Sciences.

References organized by application begin on p. 24.

CF dye references by dye color

CF350

Ahi, Y. S., Vemula, S. V., and Mittal, S. K. (2013). [Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein](#). *J Gen Virol*. DOI:10.1099/vir.0.049346-0 (*Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; IF*)

Takenaka, N., Yasuda, N., Nihata, Y., Hosooka, T., Noguchi, T., Aiba, A., and Satoh, T. (2014). [Role of the guanine nucleotide exchange factor in Akt2-mediated plasma membrane translocation of GLUT4 in insulin-stimulated skeletal muscle](#). *Cell Signal* 26, 2460-2469. 10.1016/j.cellsig.2014.07.002 (*CF350, CF543 & CF647; IF*)

Tschumper, R. C., Dispenzieri, A., Abraham, R. S., Henderson, K. J., and Jelinek, D. F. (2013). [Molecular analysis of immunoglobulin genes reveals frequent clonal relatedness in double monoclonal gammopathies](#). *Blood Cancer J* 3, e112. DOI:10.1038/bcj.2013.12 (*Mix-n-Stain CF350; IF*)

Zhang, M., He, Y., Sun, X., Li, Q., Wang, W., Zhao, A., and Di, W. (2014). [A high M1/M2 ratio of tumor-associated macrophages is associated with extended survival in ovarian cancer patients](#). *J Ovarian Res* 7, 19. 10.1186/1757-2215-7-19 (*CF350, CF488A labeled primaries; IHF*)

CF405S

Chen, T., Hu, Y., Cen, Y., Chu, X., and Lu, Y. (2013). [A Dual-Emission Fluorescent Nanocomplex of Gold Clusters Decorated Silica Particle for Live Cell Imaging of Highly Reactive Oxygen Species](#). *J Am Chem Soc*. DOI:10.1021/ja4035939 (*CF405S succinimidyl ester; IF*)

Kohara, K., Pignatelli, M., Rivest, A. J., Jung, H. Y., Kitamura, T., Suh, J., Frank, D., Kajikawa, K., Mise, N., Obata, Y., et al. (2014). [Cell type-specific genetic and optogenetic tools reveal hippocampal CA2 circuits](#). *Nat Neurosci* 17, 269-279. 10.1038/nn.3614 (*CF633 GAM, CF633 GAR, CF633 SA, CF405S GAM; IHF*)

Ruger, M., Ackermann, M., and Reichl, U. (2014). [Species-specific viability analysis of *Pseudomonas aeruginosa*, *Burkholderia cepacia* and *Staphylococcus aureus* in mixed culture by flow cytometry](#). *BMC Microbiol* 14, 56. 10.1186/1471-2180-14-56 (*CF405S Mix-n-Stain; FC*)

Ruger, M., Bensch, G., Tungler, R., and Reichl, U. (2012). [A flow cytometric method for viability assessment of *Staphylococcus aureus* and *Burkholderia cepacia* in mixed culture](#). *Cytometry A*. DOI:10.1002/cyto.a.22219 (*CF405S Mix-n-Stain labeling of wheat germ agglutinin; FC*)

Schneider, K., Fuchs, C., Dobay, A., Rottach, A., Qin, W., Wolf, P., Alvarez-Castro, J. M., Nalaskowski, M. M., Kremmer, E., Schmid, V., et al. (2013). [Dissection of cell cycle-dependent dynamics of Dnmt1 by FRAP and diffusion-coupled modeling](#). *Nucleic Acids Res* 41, 4860-4876. 10.1093/nar/gkt191 (*CF405S GAM; FRAP*)

CF405M

Gielen, P. R., Aftab, Q., Ma, N., Chen, V. C., Hong, X., Lozinsky, S., Naus, C. C., and Sin, W. C. (2013). [Connexin43 confers Temozolomide resistance in human glioma cells by modulating the mitochondrial apoptosis pathway](#). *Neuropharmacology*. DOI:10.1016/j.neuropharm.2013.05.002 (*CF405M Annexin V; FC*)

Lee, A. T., Vogt, D., Rubenstein, J. L., and Sohal, V. S. (2014). [A class of GABAergic neurons in the prefrontal cortex sends long-range projections to the nucleus accumbens and elicits acute avoidance behavior](#). *J Neurosci* 34, 11519-11525. 10.1523/JNEUROSCI.1157-14.2014 (*CF405 mouse anti-biotin; IHF*)

Markaki, Y., Smeets, D., Cremer, M., and Schermelleh, L. (2013). [Fluorescence In Situ Hybridization Applications for Super-Resolution 3D Structured Illumination Microscopy](#). *Methods Mol Biol* 950, 43-64. DOI:10.1007/978-1-62703-137-0_4 (*CF405M secondary antibodies; super resolution microscopy (3D-SIM), 3D-FISH*)

CF488A

Ahi, Y. S., Vemula, S. V., and Mittal, S. K. (2013). [Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein](#). *J Gen Virol*. DOI:10.1099/vir.0.049346-0 (*Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; IF*)

Akhmetshina, A., Palumbo, K., Dees, C., Bergmann, C., Venalis, P., Zerr, P., Horn, A., Kireva, T., Beyer, C., Zwerina, J., et al. (2012). [Activation of canonical Wnt signalling is required for TGF-beta-mediated fibrosis](#). *Nat Commun* 3, 735. DOI:10.1038/ncomms1734 (*CF488A and CF594 streptavidin; IHF, IF*)

Al Tanoury, Z., Piskunov, A., Andriamoratsiresy, D., Gaouar, S., Lutzinger, R., Ye, T., Jost, B., Keime, C., and Rochette-Egly, C. (2014). [Genes involved in cell adhesion and signaling: a new repertoire of retinoic acid receptor target genes in mouse embryonic fibroblasts](#). *J Cell Sci* 127, 521-533. 10.1242/jcs.131946 (*CF488A phalloidin; IF*)

Anderson, M. S., Loftus, M. S., and Kedes, D. H. (2014). [Maturation and vesicle-mediated egress of primate gammaherpesvirus rhesus monkey rhadinovirus require inner tegument protein ORF52](#). *J Virol* 88, 9111-9128. 10.1128/JVI.01502-14 (*CF488A Mix n Stain; IF*)

Antolín-Urbaneja, J. C., Eguizabal, I., Briz, N., Dominguez, A., Estensoro, P., Secchi, A., Varriale, A., Di Giovanni, S., and D'Auria, S. (2013). [Compact and cost effective instrument for detecting drug precursors in different environments based on fluorescence polarization](#). Paper presented at: Optical Sensors 2013 (Prague, Czech Republic, Proc SPIE). DOI:10.1117/12.2017257 (*CF488A succinimidyl ester; fluorescence polarization assay*)

Arul, M., Roslani, A. C., Ng, C. L., and Cheah, S. H. (2013). [Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression](#). *Cytotechnology*. 10.1007/s10616-013-9600-4 (*CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A GAM; IF*)

Bohara, M., Kambe, Y., Nagayama, T., Tokimura, H., Arita, K., and Miyata, A. (2014). [C-type natriuretic peptide modulates permeability of the blood-brain barrier](#). *J Cereb Blood Flow Metab* 34, 589-596. jcbfm2013234 [pii] 10.1038/jcbfm.2013.234 (*CF488A GAM; IF*)

Bonifacio, G., Lelli, C. I., and Kellenberger, S. (2014). [Protonation controls ASIC1a activity via coordinated movements in multiple domains](#). *J Gen Physiol* 143, 105-118. 10.1085/jgp.201311053 (*CF488A maleimide; voltage clamp*)

- Chen, Z. H., Zhang, Y. C., Jiang, W. F., Yang, C., Zou, G. M., Kong, Y., and Cai, W. (2014). [Characterization of interstitial Cajal progenitors cells and their changes in Hirschsprung's disease](#). PLoS One 9, e86100. 10.1371/journal.pone.0086100 (*CF488A DAR, CF543 BAG, CF633 DAM; IHF*)
- Di Giovanni, S., Varriale, A., Marzullo, V. M., Ruggiero, G., Staiano, M., Secchi, A., Pierno, L., Fiorello, A. M., and D'Auria, S. (2012). [Determination of benzyl methyl ketone - a commonly used precursor in amphetamine manufacture](#). Analytical Methods 4, 3558-3564. DOI:10.1039/c2ay25772f (*CF488A succinimidyl ester; fluorescence polarization assay*)
- Diamantopoulou, A., Raftogianni, A., Stamatakis, A., Tzanoulinou, S., Oitzl, M. S., and Stylianopoulou, F. (2013). [Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way](#). Psychoneuroendocrinology. DOI:10.1016/j.psyneuen.2013.02.012 (*Mix-n-Stain CF488A, Mix-N-Stain CF555; IHF*)
- Donskow-Lysoniewska, K., Majewski, P., Brodaczewska, K., Jozwicka, K., and Doligalska, M. (2012). [Heligmosmoides polygyrus fourth stages induce protection against DSS- induced colitis and change opioid expression in the intestine](#). Parasite Immunol. DOI:10.1111/pim.12003 (*Mix-n-Stain CF488A; IHF*)
- Endo, H., Yano, M., Okumura, Y., and Kido, H. (2014). [Ibuprofen enhances the anticancer activity of cisplatin in lung cancer cells by inhibiting the heat shock protein 70](#). Cell Death Dis 5, e1027. 10.1038/cddis.2013.550 (*CF488A Annexin V; FC*)
- Ersek, B., Molnar, V., Balogh, A., Matko, J., Cope, A. P., Buzas, E. I., Falus, A., and Nagy, G. (2012). [CD3zeta-Chain Expression of Human T Lymphocytes Is Regulated by TNF via Src-like Adaptor Protein-Dependent Proteasomal Degradation](#). J Immunol. DOI:10.4049/jimmunol.1102365 (*Mix-n-Stain CF488A; IF*)
- Gan, E. S., Xu, Y., Wong, J. Y., Geraldine Goh, J., Sun, B., Wee, W. Y., Huang, J., and Ito, T. (2014). [Jumonji demethylases moderate precocious flowering at elevated temperature via regulation of FLC in Arabidopsis](#). Nat Commun 5, 5098. 10.1038/ncomms6098 (*CF488A GAR, CF555 GAM; IF*)
- Giuntini, S., Reason, D. C., and Granoff, D. M. (2012). [Combined roles of human IgG subclass, alternative complement pathway activation, and epitope density in the bactericidal activity of antibodies to meningococcal factor h binding protein](#). Infect Immun 80, 187-194. DOI:10.1128/IAI.05956-11 (*CF488A goat anti-human IgG; FC*)
- He, J., Wang, Y., Xu, L. H., Qiao, J., Ouyang, D. Y., and He, X. H. (2013). [Cucurbitacin IIa induces caspase-3-dependent apoptosis and enhances autophagy in lipopolysaccharide-stimulated RAW 264.7 macrophages](#). Int Immunopharmacol. DOI:10.1016/j.intimp.2013.03.013 (*CF488A goat anti-mouse IgG, CF568 goat anti-rabbit IgG; IF*)
- Hirtz, M., Feng, W., Fuchs, H., and Levkin, PA. (2016). [Click-Chemistry Immobilized 3D-Infused Microarrays in Nanoporous Polymer Substrates](#). Advanced Materials Interfaces. DOI: 10.1002/admi.201500469 (*Mix-n-Stain CF488A; microarray*)
- Hoepflinger, M. C., Geretschlaeger, A., Sommer, A., Hoeflberger, M., Nishiyama, T., Sakayama, H., Hammerl, P., Tenhaken, R., Ueda, T., and Foissner, I. (2013). [Molecular and biochemical analysis of the first ARA6 homologue, a RAB5 GTPase, from green algae](#). J Exp Bot 64, 5553-5568. 10.1093/jxb/ert322 (*CF488A GAR; IF*)
- Home, P., Saha, B., Ray, S., Dutta, D., Gunewardena, S., Yoo, B., Pal, A., Vivian, J. L., Larson, M., Petroff, M., et al. (2012). [Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment](#). Proc Natl Acad Sci U S A 109, 7362-7367. DOI:10.1073/pnas.1201595109 (*Mix-n-Stain CF488A, Mix-n-Stain CF568; IF*)

- Inutsuka, A., Inui, A., Tabuchi, S., Tsunematsu, T., Lazarus, M., and Yamanaka, A. (2014). [Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons](#). *Neuropharmacology* 85, 451-460. DOI:10.1016/j.neuropharm.2014.06.015 (CF488 CF594 CF647; IHF)
- Ise, H., Goto, M., Komura, K., and Akaike, T. (2012). [Engulfment and clearance of apoptotic cells based on a GlcNAc-binding lectin-like property of surface vimentin](#). *Glycobiology*. DOI:10.1093/glycob/cws052 (CF488A goat anti-mouse IgG, CF488A donkey anti-rat IgG, CF555 donkey anti-rabbit IgG; IF, IHF)
- Kanno, T., Tanaka, K., Yanagisawa, Y., Yasutake, K., Hadano, S., Yoshii, F., Hirayama, N., and Ikeda, J. E. (2012). [A novel small molecule, N-\(4-\(2-pyridyl\)\(1,3-thiazol-2-yl\)\)-2-\(2,4,6-trimethylphenoxy\) acetamide, selectively protects against oxidative stress-induced cell death by activating the Nrf2-ARE pathway: Therapeutic implications for ALS](#). *Free Radic Biol Med*. DOI:10.1016/j.freeradbiomed.2012.09.010 (CF488A goat anti-mouse IgG; IF)
- Kern, F., Stanika, R. I., Sarg, B., Offterdinger, M., Hess, D., Obermair, G. J., Lindner, H., Bandtlow, C. E., Hengst, L., and Schweigreiter, R. (2013). [Nogo-A couples with Apg-1 through interaction and co-ordinate expression under hypoxic and oxidative stress](#). *Biochem J* 455, 217-227. DOI:10.1042/BJ20130579 (CF488A GAC; IHF)
- Kida, A., Iijima, M., Niimi, T., Maturana, A. D., Yoshimoto, N., and Kuroda, S. (2013). [Cell surface-fluorescence immunosorbent assay for real-time detection of hybridomas with efficient antibody secretion at the single-cell level](#). *Anal Chem* 85, 1753-1759. DOI:10.1021/ac303067k (CF594 amine; IF)
- Kim, H. J., and Selvin, P. R. (2013). [Fluorescence Imaging with One Nanometer Accuracy](#). SpringerReference..springerreference.com/docs/html/chapterdbid/305550.html (CF633; Fluorescence Imaging with One Nanometer Accuracy (FIONA))
- Kiyono, M., Oka, Y., Sone, Y., Tanaka, M., Nakamura, R., Sato, M. H., Pan-Hou, H., Sakabe, K., and Inoue, K. (2012). [Expression of the bacterial heavy metal transporter MerC fused with a plant SNARE, SYP121, in Arabidopsis thaliana increases cadmium accumulation and tolerance](#). *Planta* 235, 841-850. DOI:10.1007/s00425-011-1543-4 (CF488A goat anti-rabbit IgG; IHF)
- Komura, K., Ise, H., and Akaike, T. (2012). [Dynamic behaviors of vimentin induced by interaction with GlcNAc molecules](#). *Glycobiology*. DOI:10.1093/glycob/cws118 (CF488A goat anti-mouse IgG; IF)
- Lasher, R. A., Pahnke, A. Q., Johnson, J. M., Sachse, F. B., and Hitchcock, R. W. (2012). [Electrical stimulation directs engineered cardiac tissue to an age-matched native phenotype](#). *J Tissue Eng* 3, 2041731412455354. DOI:10.1177/2041731412455354 (CF488A wheat germ agglutinin; IHF)
- Lencesova, L., Sirova, M., Csaderova, L., Laukova, M., Sulova, Z., Kvetnansky, R., and Krizanova, O. (2010). [Changes and role of adrenoceptors in PC12 cells after phenylephrine administration and apoptosis induction](#). *Neurochem Int* 57, 884-892. DOI:10.1016/j.neuint.2010.09.007 (CF488A goat anti-rabbit IgG; IF)
- Li, W., Yu, J., Liu, Y., Huang, X., Abumaria, N., Zhu, Y., Xiong, W., Ren, C., Liu, X. G., Chui, D., et al. (2013). [Elevation of brain magnesium prevents and reverses cognitive deficits and synaptic loss in Alzheimer's disease mouse model](#). *J Neurosci* 33, 8423-8441. DOI:10.1523/JNEUROSCI.4610-12.2013 (CF488A goat anti-mouse IgG, CF488A goat anti-rabbit IgG, and CF488A rabbit anti-goat IgG; IHF)
- Lim, A. K., Lorthongpanich, C., Chew, T. G., Tan, C. W., Shue, Y. T., Balu, S., Gounko, N., Kuramochi-Miyagawa, S., Matzuk, M. M., Chuma, S., et al. (2013). [The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles](#). *Development* 140, 3819-3825. DOI:10.1242/dev.099184 (CF488A Mix-n-Stain; IHF)
- Lindberg, O. R., Brederlau, A., and Kuhn, H. G. (2014). [Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis](#). *Stem Cell Reports* 2, 440-448. DOI:10.1016/j.stemcr.2014.02.003 (CF488A DAM CF555 DAR, DAG CF633 DAG; IHF)

- Lindberg, O. R., Persson, A., Brederlau, A., Shabro, A., and Kuhn, H. G. (2012). [EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream](#). *PLoS One* 7, e46380. DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHF)
- Liu, K. P., Zhou, D., Ouyang, D. Y., Xu, L. H., Wang, Y., Wang, L. X., Pan, H., and He, X. H. (2013). [LC3B-II deacetylation by histone deacetylase 6 is involved in serum-starvation-induced autophagic degradation](#). *Biochem Biophys Res Commun* 441, 970-975. 10.1016/j.bbrc.2013.11.007 (CF488A GAM CF568 GAR; IF)
- Lourbopoulos, A., Mourouzis, I., Karapanayiotides, T., Nousiopolou, E., Chatzigeorgiou, S., Mavridis, T., Kokkinakis, I., Touloumi, O., Irinopoulou, T., Chouliaras, K., et al. (2014). [Changes in thyroid hormone receptors after permanent cerebral ischemia in male rats](#). *J Mol Neurosci* 54, 78-91. 10.1007/s12031-014-0253-3 (CF488A GAR, CF488A DAR, CF555 GAM, CF555 DAG, EverBrite; IHF)
- Mahassni, S. H., and Al-Reemi, R. M. (2013). [Apoptosis and necrosis of human breast cancer cells by an aqueous extract of garden cress \(*Lepidium sativum*\) seeds](#). *Saudi Journal of Biological Sciences* 20, 131-139. DOI:10.1016/j.sjbs.2012.12.002 (CF488A Annexin V; IF, FC)
- Miyagishima, S. Y., Kabeya, Y., Sugita, C., Sugita, M., and Fujiwara, T. (2014). [DipM is required for peptidoglycan hydrolysis during chloroplast division](#). *BMC Plant Biol* 14, 57. 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; IF)
- Montesinos-Rongen, M., Purschke, FG, Brunn, A, May, C, Nordhoff, E, Marcus, K, and Deckert, M. (2015). [Primary Central Nervous System \(CNS\) Lymphoma B Cell Receptors Recognize CNS Proteins](#). *J Immunol* 195: 1312-1319. (Mix-n-Stain CF488A; IHF)
- Nabeshima, Y., Washida, M., Tamura, M., Maeno, A., Ohnishi, M., Shiroishi, T., Imura, A., and Razzaque, M. S. (2014). [Calpain 1 inhibitor BDA-410 ameliorates alpha-klotho-deficiency phenotypes resembling human aging-related syndromes](#). *Sci Rep* 4, 5847. 10.1038/srep05847 (CF594 GART & CF488 GACK; IHF)
- Osteikoetxea, X, Balogh, A, Szabó-Taylor, K, Németh, A, Szabó, TG, Pálóczi, K, Sódar, B, Kittel, Á, György, B, Pállinger, É, et al. (2015). [Improved Characterization of EV Preparations Based on Protein to Lipid Ratio and Lipid Properties](#). *PLoS One* 10: e0121184. (Mix-n-Stain CF488A; FC)
- Park, K. S., Martelotto, L. G., Peifer, M., Sos, M. L., Karnezis, A. N., Mahjoub, M. R., Bernard, K., Conklin, J. F., Szczepny, A., Yuan, J., et al. (2011). [A crucial requirement for Hedgehog signaling in small cell lung cancer](#). *Nat Med* 17, 1504-1508. DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; IF)
- Qian, M., Hu, H., Zuo, T., Wang, G., Zhang, L., and Zhou, P. (2013). [Unraveling of a Neutralization Mechanism by Two Human Antibodies against Conserved Epitopes in the Globular Head of H5 Hemagglutinin](#). *J Virol* 87, 3571-3577. DOI:10.1128/JVI.01292-12 (CF488A goat anti-human IgG; IHF)
- Ren, S., Ouyang, D. Y., Saltis, M., Xu, L. H., Zha, Q. B., Cai, J. Y., and He, X. H. (2012). [Anti-proliferative effect of 23,24-dihydrocucurbitacin F on human prostate cancer cells through induction of actin aggregation and cofilin-actin rod formation](#). *Cancer Chemother Pharmacol*. DOI:10.1007/s00280-012-1921-z (CF488A goat anti-mouse, CF568 goat anti-rabbit; IF)
- Ritzenthaler, J. D., Roser-Page, S., Guidot, D. M., and Roman, J. (2013). [Nicotinic Acetylcholine Receptors are Sensors for Ethanol in Lung Fibroblasts](#). *Alcohol Clin Exp Res*. DOI:10.1111/acer.12044 (CF488A α -Bungarotoxin; IF)
- Rizzi, F., Naponelli, V., Silva, A., Modernelli, A., Ramazzina, I., Bonacini, M., Tardito, S., Gatti, R., Uggeri, J., and Bettuzzi, S. (2014). [Polyphenon E\(R\), a standardized green tea extract, induces endoplasmic reticulum stress, leading to death of immortalized PNT1a cells by anoikis and tumorigenic PC3 by necroptosis](#). *Carcinogenesis*.

10.1093/carcin/bgt481 (CF488A GAM; IHF)

Ruiz, R., Biea, I. A., and Tabares, L. (2014). [alpha-Synuclein A30P decreases neurodegeneration and increases synaptic vesicle release probability in CSPalpha-null mice](#). *Neuropharmacology* 76 Pt A, 106-117.

10.1016/j.neuropharm.2013.08.032 (CF488A DAR & CF488A DAM; IHF)

Sadeghinezhad, J., Sorteni, C., Di Guardo, G., D'Agostino, C., Agrimi, U., Nonno, R., and Chiocchetti, R. (2013). [Neurochemistry of myenteric plexus neurons of bank vole \(*Myodes glareolus*\) ileum](#). *Res Vet Sci* 95, 846-853.

10.1016/j.rvsc.2013.07.028 (CF488A GAM, GAR, GART; IHF)

Shiimori, M., Inoue, K., and Sakamoto, H. (2012). [A specific set of EJC subunits is required for the nuclear retention of unspliced RNAs in *C. elegans*](#). *Mol Cell Biol*. DOI:10.1128/MCB.01298-12 (CF488A phalloidin; IHF)

Shiimori, M., Inoue, K., and Sakamoto, H. (2013). [A specific set of exon junction complex subunits is required for the nuclear retention of unspliced RNAs in *Caenorhabditis elegans*](#). *Mol Cell Biol* 33, 444-456. 10.1128/MCB.01298-12 (CF488A phalloidin; IF)

Smith, P. L., Hagberg, H., Naylor, A. S., and Mallard, C. (2014). [Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus](#). *Dev Neurosci* 36, 119-131.

10.1159/000359950 (CF555 DAG, CF488A DACK & CF647 DAM; IHF)

Stein, E., Inic-Kanada, A., Belij, S., Montanaro, J., Bintner, N., Schlacher, S., Mayr, U. B., Lubitz, W., Stojanovic, M., Najdenski, H., et al. (2013). [In vitro and in vivo uptake study of *Escherichia coli* Nissle 1917 bacterial ghosts: cell-based delivery system to target ocular surface diseases](#). *Invest Ophthalmol Vis Sci* 54, 6326-6333. 10.1167/iovs.13-12044 (CF488A GAR; IHF)

Takenaka, N., Izawa, R., Wu, J., Kitagawa, K., Nihata, Y., Hosooka, T., Noguchi, T., Ogawa, W., Aiba, A., and Satoh, T. (2014). [A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle](#). *FEBS J* 281, 1493-1504. 10.1111/febs.12719 (CF488A, CF543, CF647 GAM, GAR, GART; IF)

Tanaka, K., Kanno, T., Yanagisawa, Y., Yasutake, K., Inoue, S., Hirayama, N., and Ikeda, J. E. (2014). [A novel acylaminoimidazole derivative, WN1316, alleviates disease progression via suppression of glial inflammation in ALS mouse model](#). *PLoS One* 9, e87728. 10.1371/journal.pone.0087728 (CF488A GAM; IF)

Thiede, B. R., and Corwin, J. T. (2014). [Permeation of fluorophore-conjugated phalloidin into live hair cells of the inner ear is modulated by P2Y receptors](#). *J Assoc Res Otolaryngol* 15, 13-30. 10.1007/s10162-013-0425-9 (CF488A phalloidin, CF488A amine; phalloidin uptake in hair cells)

Toth, R., Meszaros, I., Stefancsik, R., Bartha, D., Balint, A., and Zadori, Z. (2013). [CpG distribution and methylation pattern in porcine parvovirus](#). *PLoS One* 8, e85986. 10.1371/journal.pone.0085986 (CF488A GAR; IF)

Troidl, K., Ruding, I., Cai, W. J., Mucke, Y., Grossekkettler, L., Piotrowska, I., Apfelbeck, H., Schierling, W., Volger, O. L., Horrevoets, A. J., et al. (2009). [Actin-binding rho activating protein \(Abra\) is essential for fluid shear stress-induced arteriogenesis](#). *Arterioscler Thromb Vasc Biol* 29, 2093-2101. DOI:10.1161/ATVBAHA.109.195305 (CF488A goat anti-rabbit IgG; IF, IHF)

von Walden, F., Casagrande, V., Ostlund Farrants, A. K., and Nader, G. A. (2012). [Mechanical loading induces the expression of a Pol I regulon at the onset of skeletal muscle hypertrophy](#). *Am J Physiol Cell Physiol* 302, C1523-1530. DOI:10.1152/ajpcell.00460.2011 (CF488A goat anti-mouse IgG, CF633 goat anti-rabbit IgG; IF, IHF)

- Wang, Y., Zhao, G. X., Xu, L. H., Liu, K. P., Pan, H., He, J., Cai, J. Y., Ouyang, D. Y., and He, X. H. (2014). [Cucurbitacin IIb exhibits anti-inflammatory activity through modulating multiple cellular behaviors of mouse lymphocytes](#). *PLoS One* 9, e89751. 10.1371/journal.pone.0089751 (CF488A GAM, CF568 GAR; IF)
- Watari, K., Shibata, T., Kawahara, A., Sata, K., Nabeshima, H., Shinoda, A., Abe, H., Azuma, K., Murakami, Y., Izumi, H., et al. (2014). [Tumor-derived interleukin-1 promotes lymphangiogenesis and lymph node metastasis through M2-type macrophages](#). *PLoS One* 9, e99568. 10.1371/journal.pone.0099568 (CF488A DARat & CF594 DARb; IHF)
- West, A. B., Cowell, R. M., Daher, J. P., Moehle, M. S., Hinkle, K. M., Melrose, H. L., Standaert, D. G., and Volpicelli-Daley, L. A. (2014). [Differential LRRK2 expression in the cortex, striatum, and substantia nigra in transgenic and nontransgenic rodents](#). *J Comp Neurol* 522, 2465-2480. 10.1002/cne.23583 (CF555 DAR & CF488A DAM; IHF)
- Wieduwild, R., Tsurkan, M., Chwalek, K., Murawala, P., Nowak, M., Freudenberg, U., Neinhuis, C., Werner, C., and Zhang, Y. (2013). [Minimal Peptide Motif for Non-covalent Peptide-Heparin Hydrogels](#). *J Am Chem Soc* 135, 2919-2922. DOI:10.1021/ja312022u (CF488A phalloidin; IHF)
- Wienand, K., and Shires, K. (2015). [The Use of MAGE C1 and Flow Cytometry to Determine the Malignant Cell Type in Multiple Myeloma](#). *PLoS ONE* 10(3): e0120734. doi:10.1371/journal.pone.0120734 (CF488A Mix-n-Stain; FC)
- Wu, S., Lin, L., Zhao, W., Li, X., Wang, Y., Si, X., Wang, T., Wu, H., Zhai, X., Zhong, X., et al. (2014). [AUF1 is recruited to the stress granules induced by coxsackievirus B3](#). *Virus Res* 192, 52-61. 10.1016/j.virusres.2014.08.003 (CF488A GAR, CF555 GAM & CF555 GAR; IF)
- Xu, Z., Parra, D., Gomez, D., Salinas, I., Zhang, Y. A., von Gersdorff Jorgensen, L., Heinecke, R. D., Buchmann, K., LaPatra, S., and Sunyer, J. O. (2013). [Teleost skin, an ancient mucosal surface that elicits gut-like immune responses](#). *Proc Natl Acad Sci U S A* 110, 13097-13102. 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHF)
- Yamamoto, S., Yamazaki, T., Komazaki, S., Yamashita, T., Osaki, M., Matsubayashi, M., Kidoya, H., Takakura, N., Yamazaki, D., and Kakizawa, S. (2014). [Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity](#). *Dev Biol* 393, 33-43. 10.1016/j.ydbio.2014.06.024 (CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHF)
- Yamashita, A., Zhao, Y., Matsuura, Y., Yamasaki, K., Moriguchi-Goto, S., Sugita, C., Iwakiri, T., Okuyama, N., Koshimoto, C., Kawai, K., et al. (2014). [Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage](#). *PLoS One* 9, e86426. 10.1371/journal.pone.0086426 (CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHF)
- Yang, R., Xi, N., Lai, K. W., Patterson, K., Chen, H., Song, B., Qu, C., Zhong, B., and Wang, D. H. (2012). [Cellular biophysical dynamics and ion channel activities detected by AFM-based nanorobotic manipulator in insulinoma beta-cells](#). *Nanomedicine*. DOI:10.1016/j.nano.2012.10.011 (CF488A phalloidin; IF)
- Zanetti-Domingues LC, Tynan CJ, Rolfe DJ, Clarke DT, Martin-Fernandez M (2013) [Hydrophobic Fluorescent Probes Introduce Artifacts into Single Molecule Tracking Experiments Due to Non-Specific Binding](#). *PLoS ONE* 8(9): e74200. doi:10.1371/journal.pone.0074200 (CF488A, CF568, CF633, CF640R TIRF)
- Zhang, M., He, Y., Sun, X., Li, Q., Wang, W., Zhao, A., and Di, W. (2014). [A high M1/M2 ratio of tumor-associated macrophages is associated with extended survival in ovarian cancer patients](#). *J Ovarian Res* 7, 19. 10.1186/1757-2215-7-19 (CF350, CF488A labeled primaries; IHF)
- Zhang, Y., Mao, R. R., Chen, Z. F., Tian, M., Tong, D. L., Gao, Z. R., Huang, M., Li, X., Xu, X., Zhou, W. H., et al. (2014). [Deep-brain magnetic stimulation promotes adult hippocampal neurogenesis and alleviates stress-related behaviors in mouse models for neuropsychiatric disorders](#). *Mol Brain* 7, 11. 10.1186/1756-6606-7-11 (CF488A GAM & CF555 DAM; IHF)

Zhang, Y. T., Ouyang, D. Y., Xu, L. H., Zha, Q. B., and He, X. H. (2013). [Formation of cofilin-actin rods following cucurbitacin-B-induced actin aggregation depends on slingshot homolog 1-mediated cofilin hyperactivation](#). *J Cell Biochem*. DOI:10.1002/jcb.24587 (CF488A GAM, CF568 GAR; IF)

Zhang, Y. T., Xu, L. H., Lu, Q., Liu, K. P., Liu, P. Y., Ji, F., Liu, X. M., Ouyang, D. Y., and He, X. H. (2014). [VASP activation via the Galpha13/RhoA/PKA pathway mediates cucurbitacin-B-induced actin aggregation and cofilin-actin rod formation](#). *PLoS One* 9, e93547. 10.1371/journal.pone.0093547 (CF488A GAM, CF568 GAR; IF)

Zhu, J. S., Ouyang, D. Y., Shi, Z. J., Xu, L. H., Zhang, Y. T., and He, X. H. (2012). [Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells](#). *Pharmacology* 89, 348-346. DOI:10.1159/000338757 (CF488A GAM, CF568 GAR; IF)

CF532

Sainski, A. M., Dai, H., Natesampillai, S., Pang, Y. P., Bren, G. D., Cummins, N. W., Correia, C., Meng, X. W., Tarara, J. E., Ramirez-Alvarado, M., et al. (2014). [Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation](#). *J Cell Biol* 207, 159. 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)

CF543

Chen, Z. H., Zhang, Y. C., Jiang, W. F., Yang, C., Zou, G. M., Kong, Y., and Cai, W. (2014). [Characterization of interstitial Cajal progenitors cells and their changes in Hirschsprung's disease](#). *PLoS One* 9, e86100. 10.1371/journal.pone.0086100 (CF488A DAR, CF543 BAG, CF633 DAM; IHF)

Takenaka, N., Izawa, R., Wu, J., Kitagawa, K., Nihata, Y., Hosooka, T., Noguchi, T., Ogawa, W., Aiba, A., and Satoh, T. (2014). [A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle](#). *FEBS J* 281, 1493-1504. 10.1111/febs.12719 (CF488A, CF543, CF647 GAM, GAR, GART; IF)

Takenaka, N., Yasuda, N., Nihata, Y., Hosooka, T., Noguchi, T., Aiba, A., and Satoh, T. (2014). [Role of the guanine nucleotide exchange factor in Akt2-mediated plasma membrane translocation of GLUT4 in insulin-stimulated skeletal muscle](#). *Cell Signal* 26, 2460-2469. 10.1016/j.cellsig.2014.07.002 (CF350, CF543 & CF647; IF)

Thege, F. I., Lannin, T. B., Saha, T. N., Tsai, S., Kochman, M. L., Hollingsworth, M. A., Rhim, A. D., and Kirby, B. J. (2014). [Microfluidic immunocapture of circulating pancreatic cells using parallel EpCAM and MUC1 capture: characterization, optimization and downstream analysis](#). *Lab Chip* 14, 1775-1784. 10.1039/c4lc00041b (CF543 succinimidyl ester; fluorescence microscopy)

CF555

Barboro, P., Borzi, L., Repaci, E., Ferrari, N., and Balbi, C. (2013). [Androgen receptor activity is affected by both nuclear matrix localization and the phosphorylation status of the heterogeneous nuclear ribonucleoprotein K in anti-androgen-treated LNCaP cells](#). *PLoS One* 8, e79212. 10.1371/journal.pone.0079212 (CF555 DAM, CF633 DAR; IF)

Barboro, P., Repaci, E., D'Arrigo, C., and Balbi, C. (2012). [The Role of Nuclear Matrix Proteins Binding to Matrix Attachment Regions \(MARs\) in Prostate Cancer Cell Differentiation](#). *PLoS One* 7, e40617. DOI:10.1371/journal.pone.0040617 (CF555 goat anti-mouse IgG, CF633 anti-rabbit IgG, CF555 streptavidin; IF, FISH)

Bostrom, M., Hellstrom Erkenstam, N., Kaluza, D., Jakobsson, L., Kalm, M., and Blomgren, K. (2014). [The hippocampal neurovascular niche during normal development and after irradiation to the juvenile mouse brain](#). *Int J Radiat Biol* 90, 778-789. 10.3109/09553002.2014.931612 (CF555 DAG; IHF)

- Deo, D. I., Gautrot, J. E., Sukhorukov, G. B., and Wang, W. (2014). [Biofunctionalization of PEGylated microcapsules for exclusive binding to protein substrates](#). *Biomacromolecules* 15, 2555-2562. 10.1021/bm500412d (CF555 Mix-n-Stain microcapsules; fluorescence microscopy)
- Diamantopoulou, A., Raftogianni, A., Stamatakis, A., Tzanoulinou, S., Oitzl, M. S., and Stylianopoulou, F. (2013). [Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way](#). *Psychoneuroendocrinology*. DOI:10.1016/j.psyneuen.2013.02.012 (Mix-n-Stain CF488A, Mix-N-Stain CF555; IHF)
- Gan, E. S., Xu, Y., Wong, J. Y., Geraldine Goh, J., Sun, B., Wee, W. Y., Huang, J., and Ito, T. (2014). [Jumonji demethylases moderate precocious flowering at elevated temperature via regulation of FLC in Arabidopsis](#). *Nat Commun* 5, 5098. 10.1038/ncomms6098 (CF488A GAR, CF555 GAM; IF)
- Giannakopoulou, A., Grigoriadis, N., Bekiari, C., Lourbopoulos, A., Dori, I., Tsingotjidou, A. S., Michaloudi, H., and Papadopoulos, G. C. (2013). [Acute inflammation alters adult hippocampal neurogenesis in a multiple sclerosis mouse model](#). *J Neurosci Res* 91, 890-900. DOI:10.1002/jnr.23226 (CF555 streptavidin; TUNEL, IHF)
- Ise, H., Goto, M., Komura, K., and Akaike, T. (2012). [Engulfment and clearance of apoptotic cells based on a GlcNAc-binding lectin-like property of surface vimentin](#). *Glycobiology*. DOI:10.1093/glycob/cws052 (CF488A goat anti-mouse IgG, CF488A donkey anti-rat IgG, CF555 donkey anti-rabbit IgG; IF, IHF)
- Kesik, M., Demir, B., Barlas, FB, Geyik, C, Cevher, SC, Odaci Demirkol, D, Timur, S, Cirpan, A, and Toppare, L. (2015). [A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging](#). *RSC Advances* 5: 83361-83367. (Mix-n-Stain CF555; FC)
- Lehmann, M., Lichtner, G., Klenz, H., and Schmoranzler, J. (2015). [Novel organic dyes for multicolor localization-based super-resolution microscopy](#). *J. Biophotonics* 1–10 (2015) / DOI 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680 STORM)
- Lindberg, O. R., Brederlau, A., and Kuhn, H. G. (2014). [Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis](#). *Stem Cell Reports* 2, 440-448. 10.1016/j.stemcr.2014.02.003 (CF488A DAM CF555 DAR, DAG CF633 DAG; IHF)
- Lindberg, O. R., Persson, A., Brederlau, A., Shabro, A., and Kuhn, H. G. (2012). [EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream](#). *PLoS One* 7, e46380. DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHF)
- Lourbopoulos, A., Mourouzis, I., Karapanayiotides, T., Nousiopolou, E., Chatzigeorgiou, S., Mavridis, T., Kokkinakis, I., Touloumi, O., Irinopoulou, T., Chouliaras, K., et al. (2014). [Changes in thyroid hormone receptors after permanent cerebral ischemia in male rats](#). *J Mol Neurosci* 54, 78-91. 10.1007/s12031-014-0253-3 (CF488A GAR, CF488A DAR, CF555 GAM, CF555 DAG, EverBrite; IHF)
- Lozada, A. F., Wang, X., Gounko, N. V., Massey, K. A., Duan, J., Liu, Z., and Berg, D. K. (2012). [Glutamatergic Synapse Formation is Promoted by alpha7-Containing Nicotinic Acetylcholine Receptors](#). *J Neurosci* 32, 7651-7661. DOI:10.1523/JNEUROSCI.6246-11.2012 (CF555 donkey anti-rabbit, CF633 goat anti-guinea pig; IHF)
- Mikosik, A., Foerster, J., Jasiulewicz, A., Frackowiak, J., Colonna-Romano, G., Bulati, M., Buffa, S., Martorana, A., Caruso, C., Bryl, E., et al. (2013). [Expression of calpain-calpastatin system \(CCS\) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project](#). *Immun Ageing* 10, 27. DOI:10.1186/1742-4933-10-27 (Mix-n-Stain CF555; FC)

- Miyagishima, S. Y., Kabeya, Y., Sugita, C., Sugita, M., and Fujiwara, T. (2014). [DipM is required for peptidoglycan hydrolysis during chloroplast division](#). *BMC Plant Biol* 14, 57. 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; IF)
- Pang, H. B., Braun, G. B., Friman, T., Aza-Blanc, P., Ruidiaz, M. E., Sugahara, K. N., Teesalu, T., and Ruoslahti, E. (2014). [An endocytosis pathway initiated through neuropilin-1 and regulated by nutrient availability](#). *Nat Commun* 5, 4904. 10.1038/ncomms5904 (CF555 succinimidyl ester; nanoparticles)
- Persson, A., Osman, A., Bolouri, H., Mallard, C., and Kuhn, H. G. (2013). [Radixin expression in microglia after cortical stroke lesion](#). *Glia* 61, 790-799. DOI:10.1002/glia.22473 (CF555 donkey anti-goat IgG; IHF)
- Pillai, A. G., Henckens, M. J., Fernandez, G., and Joels, M. (2014). [Delayed effects of corticosterone on slow after-hyperpolarization potentials in mouse hippocampal versus prefrontal cortical pyramidal neurons](#). *PLoS One* 9, e99208. 10.1371/journal.pone.0099208 (CF555 hydrazide; fluorescence microscopy)
- Smith, P. L., Hagberg, H., Naylor, A. S., and Mallard, C. (2014). [Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus](#). *Dev Neurosci* 36, 119-131. 10.1159/000359950 (CF555 DAG, CF488A DACK & CF647 DAM; IHF)
- Tai, L. H., Lee, A. M., Benavidez, N., Bonci, A., and Wilbrecht, L. (2012). [Transient stimulation of distinct subpopulations of striatal neurons mimics changes in action value](#). *Nat Neurosci* 15, 1281-1289. DOI:10.1038/nn.3188 (CF555 donkey anti-mouse IgG, CF647 donkey anti-goat IgG; IHF)
- Takakura, M., Kyo, S., Nakamura, M., Maida, Y., Mizumoto, Y., Bono, Y., Zhang, X., Hashimoto, Y., Urata, Y., Fujiwara, T., et al. (2012). [Circulating tumour cells detected by a novel adenovirus-mediated system may be a potent therapeutic marker in gynaecological cancers](#). *Br J Cancer*. DOI:10.1038/bjc.2012.276 (CF555 goat anti-mouse IgG; IF)
- Takeichi, T., Wang, E. L., and Kitamura, O. (2012). [The effects of low-dose methamphetamine pretreatment on endoplasmic reticulum stress and methamphetamine neurotoxicity in the rat midbrain](#). *Leg Med (Tokyo)* 14, 69-77. DOI:10.1016/j.legalmed.2011.12.004 (CF555 goat anti-rabbit IgG; IHF)
- Uno, T., Isoyama, Y., Sakamoto, K., Uno, Y., Kanamaru, K., Yamagata, H., Takagi, M., Mizoguchi, A., and Takeda, M. (2014). [Characterization of Rab-interacting lysosomal protein in the brain of Bombyx mori](#). *Histochem Cell Biol* 141, 311-320. 10.1007/s00418-013-1160-3 (CF555 DAM; IHF)
- West, A. B., Cowell, R. M., Daher, J. P., Moehle, M. S., Hinkle, K. M., Melrose, H. L., Standaert, D. G., and Volpicelli-Daley, L. A. (2014). [Differential LRRK2 expression in the cortex, striatum, and substantia nigra in transgenic and nontransgenic rodents](#). *J Comp Neurol* 522, 2465-2480. 10.1002/cne.23583 (CF555 DAR & CF488A DAM; IHF)
- Wu, S., Lin, L., Zhao, W., Li, X., Wang, Y., Si, X., Wang, T., Wu, H., Zhai, X., Zhong, X., et al. (2014). [AUF1 is recruited to the stress granules induced by coxsackievirus B3](#). *Virus Res* 192, 52-61. 10.1016/j.virusres.2014.08.003 (CF488A GAR, CF555 GAM & CF555 GAR; IF)
- Xu, Z., Parra, D., Gomez, D., Salinas, I., Zhang, Y. A., von Gersdorff Jorgensen, L., Heinecke, R. D., Buchmann, K., LaPatra, S., and Sunyer, J. O. (2013). [Teleost skin, an ancient mucosal surface that elicits gut-like immune responses](#). *Proc Natl Acad Sci U S A* 110, 13097-13102. 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHF)
- Yang, Y., Zhang, Y., Cuevas-Gonzalez, S., Villar, V. A., Escano, C., Asico, L., Yu, P., Grandy, D. K., Felder, R. A., Armando, I., et al. (2012). [Paraoxonase 2 decreases renal reactive oxygen species production, lowers blood pressure, and mediates dopamine D\(2\) receptor-induced inhibition of NADPH oxidase](#). *Free Radic Biol Med*. DOI:10.1016/j.freeradbiomed.2012.05.015 (Mix-n-Stain CF555; IHF)

Yu, L., Zhao, Y., Quan, C., Ji, W., Zhu, J., Huang, Y., Guan, R., Sun, D., Jin, Y., Meng, X., et al. (2013). [Gemcitabine eliminates double minute chromosomes from human ovarian cancer cells](#). *PLoS One* 8, e71988. 10.1371/journal.pone.0071988 (CF555 GAM; IF)

Zhang, Y., Mao, R. R., Chen, Z. F., Tian, M., Tong, D. L., Gao, Z. R., Huang, M., Li, X., Xu, X., Zhou, W. H., et al. (2014). [Deep-brain magnetic stimulation promotes adult hippocampal neurogenesis and alleviates stress-related behaviors in mouse models for neuropsychiatric disorders](#). *Mol Brain* 7, 11. 10.1186/1756-6606-7-11 (CF488A GAM & CF555 DAM; IHF)

CF568

Ahi, Y. S., Vemula, S. V., and Mittal, S. K. (2013). [Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein](#). *J Gen Virol*. DOI:10.1099/vir.0.049346-0 (Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; IF)

Cohen, Y., Megyeri, M., Chen, O. C., Condomitti, G., Riezman, I., Loizides-Mangold, U., Abdul-Sada, A., Rimon, N., Riezman, H., Platt, F. M., et al. (2013). [The yeast p5 type ATPase, spf1, regulates manganese transport into the endoplasmic reticulum](#). *PLoS One* 8, e85519. 10.1371/journal.pone.0085519 (CF568 GAR; IF)

Davies, B. S., Goulbourne, C. N., Barnes, R. H., 2nd, Turlo, K. A., Gin, P., Vaughan, S., Vaux, D. J., Bensadoun, A., Beigneux, A. P., Fong, L. G., et al. (2012). [Assessing mechanisms of GPIHBP1 and lipoprotein lipase movement across endothelial cells](#). *J Lipid Res*. DOI:10.1194/jlr.M031559 (CF568 succinimidyl ester; in vivo injection, IHF)

Guo, D., Zhang, G., Wysocki, T. A., Wysocki, B. J., Gelbard, H. A., Liu, X. M., McMillan, J. M., and Gendelman, H. E. (2014). [Endosomal trafficking of nanoformulated antiretroviral therapy facilitates drug particle carriage and HIV clearance](#). *J Virol* 88, 9504-9513. 10.1128/JVI.01557-14 (CF568 succinimidyl ester labeled atazanavir; fluorescence microscopy)

He, J., Wang, Y., Xu, L. H., Qiao, J., Ouyang, D. Y., and He, X. H. (2013). [Cucurbitacin IIa induces caspase-3-dependent apoptosis and enhances autophagy in lipopolysaccharide-stimulated RAW 264.7 macrophages](#). *Int Immunopharmacol*. DOI:10.1016/j.intimp.2013.03.013 (CF488A goat anti-mouse IgG, CF568 goat anti-rabbit IgG; IF)

Home, P., Saha, B., Ray, S., Dutta, D., Gunewardena, S., Yoo, B., Pal, A., Vivian, J. L., Larson, M., Petroff, M., et al. (2012). [Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment](#). *Proc Natl Acad Sci U S A* 109, 7362-7367. DOI:10.1073/pnas.1201595109 (Mix-n-Stain CF488A, Mix-n-Stain CF568; IF)

Hu, B., Shi, W., Wu, Y. L., Leow, W. R., Cai, P., Li, S., and Chen, X. (2014). [Orthogonally engineering matrix topography and rigidity to regulate multicellular morphology](#). *Adv Mater* 26, 5786-5793. 10.1002/adma.201402489 (CF568 phalloidin; IF)

Jaiswal, D., and Brown, J. L. (2012). [Nanofiber diameter-dependent MAPK activity in osteoblasts](#). *J Biomed Mater Res A*. DOI:10.1002/jbm.a.34234 (CF568 phalloidin; IF)

Kawase, A., Yamada, A., Gamou, Y., Tahara, C., Takeshita, F., Murata, K., Matsuda, H., Samukawa, K., and Iwaki, M. (2013). [Effects of ginsenosides on the expression of cytochrome P450s and transporters involved in cholesterol metabolism](#). *J Nat Med*. DOI:10.1007/s11418-013-0791-y (CF568 goat anti-mouse IgG; IHF)

Lehmann, M., Lichtner, G., Klentz, H., and Schmoranzner, J. (2015). [Novel organic dyes for multicolor localization-based super-resolution microscopy](#). *J. Biophotonics* 1–10 (2015) / DOI 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680 STORM)

- Liu, K. P., Zhou, D., Ouyang, D. Y., Xu, L. H., Wang, Y., Wang, L. X., Pan, H., and He, X. H. (2013). [LC3B-II deacetylation by histone deacetylase 6 is involved in serum-starvation-induced autophagic degradation](#). *Biochem Biophys Res Commun* 441, 970-975. 10.1016/j.bbrc.2013.11.007 (CF488A GAM CF568 GAR; IF)
- Mofarrahi, M, McClung, JM, Kontos, CD, Davis, EC, Tappuni, B, Moroz, N, Pickett, AE, Huck, L, Harel, S, Danialou, G, et al. (2015). [Angiopoietin-1 enhances skeletal muscle regeneration in mice](#). *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology* 308: R576-R589. (Mix-n-Stain CF568; IHF)
- Neumann, K., Castineiras-Vilarino, M., Hockendorf, U., Hanneschlager, N., Lemeer, S., Kupka, D., Meyermann, S., Lech, M., Anders, H. J., Kuster, B., et al. (2014). [Clec12a is an inhibitory receptor for uric acid crystals that regulates inflammation in response to cell death](#). *Immunity* 40, 389-399. 10.1016/j.immuni.2013.12.015 (CF568 succinimidyl ester; fluorescence microscopy)
- Ouyang, D. Y., Xu, L. H., He, X. H., Zhang, Y. T., Zeng, L. H., Cai, J. Y., and Ren, S. (2013). [Autophagy is differentially induced in prostate cancer LNCaP, DU145 and PC-3 cells via distinct splicing profiles of ATG5](#). *Autophagy* 9, 20-32. DOI:10.4161/auto.22397 (CF568 goat anti-rabbit IgG; IF)
- Ouyang, D. Y., Zeng, L. H., Pan, H., Xu, L. H., Wang, Y., Liu, K. P., and He, X. H. (2013). [Piperine inhibits the proliferation of human prostate cancer cells via induction of cell cycle arrest and autophagy](#). *Food Chem Toxicol* 60, 424-430. 10.1016/j.fct.2013.08.007 (CF568 GAR; IF)
- Park, K. S., Martelotto, L. G., Peifer, M., Sos, M. L., Karnezis, A. N., Mahjoub, M. R., Bernard, K., Conklin, J. F., Szczepny, A., Yuan, J., et al. (2011). [A crucial requirement for Hedgehog signaling in small cell lung cancer](#). *Nat Med* 17, 1504-1508. DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; IF)
- Ren, S., Ouyang, D. Y., Saltis, M., Xu, L. H., Zha, Q. B., Cai, J. Y., and He, X. H. (2012). [Anti-proliferative effect of 23,24-dihydrocucurbitacin F on human prostate cancer cells through induction of actin aggregation and cofilin-actin rod formation](#). *Cancer Chemother Pharmacol*. DOI:10.1007/s00280-012-1921-z (CF488A goat anti-mouse, CF568 goat anti-rabbit; IF)
- Shiheido, H., Terada, F., Tabata, N., Hayakawa, I., Matsumura, N., Takashima, H., Ogawa, Y., Du, W., Yamada, T., Shoji, M., et al. (2012). [A phthalimide derivative that inhibits centrosomal clustering is effective on multiple myeloma](#). *PLoS One* 7, e38878. DOI:10.1371/journal.pone.0038878 (CF568 anti-rabbit IgG; IF)
- Wang, Y., Zhao, G. X., Xu, L. H., Liu, K. P., Pan, H., He, J., Cai, J. Y., Ouyang, D. Y., and He, X. H. (2014). [Cucurbitacin IIb exhibits anti-inflammatory activity through modulating multiple cellular behaviors of mouse lymphocytes](#). *PLoS One* 9, e89751. 10.1371/journal.pone.0089751 (CF488A GAM, CF568 GAR; IF)
- Yamamoto, S., Yamazaki, T., Komazaki, S., Yamashita, T., Osaki, M., Matsubayashi, M., Kidoya, H., Takakura, N., Yamazaki, D., and Kakizawa, S. (2014). [Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity](#). *Dev Biol* 393, 33-43. 10.1016/j.ydbio.2014.06.024 (CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHF)
- Zanetti-Domingues, L. C., Tynan, C. J., Rolfe, D. J., Clarke, D. T., and Martin-Fernandez, M. (2013). [Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding](#). *PLoS One* 8, e74200. 10.1371/journal.pone.0074200 (CF488A, CF568, CF633 & CF640R maleimide)
- Zhang, Y. T., Ouyang, D. Y., Xu, L. H., Zha, Q. B., and He, X. H. (2013). [Formation of cofilin-actin rods following cucurbitacin-B-induced actin aggregation depends on slingshot homolog 1-mediated cofilin hyperactivation](#). *J Cell Biochem*. DOI:10.1002/jcb.24587 (CF488A GAM, CF568 GAR; IF)

Zhang, Y. T., Xu, L. H., Lu, Q., Liu, K. P., Liu, P. Y., Ji, F., Liu, X. M., Ouyang, D. Y., and He, X. H. (2014). [VASP activation via the Galpha13/RhoA/PKA pathway mediates cucurbitacin-B-induced actin aggregation and cofilin-actin rod formation](#). *PLoS One* 9, e93547. 10.1371/journal.pone.0093547 (CF488A GAM, CF568 GAR; IF)

Zhu, J. S., Ouyang, D. Y., Shi, Z. J., Xu, L. H., Zhang, Y. T., and He, X. H. (2012). [Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells](#). *Pharmacology* 89, 348-346. DOI:10.1159/000338757 (CF488A GAM, CF568 GAR; IF)

CF594

Akhmetshina, A., Palumbo, K., Dees, C., Bergmann, C., Venalis, P., Zerr, P., Horn, A., Kireva, T., Beyer, C., Zwerina, J., et al. (2012). [Activation of canonical Wnt signalling is required for TGF-beta-mediated fibrosis](#). *Nat Commun* 3, 735. DOI:10.1038/ncomms1734 (CF488A and CF594 streptavidin; IHF, IF)

Arul, M., Roslani, A. C., Ng, C. L., and Cheah, S. H. (2013). [Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression](#). *Cytotechnology*. 10.1007/s10616-013-9600-4 (CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A GAM; IF)

Azzedine, H., Zavadakova, P., Plante-Bordeneuve, V., Vaz Pato, M., Pinto, N., Bartesaghi, L., Zenker, J., Poirot, O., Bernard-Marissal, N., Arnaud Gouttenoire, E., et al. (2013). [PLEKHG5 deficiency leads to an intermediate form of autosomal-recessive Charcot-Marie-Tooth disease](#). *Hum Mol Genet*. DOI:10.1093/hmg/ddt274 (CF594 α -bungarotoxin; IHF)

Boratko, A., and Csontos, C. (2013). [NHERF2 is crucial in ERM phosphorylation in pulmonary endothelial cells](#). *Cell Commun Signal* 11, 99. 10.1186/1478-811X-11-99 (CF594 phalloidin; IF)

Elting, M. W., Leslie, S. R., Churchman, L. S., Korlach, J., McFaul, C. M., Leith, J. S., Levene, M. J., Cohen, A. E., and Spudich, J. A. (2013). [Single-molecule fluorescence imaging of processive myosin with enhanced background suppression using linear zero-mode waveguides \(ZMWs\) and convex lens induced confinement \(CLIC\)](#). *Opt Express* 21, 1189-1202. (CF594 anti-GFP; single molecule imaging)

Felix-Ortiz, A. C., Beyeler, A., Seo, C., Leppla, C. A., Wildes, C. P., and Tye, K. M. (2013). [BLA to vHPC inputs modulate anxiety-related behaviors](#). *Neuron* 79, 658-664. 10.1016/j.neuron.2013.06.016 (CF594 Streptavidin; IHF)

Feng, X., Krogh, K. A., Wu, C. Y., Lin, Y. W., Tsai, H. C., Thayer, S. A., and Wei, L. N. (2014). [Receptor-interacting protein 140 attenuates endoplasmic reticulum stress in neurons and protects against cell death](#). *Nat Commun* 5, 4487. 10.1038/ncomms5487 (CF594-dUTP; tunel assay)

Feng, X., Wu, C. Y., Burton, F. H., Loh, H. H., and Wei, L. N. (2014). [beta-arrestin protects neurons by mediating endogenous opioid arrest of inflammatory microglia](#). *Cell Death Differ* 21, 397-406. 10.1038/cdd.2013.152 (CF594-dUTP; tunel assay)

Galletti, G., Sung, M. S., Vahdat, L. T., Shah, M. A., Santana, S. M., Altavilla, G., Kirby, B. J., and Giannakakou, P. (2014). [Isolation of breast cancer and gastric cancer circulating tumor cells by use of an anti HER2-based microfluidic device](#). *Lab Chip* 14, 147-156. 10.1039/c3lc51039e (CF594 Mix-n-Stain; IF)

Hwang, R. D., Wiemerslage, L., LaBreck, C. J., Khan, M., Kannan, K., Wang, X., Zhu, X., Lee, D., and Fridell, Y. W. (2014). [The neuroprotective effect of human uncoupling protein 2 \(hUCP2\) requires cAMP-dependent protein kinase in a toxin model of Parkinson's disease](#). *Neurobiol Dis* 69, 180-191. 10.1016/j.nbd.2014.05.032 (CF594 Annexin V; IHF)

Inutsuka, A., Inui, A., Tabuchi, S., Tsunematsu, T., Lazarus, M., and Yamanaka, A. (2014). [Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons](#). *Neuropharmacology* 85, 451-460. 10.1016/j.neuropharm.2014.06.015 (CF488 CF594 CF647; IHF)

Jalewa, J., Joshi, A., McGinnity, T. M., Prasad, G., Wong-Lin, K., and Holscher, C. (2014). [Neural circuit interactions between the dorsal raphe nucleus and the lateral hypothalamus: an experimental and computational study](#). *PLoS One* 9, e88003. 10.1371/journal.pone.0088003 (CF594 DAC CF633 DAGp; IHF)

Kapoor, N., Pawar, S., Sirakova, T. D., Deb, C., Warren, W. L., and Kolattukudy, P. E. (2013). [Human Granuloma In Vitro Model, for TB Dormancy and Resuscitation](#). *PLoS One* 8, e53657. DOI:10.1371/journal.pone.0053657 (CF594 TUNEL Assay Apoptosis Detection Kit; TUNEL assay)

Nabeshima, Y., Washida, M., Tamura, M., Maeno, A., Ohnishi, M., Shiroishi, T., Imura, A., and Razzaque, M. S. (2014). [Calpain 1 inhibitor BDA-410 ameliorates alpha-klotho-deficiency phenotypes resembling human aging-related syndromes](#). *Sci Rep* 4, 5847. 10.1038/srep05847 (CF594 GART & CF488 GACK; IHF)

Perez Bay, A. E., Schreiner, R., Benedicto, I., and Rodriguez-Boulan, E. J. (2014). [Galectin-4-mediated transcytosis of transferrin receptor](#). *J Cell Sci*. 10.1242/jcs.153437 (CF594 succinimidyl ester labeled transferrin; fluorescence microscopy)

Perez Bay, A. E., Schreiner, R., Mazzoni, F., Carvajal-Gonzalez, J. M., Gravotta, D., Perret, E., Lehmann Mantaras, G., Zhu, Y. S., and Rodriguez-Boulan, E. J. (2013). [The kinesin KIF16B mediates apical transcytosis of transferrin receptor in AP-1B-deficient epithelia](#). *EMBO J* 32, 2125-2139. 10.1038/emboj.2013.130 (CF594 succinimidyl ester labeled transferrin; fluorescence microscopy)

Qu, X., Zhu, W., Huang, S., Li, Y. S., Chien, S., Zhang, K., and Chen, S. (2013). [Relative impact of uniaxial alignment vs. form-induced stress on differentiation of human adipose derived stem cells](#). *Biomaterials* 34, 9812-9818. 10.1016/j.biomaterials.2013.09.009 (CF594 GAR; fluorescence microscopy)

Watari, K., Shibata, T., Kawahara, A., Sata, K., Nabeshima, H., Shinoda, A., Abe, H., Azuma, K., Murakami, Y., Izumi, H., et al. (2014). [Tumor-derived interleukin-1 promotes lymphangiogenesis and lymph node metastasis through M2-type macrophages](#). *PLoS One* 9, e99568. 10.1371/journal.pone.0099568 (CF488A DARat & CF594 DARb; IHF)

Yamashita, A., Zhao, Y., Matsuura, Y., Yamasaki, K., Moriguchi-Goto, S., Sugita, C., Iwakiri, T., Okuyama, N., Koshimoto, C., Kawai, K., et al. (2014). [Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage](#). *PLoS One* 9, e86426. 10.1371/journal.pone.0086426 (CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHF)

Yates, J. L., Racine, R., McBride, K. M., and Winslow, G. M. (2013). [T Cell-Dependent IgM Memory B Cells Generated during Bacterial Infection Are Required for IgG Responses to Antigen Challenge](#). *J Immunol* 191, 1240-1249. DOI:10.4049/jimmunol.1300062 (PE-CF594 conjugated anti-CD19 (BD Biosciences); IHF)

Yu, C. H., Rafiq, N. B., Krishnasamy, A., Hartman, K. L., Jones, G. E., Bershadsky, A. D., and Sheetz, M. P. (2013). [Integrin-matrix clusters form podosome-like adhesions in the absence of traction forces](#). *Cell Rep* 5, 1456-1468. 10.1016/j.celrep.2013.10.040 (CF594 phalloidin; IF)

Zhu, J. S., Ouyang, D. Y., Shi, Z. J., Xu, L. H., Zhang, Y. T., and He, X. H. (2012). [Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells](#). *Pharmacology* 89, 348-346. DOI:10.1159/000338757 (CF488A GAM, CF568 GAR; IF)

CF633

Albert, S., Spaethe, J., Grubel, K., and Rossler, W. (2014). [Royal jelly-like protein localization reveals differences in hypopharyngeal glands buildup and conserved expression pattern in brains of bumblebees and honeybees](#). *Biol Open* 3, 281-288. 10.1242/bio.20147211 (CF633 phalloidin; IHF)

- Barboro, P., Borzi, L., Repaci, E., Ferrari, N., and Balbi, C. (2013). [Androgen receptor activity is affected by both nuclear matrix localization and the phosphorylation status of the heterogeneous nuclear ribonucleoprotein K in anti-androgen-treated LNCaP cells.](#) *PLoS One* 8, e79212. 10.1371/journal.pone.0079212 (CF555 DAM, CF633 DAR; IF)
- Barboro, P., Repaci, E., D'Arrigo, C., and Balbi, C. (2012). [The Role of Nuclear Matrix Proteins Binding to Matrix Attachment Regions \(MARs\) in Prostate Cancer Cell Differentiation.](#) *PLoS One* 7, e40617. DOI:10.1371/journal.pone.0040617 (CF555 goat anti-mouse IgG, CF633 anti-rabbit IgG, CF555 streptavidin; IF, FISH)
- Blankenburg, S., Balfanz, S., Hayashi, Y., Shigenobu, S., Miura, T., Baumann, O., Baumann, A., and Blenau, W. (2014). [Cockroach GABA receptor subtypes: Molecular characterization, pharmacological properties and tissue distribution.](#) *Neuropharmacology*. 10.1016/j.neuropharm.2014.08.022 (CF633 phalloidin; IF)
- Bosch, P. J., Correa, I. R., Jr., Sonntag, M. H., Ibach, J., Brunsveld, L., Kanger, J. S., and Subramaniam, V. (2014). [Evaluation of fluorophores to label SNAP-tag fused proteins for multicolor single-molecule tracking microscopy in live cells.](#) *Biophys J* 107, 803-814. 10.1016/j.bpj.2014.06.040 (CF633 succinimidyl ester, CF640R succinimidyl ester; TIRF)
- Chen, Z. H., Zhang, Y. C., Jiang, W. F., Yang, C., Zou, G. M., Kong, Y., and Cai, W. (2014). [Characterization of interstitial Cajal progenitors cells and their changes in Hirschsprung's disease.](#) *PLoS One* 9, e86100. 10.1371/journal.pone.0086100 (CF488A DAR, CF543 BAG, CF633 DAM; IHF)
- Fan, Y., Potdar, A. A., Gong, Y., Eswarappa, S. M., Donnola, S., Lathia, J. D., Hambardzumyan, D., Rich, J. N., and Fox, P. L. (2014). [Profilin-1 phosphorylation directs angiocrine expression and glioblastoma progression through HIF-1alpha accumulation.](#) *Nat Cell Biol* 16, 445-456. 10.1038/ncb2954 (CF633 phalloidin; IHF)
- Gautam, N., Roy, U., Balkundi, S., Puligujja, P., Guo, D., Smith, N., Liu, X. M., Lamberty, B., Morsey, B., Fox, H. S., et al. (2013). [Preclinical Pharmacokinetics and Tissue Distribution of Long-Acting Nanoformulated Antiretroviral Therapy. Antimicrob Agents Chemother.](#) DOI:10.1128/AAC.00267-13 (CF633 succinimidyl ester; nanoparticles; IF; FC)
- Jalewa, J., Joshi, A., McGinnity, T. M., Prasad, G., Wong-Lin, K., and Holscher, C. (2014). [Neural circuit interactions between the dorsal raphe nucleus and the lateral hypothalamus: an experimental and computational study.](#) *PLoS One* 9, e88003. 10.1371/journal.pone.0088003 (CF594 DAC CF633 DAGp; IHF)
- Kim, H. J., and Selvin, P. R. (2013). [Fluorescence Imaging with One Nanometer Accuracy.](#) SpringerReference. springerreference.com/docs/html/chapterdbid/305550.html (CF633; Fluorescence Imaging with One Nanometer Accuracy (FIONA))
- Kohara, K., Pignatelli, M., Rivest, A. J., Jung, H. Y., Kitamura, T., Suh, J., Frank, D., Kajikawa, K., Mise, N., Obata, Y., et al. (2014). [Cell type-specific genetic and optogenetic tools reveal hippocampal CA2 circuits.](#) *Nat Neurosci* 17, 269-279. 10.1038/nn.3614 (CF633 GAM, CF633 GAR, CF633 SA, CF405S GAM; IHF)
- Lindberg, O. R., Brederlau, A., and Kuhn, H. G. (2014). [Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis.](#) *Stem Cell Reports* 2, 440-448. 10.1016/j.stemcr.2014.02.003 (CF488A DAM CF555 DAR, DAG CF633 DAG; IHF)
- Lindberg, O. R., Persson, A., Brederlau, A., Shabro, A., and Kuhn, H. G. (2012). [EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream.](#) *PLoS One* 7, e46380. DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHF)

- Lozada, A. F., Wang, X., Gounko, N. V., Massey, K. A., Duan, J., Liu, Z., and Berg, D. K. (2012). [Glutamatergic Synapse Formation is Promoted by alpha7-Containing Nicotinic Acetylcholine Receptors](#). *J Neurosci* 32, 7651-7661. DOI:10.1523/JNEUROSCI.6246-11.2012 (CF555 donkey anti-rabbit, CF633 goat anti-guinea pig; IHF)
- Ma, L., Makino, Y., Yamaza, H., Akiyama, K., Hoshino, Y., Song, G., Kukita, T., Nonaka, K., Shi, S., and Yamaza, T. (2012). [Cryopreserved dental pulp tissues of exfoliated deciduous teeth is a feasible stem cell resource for regenerative medicine](#). *PLoS One* 7, e51777. DOI:10.1371/journal.pone.0051777 (CF633 secondary antibodies; IF, IHF)
- Miller, S. J. (2012). [Targeted detection of murine colonic dysplasia in vivo with flexible multispectral scanning fiber endoscopy](#). *Journal of Biomedical Optics* 17. DOI:10.1117/1.JBO.17.2.021103 (CF633 succinimidyl ester-labeled peptide; endoscopy)
- Polackwich, R. J., Koch, D., Arevalo, R., Miermont, A. M., Jee, K. J., Lazar, J., Urbach, J., Mueller, S. C., and McAllister, R. G. (2013). [A Novel 3D Fibril Force Assay Implicates Src in Tumor Cell Force Generation in Collagen Networks](#). *PLoS One* 8, e58138. DOI:10.1371/journal.pone.0058138 (CF633 succinimidyl ester (used to label collagen); 3D Fibril Force Assay, IF)
- Puligujja, P., McMillan, J., Kendrick, L., Li, T., Balkundi, S., Smith, N., Veerubhotla, R. S., Edagwa, B. J., Kabanov, A. V., Bronich, T., et al. (2013). [Macrophage Folate Receptor-Targeted Antiretroviral Therapy Facilitates Drug Entry, Retention, Antiretroviral Activities and Biodistribution for Reduction of Human Immunodeficiency Virus Infections](#). *Nanomedicine*. DOI:10.1016/j.nano.2013.05.003 (CF633 succinimidyl ester nanoparticles; IF)
- Quinn, K. E., Ashley, A. K., Reynolds, L. P., Grazul-Bilska, A. T., and Ashley, R. L. (2014). [Activation of the CXCL12/CXCR4 signaling axis may drive vascularization of the ovine placenta](#). *Domest Anim Endocrinol* 47, 11-21. DOI:10.1016/j.domaniend.2013.12.004 (CF633 GAR; IHF)
- Simonson, P. D., Rothenberg, E., and Selvin, P. R. (2011). [Single-molecule-based super-resolution images in the presence of multiple fluorophores](#). *Nano Lett* 11, 5090-5096. DOI:10.1021/nl203560r (CF633 goat anti-mouse IgG; IF, gSHRIMP)
- Tian, T., Zhu, Y. L., Hu, F. H., Wang, Y. Y., Huang, N. P., and Xiao, Z. D. (2013). [Dynamics of exosome internalization and trafficking](#). *J Cell Physiol* 228, 1487-1495. DOI:10.1002/jcp.24304 (CF633 GAR; IF)
- von Walden, F., Casagrande, V., Ostlund Farrants, A. K., and Nader, G. A. (2012). [Mechanical loading induces the expression of a Pol I regulon at the onset of skeletal muscle hypertrophy](#). *Am J Physiol Cell Physiol* 302, C1523-1530. DOI:10.1152/ajpcell.00460.2011 (CF488A goat anti-mouse IgG, CF633 goat anti-rabbit IgG; IF, IHF)
- Witteveldt, J., Blundell, R., Maarleveld, J. J., McFadden, N., Evans, D. J., and Simmonds, P. (2014). [The influence of viral RNA secondary structure on interactions with innate host cell defences](#). *Nucleic Acids Res* 42, 3314-3329. DOI:10.1093/nar/gkt1291 (CF633 anti-biotin; IF)
- Zanetti-Domingues LC, Tynan CJ, Rolfe DJ, Clarke DT, Martin-Fernandez M (2013) [Hydrophobic Fluorescent Probes Introduce Artifacts into Single Molecule Tracking Experiments Due to Non-Specific Binding](#). *PLoS ONE* 8(9): e74200. doi:10.1371/journal.pone.0074200 (CF488A, CF568, CF633, CF640R TIRF)
- Zolnerciks, J. K., Akkaya, B. G., Snippe, M., Chiba, P., Seelig, A., and Linton, K. J. (2014). [The Q loops of the human multidrug resistance transporter ABCB1 are necessary to couple drug binding to the ATP catalytic cycle](#). *FASEB J* 28, 4335-4346. DOI:10.1096/fj.13-245639 (CF633 Mix-n-Stain; IF)

CF640R

- Adolfsson, K., Schneider, M., Hammarin, G., Hacker, U., and Prinz, C. N. (2013). [Ingestion of gallium phosphide nanowires has no adverse effect on Drosophila tissue function](#). *Nanotechnology* 24, 285101. DOI:10.1088/0957-4484/24/28/285101 (CF640R WGA; IF)
- Bosch, P. J., Correa, I. R., Jr., Sonntag, M. H., Ibach, J., Brunsveld, L., Kanger, J. S., and Subramaniam, V. (2014). [Evaluation of fluorophores to label SNAP-tag fused proteins for multicolor single-molecule tracking microscopy in live cells](#). *Biophys J* 107, 803-814. 10.1016/j.bpj.2014.06.040 (CF633 succinimidyl ester, CF640R succinimidyl ester; TIRF)
- Martin-Fernandez, M. L., Tynan, C. J., and Webb, S. E. (2013). [A 'pocket guide' to total internal reflection fluorescence](#). *J Microsc* 252, 16-22. 10.1111/jmi.12070 (CF640R; TIRF)
- Needham, S.R., Zanetti-Domingues, L.C., Scherer, K.M., Hirsch, M., Rolfe, D.J., Roberts, S.K., Martin-Fernandez, M.L., Clarke, D.T., and Christopher J. Tynan. (2015). [Determining the geometry of oligomers of the human epidermal growth factor family on cells with <10 nm resolution](#). *Biochem. Soc. Trans.* (2015) 43, 309–314; doi:10.1042/BST20140318 (CF640R; FLImP)
- Sainski, A. M., Dai, H., Natesampillai, S., Pang, Y. P., Bren, G. D., Cummins, N. W., Correia, C., Meng, X. W., Tarara, J. E., Ramirez-Alvarado, M., et al. (2014). [Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation](#). *J Cell Biol* 207, 159. 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)
- Song, Y., Zhang, X., Huang, L., Behlke, M. A., and Tsourkas, A. (2014). [Real-time imaging of single engineered RNA transcripts in living cells using ratiometric bimolecular beacons](#). *J Vis Exp*, e51544. 10.3791/51544 (CF640R SE molecular beacons RNA; fluorescence microscopy)
- Stasevich, T. J., Sato, Y., Nozaki, N., and Kimura, H. (2014). [Quantifying histone and RNA polymerase II post-translational modification dynamics in mother and daughter cells](#). *Methods*. S1046-2023(14)00260-6 [pii] 10.1016/j.ymeth.2014.08.002 (CF640R succinimidyl ester; live cell imaging)
- Tokunaga, M., Shiheido, H., Hayakawa, I., Utsumi, A., Takashima, H., Doi, N., Horisawa, K., Sakuma-Yonemura, Y., Tabata, N., and Yanagawa, H. (2013). [Hereditary spastic paraplegia protein spartin is an FK506-binding protein identified by mRNA display](#). *Chem Biol* 20, 935-942. 10.1016/j.chembiol.2013.05.011 (CF640R GAM; IF)
- Xu, Z., Parra, D., Gomez, D., Salinas, I., Zhang, Y. A., von Gersdorff Jorgensen, L., Heinecke, R. D., Buchmann, K., LaPatra, S., and Sunyer, J. O. (2013). [Teleost skin, an ancient mucosal surface that elicits gut-like immune responses](#). *Proc Natl Acad Sci U S A* 110, 13097-13102. 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHF)
- Zanetti-Domingues LC, Tynan CJ, Rolfe DJ, Clarke DT, Martin-Fernandez M (2013) [Hydrophobic Fluorescent Probes Introduce Artifacts into Single Molecule Tracking Experiments Due to Non-Specific Binding](#). *PLoS ONE* 8(9): e74200. doi:10.1371/journal.pone.0074200 (CF488A, CF568, CF633, CF640R TIRF)
- Zanetti-Domingues, LC, Hirsch, M, Tynan, CJ, Rolfe, DJ, Boyadzhiev, TV, Scherer, KM, Clarke, DT, Martin-Fernandez, ML, and Needham, SR (2015). [Determining the geometry of oligomers of the human epidermal growth factor family on cells with 7 nm resolution](#). *Progress in Biophysics and Molecular Biology* 118: 139-152. (CF640R SE; FLImP)
- Zhang, X., Song, Y., Shah, A. Y., Lekova, V., Raj, A., Huang, L., Behlke, M. A., and Tsourkas, A. (2013). [Quantitative assessment of ratiometric bimolecular beacons as a tool for imaging single engineered RNA transcripts and measuring gene expression in living cells](#). *Nucleic Acids Res*. DOI:10.1093/nar/gkt561 (CF640R succinimidyl ester; RNA probes for use in living cells (Ratiometric Bimolecular Beacon (RBMB); IF)

Zurla, C., Lifland, A. W., and Santangelo, P. J. (2011). [Characterizing mRNA interactions with RNA granules during translation initiation inhibition](#). *PLoS One* 6, e19727. DOI:10.1371/journal.pone.0019727 (*CF640R tetravalent RNA imaging probe; FISH*)

CF647

Ahmed, S. M., Theriault, B. L., Uppalapati, M., Chiu, C. W., Gallie, B. L., Sidhu, S. S., and Angers, S. (2012). [KIF14 negatively regulates Rap1a-Radil signaling during breast cancer progression](#). *J Cell Biol* 199, 951-967. DOI:10.1083/jcb.201206051 (*CF647 phalloidin; IF*)

Amann, R., Rohde, J., Wulle, U., Conlee, D., Raue, R., Martinon, O., and Rziha, H. J. (2012). [A new rabies vaccine based on a recombinant Orf virus \(Parapoxvirus\) expressing the rabies virus glycoprotein](#). *J Virol*. DOI:10.1128/JVI.02470-12 (*CF647 phalloidin; IF*)

Cai, L., Lu, J., Sheen, V., and Wang, S. (2012). [Optimal Poly\(L-lysine\) Grafting Density in Hydrogels for Promoting Neural Progenitor Cell Functions](#). *Biomacromolecules*. DOI:10.1021/bm300381d (*CF647 goat anti-rabbit IgG; IF*)

Huh, D., Kim, H. J., Fraser, J. P., Shea, D. E., Khan, M., Bahinski, A., Hamilton, G. A., and Ingber, D. E. (2013). [Microfabrication of human organs-on-chips](#). *Nat Protoc* 8, 2135-2157. 10.1038/nprot.2013.137 (*CF647 phalloidin; IF*)

Inutsuka, A., Inui, A., Tabuchi, S., Tsunematsu, T., Lazarus, M., and Yamanaka, A. (2014). [Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons](#). *Neuropharmacology* 85, 451-460. 10.1016/j.neuropharm.2014.06.015 (*CF488 CF594 CF647; IHF*)

Kim, H. J., and Ingber, D. E. (2013). [Gut-on-a-Chip microenvironment induces human intestinal cells to undergo villus differentiation](#). *Integr Biol (Camb)*. DOI:10.1039/c3ib40126j (*CF647 phalloidin; IF*)

Lehmann, M., Lichtner, G., Klenz, H., and Schmoranzner, J. (2015). [Novel organic dyes for multicolor localization-based super-resolution microscopy](#). *J. Biophotonics* 1–10 (2015) / DOI 10.1002/jbio.201500119 (*CF555, CF568, CF647, CF680 STORM*)

Olivier, N., Keller, D., Rajan, V. S., Gonczy, P., and Manley, S. (2013). [Simple buffers for 3D STORM microscopy](#). *Biomed Opt Express* 4, 885-899. 10.1364/BOE.4.000885 (*CF647; Super Resolution Microscopy*)

Park, K. S., Martelotto, L. G., Peifer, M., Sos, M. L., Karnezis, A. N., Mahjoub, M. R., Bernard, K., Conklin, J. F., Szczepny, A., Yuan, J., et al. (2011). [A crucial requirement for Hedgehog signaling in small cell lung cancer](#). *Nat Med* 17, 1504-1508. DOI:10.1038/nm.2473 (*Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; IF*)

Pennacchio, A., Varriale, A., Scala, A., Marzullo, VM, Staiano, M, and D'Auria, S. (2016). [A novel fluorescence polarization assay for determination of penicillin G in milk](#). *Food Chemistry* 190: 381-385. (*CF647 succinimidyl ester; fluorescence polarization assay*)

Rohde, J., Amann, R., and Rziha, H. J. (2013). [New Orf virus \(Parapoxvirus\) recombinant expressing H5 hemagglutinin protects mice against H5N1 and H1N1 influenza A virus](#). *PLoS One* 8, e83802. 10.1371/journal.pone.0083802 (*CF647 phalloidin; IF*)

Skindersoe, M. E., Rohde, M., and Kjaerulff, S. (2012). [A novel and rapid apoptosis assay based on thiol redox status](#). *Cytometry A*. DOI:10.1002/cyto.a.22032 (*CF647 Annexin V; IF, FC*)

Smith, P. L., Hagberg, H., Naylor, A. S., and Mallard, C. (2014). [Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus](#). *Dev Neurosci* 36, 119-131. 10.1159/000359950 (*CF555 DAG, CF488A DACK & CF647 DAM; IHF*)

- Tai, L. H., Lee, A. M., Benavidez, N., Bonci, A., and Wilbrecht, L. (2012). [Transient stimulation of distinct subpopulations of striatal neurons mimics changes in action value](#). *Nat Neurosci* 15, 1281-1289. DOI:10.1038/nn.3188 (CF555 donkey anti-mouse IgG, CF647 donkey anti-goat IgG; IHF)
- Takenaka, N., Izawa, R., Wu, J., Kitagawa, K., Nihata, Y., Hosooka, T., Noguchi, T., Ogawa, W., Aiba, A., and Satoh, T. (2014). [A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle](#). *FEBS J* 281, 1493-1504. 10.1111/febs.12719 (CF488A, CF543, CF647 GAM, GAR, GART; IF)
- Takenaka, N., Yasuda, N., Nihata, Y., Hosooka, T., Noguchi, T., Aiba, A., and Satoh, T. (2014). [Role of the guanine nucleotide exchange factor in Akt2-mediated plasma membrane translocation of GLUT4 in insulin-stimulated skeletal muscle](#). *Cell Signal* 26, 2460-2469. 10.1016/j.cellsig.2014.07.002 (CF350, CF543 & CF647; IF)
- Varriale, A, Pennacchio, A, Pinto, G, Oliviero, G, D'Errico, S, Majoli, A, Scala, A, Capo, A, Pennacchio, A, Di Giovanni, S, et al. (2015). [A Fluorescence Polarization Assay To Detect Steroid Hormone Traces in Milk](#). *Journal of Agricultural and Food Chemistry* 63: 9159-9164. (CF647 succinimidyl ester; fluorescence polarization assay)
- Zhang, Z., Kenny, S.J., Hauser, M., Li, W., and Xu, K. (2015). [Ultrahigh-throughput single-molecule spectroscopy and spectrally resolved super-resolution microscopy](#). *Nature Methods* doi:10.1038/nmeth.3528 (CF660C, CF680 3-D STORM)
- CF660R**
- Gorham, JB, Williams, BA, Gidley, MJ, and Mikkelsen, D.(2016). [Visualization of microbe-dietary remnant interactions in digesta from pigs, by fluorescence in situ hybridization and staining methods; effects of a dietary arabinoxylan-rich wheat fraction](#). *Food Hydrocolloids* 52: 952-962. (Mix-n-Stain CF660R labeling of enzyme)
- Shirasaki, Y., Yamagishi, M., Suzuki, N., Izawa, K., Nakahara, A., Mizuno, J., Shoji, S., Heike, T., Harada, Y., Nishikomori, R., et al. (2014). [Real-time single-cell imaging of protein secretion](#). *Sci Rep* 4, 4736. 10.1038/srep04736 (CF660R; TIRF)
- CF680**
- Avelar, G. M., Schumacher, R. I., Zaini, P. A., Leonard, G., Richards, T. A., and Gomes, S. L. (2014). [A rhodopsin-guanlyl cyclase gene fusion functions in visual perception in a fungus](#). *Curr Biol* 24, 1234-1240. 10.1016/j.cub.2014.04.009 (CF680; WB; LI-COR Odyssey)
- Früh, S.M., Schoen, I., Ries, J., and Vogel, V. (2015). [Molecular architecture of native fibronectin fibrils](#). *Nature Communications* 6, 7275. DOI: 10.1038/ncomms8275 (CF680 STORM)
- Gauthier, T., Wache, Y., Laffitte, J., Taranu, I., Saeedikouzehkonani, N., Mori, Y., and Oswald, I. P. (2013). [Deoxynivalenol impairs the immune functions of neutrophils](#). *Mol Nutr Food Res*. DOI:10.1002/mnfr.201200755 (CF680 goat anti-rabbit IgG, CF770 goat anti-rabbit IgG; WB; Li-Cor Odyssey)
- Lehmann, M., Lichtner, G., Klenz, H., and Schmoranzler, J. (2015). [Novel organic dyes for multicolor localization-based super-resolution microscopy](#). *J. Biophotonics* 1–10 (2015) / DOI 10.1002/jbio.201500119 (CF555, CF568, CF647, CF680 STORM)
- Kohler, C., Lourenco, R. F., Avelar, G. M., and Gomes, S. L. (2012). [Extracytoplasmic function \(ECF\) sigma factor sigmaF is involved in Caulobacter crescentus response to heavy metal stress](#). *BMC Microbiol* 12, 210. DOI:10.1186/1471-2180-12-210 (CF680 goat anti-rabbit IgG; WB; Li-Cor Odyssey)
- Oliveira, A. F., and Yasuda, R. (2014). [Neurofibromin is the major ras inactivator in dendritic spines](#). *J Neurosci* 34, 776-783. 10.1523/JNEUROSCI.3096-13.2014 (CF680 GAM, CF770 GAR; WB; LI-COR Odyssey)

Ottenheim, C. A., Buck, D., de Winter, J. M., Ferrara, C., Piroddi, N., Tesi, C., Jasper, J. R., Malik, F. I., Meng, H., Stienen, G. J., et al. (2013). [Deleting exon 55 from the nebulin gene induces severe muscle weakness in a mouse model for nemaline myopathy](#). *Brain* 136, 1718-1731. 10.1093/brain/awt113 (CF680 GAR; WB; LI-COR Odyssey)

Platonova, E, Winterflood, CM, and Ewers, H. (2015) [A Simple Method for GFP- and RFP-based Dual Color Single-Molecule Localization Microscopy](#). *ACS Chemical Biology* 10: 1411-1416. (CF680 anti-GFP; STORM)

Platonova, E, Winterflood, CM, Junemann, A, Albrecht, D, Faix, J, and Ewers, H. (2015) [Single-molecule microscopy of molecules tagged with GFP or RFP derivatives in mammalian cells using nanobody binders](#). *Methods* 88: 89-97. (CF680 SE; STORM)

Sun, Y., Shukla, G., Pero, S. C., Currier, E., Sholler, G., and Krag, D. (2012). [Single tumor imaging with multiple antibodies targeting different antigens](#). *Biotechniques* 0, 1-3. DOI:10.2144/000113855 (*XenoLight CF680, XenoLight CF770; in vivo imaging; PerkinElmer IVIS Lumina*)

Titova, E., and Obenaus, A. (2012). [Immunological Response to Experimental Intracerebral Hemorrhage: Morphological Assessments](#). In *Animal Models of Acute Neurological Injuries II*, J. Chen, X.-M. Xu, Z. C. Xu, and J. H. Zhang, eds. (Humana Press), pp. 625-652. DOI:10.1007/978-1-61779-576-3_48 (CF680- and CF770- secondary antibody conjugates; IHF in floating brain sections; LI-COR Odyssey)

Titova, E. M., Ghosh, N., Valadez, Z. G., Zhang, J. H., Bellinger, D. L., and Obenaus, A. (2014). [The late phase of post-stroke neurorepair in aged rats is reflected by MRI-based measures](#). *Neuroscience*. 10.1016/j.neuroscience.2014.09.028 (CF680 goat anti-mouse & CF770 goat anti-rabbit; IHF; LI-COR Odyssey)

Venkataramani, V., Frank Herrmannsdörfer, F., Heilemann, M., and Kuner, T. (2016). [SuReSim: simulating localization microscopy experiments from ground truth models](#). *Nature Methods* 13, 319-321. doi:10.1038/nmeth.3775 (CF680 goat anti-mouse, 3D STORM)

Winterflood, C.M., Platonova, E. Albrecht, D. and Ewers, H. (2015) [Dual-Color 3D Superresolution Microscopy by Combined Spectral-Demixing and Biplane Imaging](#). *Biophysical Journal* 109, 3-6. (CF680 3-D superresolution microscopy)

Wu, C. L., Chou, Y. H., Chang, Y. J., Teng, N. Y., Hsu, H. L., and Chen, L. (2012). [Interplay between Cell Migration and Neurite Outgrowth Determines SH2B1beta-Enhanced Neurite Regeneration of Differentiated PC12 Cells](#). *PLoS One* 7, e34999. DOI:10.1371/journal.pone.0034999 (CF680 goat anti-mouse IgG; WB; LI-COR Odyssey)

Zhang, Z., Kenny, S.J., Hauser, M., Li, W., and Xu, K. (2015). [Ultrahigh-throughput single-molecule spectroscopy and spectrally resolved super-resolution microscopy](#). *Nature Methods* doi:10.1038/nmeth.3528 (CF660C, CF680 3-D STORM)

CF680R

Gao, F, Cai, P, Yang, W, Xue, J, Gao, L, Liu, R, Wang, Y, Zhao, Y, He, X, Zhao, L, et al. (2015). [Ultrasmall \[64Cu\]Cu Nanoclusters for Targeting Orthotopic Lung Tumors Using Accurate Positron Emission Tomography Imaging](#). *ACS Nano* 9: 4976-4986. (CF680R succinimidyl ester; in vivo imaging)

Görlitz, F., Hoyer, P., J. Falk, H.J., Kastrup, L., Engelhardt, J., and Hell, S.W. (2014). [A STED Microscope Designed for Routine Biomedical Applications](#). *Progress Electromagnetics Res.* 147, 57-68. (CF680R STED)

Sun, X., Ma, T., Liu, H., Yu, X., Wu, Y., Shi, J., Jia, B., Zhao, H., Wang, F., and Liu, Z. (2014). [Longitudinal monitoring of tumor antiangiogenic therapy with near-infrared fluorophore-labeled agents targeted to integrin \$\alpha v \beta 3\$ and vascular endothelial growth factor](#). *Eur J Nucl Med Mol Imaging* 41, 1428-1439. 10.1007/s00259-014-2702-1 (*Xenolight CF680 CF770; in vivo imaging*)

CF750

- Alawieh, A, Elvington, A, Zhu, H, Yu, J, Kindy, MS, Atkinson, C, and Tomlinson, S. (2015). [Modulation of post-stroke degenerative and regenerative processes and subacute protection by site-targeted inhibition of the alternative pathway of complement](#). *Journal of Neuroinflammation* 12: 1-15. (CF750 succinimidyl ester; *in vivo* imaging)
- Darniot, M.,Schildgen, V.,Schildgen, O.,Sproat, B.,Kleines, M.,Ditt, V.,Pitoiset, C.,Pothier, P., and Manoha, C. (2012). [RNA interference in vitro and in vivo using DsiRNA targeting the nucleocapsid N mRNA of human metapneumovirus](#). *Antiviral Res* 93, 364-373. DOI:10.1016/j.antiviral.2012.01.004 (CF750 succinimidyl ester (to label siRNA); *in vivo* imaging; *Visen Medical FMT 2500 imaging system*)
- Fan, Q.,Cai, H.,Yang, H.,Li, L.,Yuan, C.,Lu, X., and Wan, L. (2014). [Biological evaluation of 131I- and CF750-labeled Dmab\(scFv\)-Fc antibodies for xenograft imaging of CD25-positive tumors](#). *Biomed Res Int* 2014, 459676. 10.1155/2014/459676 (CF750; *in vivo* imaging; *Caliper IVIS*)
- Guo, K.,Tang, J. P.,Jie, L.,Al-Aidaros, A. Q.,Hong, C. W.,Tan, C. P.,Park, J. E.,Varghese, L.,Feng, Z.,Zhou, J., et al. (2012). [Engineering the first chimeric antibody in targeting intracellular PRL-3 oncoprotein for cancer therapy in mice](#). *Oncotarget* 3, 158-171 (*XenoLight CF750 NIR Fluorescent Labeling Kit; in vivo* imaging; *PerkinElmer IVIS Spectrum imaging system*)
- Herz, C.,Hertrampf, A.,Zimmermann, S.,Stetter, N.,Wagner, M.,Kleinhans, C.,Erlacher, M.,Schuler, J.,Platz, S.,Rohn, S., et al. (2014). [The isothiocyanate erucin abrogates telomerase in hepatocellular carcinoma cells in vitro and in an orthotopic xenograft tumour model of HCC](#). *J Cell Mol Med*. 10.1111/jcmm.12412 (*Xenolight CF750; in vivo* imaging; *Bruker Image Station*)
- Ito, A.,Ito, Y.,Matsushima, S.,Tsuchida, D.,Ogasawara, M.,Hasegawa, J.,Misawa, K.,Kondo, E.,Kaneda, N., and Nakanishi, H. (2014). [New whole-body multimodality imaging of gastric cancer peritoneal metastasis combining fluorescence imaging with ICG-labeled antibody and MRI in mice](#). *Gastric Cancer* 17, 497-507. 10.1007/s10120-013-0316-0 (*Xenolight CF750; in vivo* imaging; *IVIS Lumina II*)
- Li, X.,Iida, M.,Tada, M.,Watari, A.,Kawahigashi, Y.,Kimura, Y.,Yamashita, T.,Ishii-Watabe, A.,Uno, T.,Fukasawa, M., et al. (2014). [Development of an anti-claudin-3 and -4 bispecific monoclonal antibody for cancer diagnosis and therapy](#). *J Pharmacol Exp Ther* 351, 206-213. 10.1124/jpet.114.216911 (*Xenolight CF750; in vivo* imaging)
- Li, X.,Saeki, R.,Watari, A.,Yagi, K., and Kondoh, M. (2014). [Tissue distribution and safety evaluation of a claudin-targeting molecule, the C-terminal fragment of Clostridium perfringens enterotoxin](#). *Eur J Pharm Sci* 52, 132-137. 10.1016/j.ejps.2013.10.018 (*Xenolight CF750; FC, in vivo* imaging)
- Matsuo, H.,Yoshimoto, N.,Iijima, M.,Niimi, T.,Jung, J.,Jeong, S. Y.,Choi, E. K.,Sewaki, T.,Arakawa, T., and Kuroda, S. (2012). [Engineered hepatitis B virus surface antigen L protein particles for in vivo active targeting of splenic dendritic cells](#). *Int J Nanomedicine* 7, 3341-3350. DOI:10.2147/IJN.S32813 (CF750 succinimidyl ester; *bionanocapsules (BNCs); in vivo* imaging; *Olympus OV-100 imaging system*)
- Moore, L.,Chow, E. K.,Osawa, E.,Bishop, J. M., and Ho, D. (2013). [Diamond-Lipid Hybrids Enhance Chemotherapeutic Tolerance and Mediate Tumor Regression](#). *Adv Mater*. DOI:10.1002/adma.201300343 (*XenoLight CF750 in Nanodiamond-lipid hybrid particles (NDLPs); in vivo* imaging; *PerkinElmer IVIS Spectrum imaging system*)
- Sun, X.,Ma, T.,Liu, H.,Yu, X.,Wu, Y.,Shi, J.,Jia, B.,Zhao, H.,Wang, F., and Liu, Z. (2014). [Longitudinal monitoring of tumor antiangiogenic therapy with near-infrared fluorophore-labeled agents targeted to integrin alphavbeta3 and](#)

[vascular endothelial growth factor](#). *Eur J Nucl Med Mol Imaging* 41, 1428-1439. 10.1007/s00259-014-2702-1 (*Xenolight CF680 CF770; in vivo imaging*)

Wei, D, Fan, Q, Cai, H, Yang, H, Wan, L, Li, L, and Lu, X. (2015). [CF750-A33scFv-Fc-Based Optical Imaging of Subcutaneous and Orthotopic Xenografts of GPA33-Positive Colorectal Cancer in Mice](#). *BioMed Research International* 2015, 11. (*CF750 succinimidyl ester, in vivo imaging*)

Zeiderman, M. R., Egger, M. E., Kimbrough, C. W., England, C. G., Dupre, T. V., McMasters, K. M., and McNally, L. R. (2014). [Targeting of BRAF resistant melanoma via extracellular matrix metalloproteinase inducer receptor](#). *J Surg Res* 190, 111-118. 10.1016/j.jss.2014.02.021 (*CF750 succinimidyl ester; in vivo imaging, FC*)

CF770

Abe, S., Morita, Y., Kaneko, M. K., Hanibuchi, M., Tsujimoto, Y., Goto, H., Kakiuchi, S., Aono, Y., Huang, J., Sato, S., et al. (2013). [A novel targeting therapy of malignant mesothelioma using anti-podoplanin antibody](#). *J Immunol* 190, 6239-6249. DOI:10.4049/jimmunol.1300448 (*XenoLight CF770; in vivo imaging; PerkinElmer IVIS Spectrum imaging system*)

Ait-Belgnaoui, A., Colom, A., Braniste, V., Ramalho, L., Marrot, A., Cartier, C., Houdeau, E., Theodorou, V., and Tompkins, T. (2014). [Probiotic gut effect prevents the chronic psychological stress-induced brain activity abnormality in mice](#). *Neurogastroenterol Motil* 26, 510-520. 10.1111/nmo.12295 (*CF770; WB; LI-COR Odyssey*)

Alfonso-Loeches, S., Pascual, M., Gomez-Pinedo, U., Pascual-Lucas, M., Renau-Piqueras, J., and Guerri, C. (2012). [Toll-like receptor 4 participates in the myelin disruptions associated with chronic alcohol abuse](#). *Glia* 60, 948-964. DOI:10.1002/glia.22327 (*XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system*)

Alfonso-Loeches, S., Pascual, M., and Guerri, C. (2013). [Gender differences in alcohol-induced neurotoxicity and brain damage](#). *Toxicology*. DOI:10.1016/j.tox.2013.03.001 (*XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system*)

Annahazi, A., Ferrier, L., Bezirard, V., Leveque, M., Eutamene, H., Ait-Belgnaoui, A., Coeffier, M., Ducrotte, P., Roka, R., Inczefi, O., et al. (2013). [Luminal Cysteine-Proteases Degrade Colonic Tight Junction Structure and Are Responsible for Abdominal Pain in Constipation-Predominant IBS](#). *Am J Gastroenterol*. DOI:10.1038/ajg.2013.152 (*CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey*)

Audebert, M., Zeman, F., Beaudoin, R., Pery, A., and Cravedi, J. P. (2012). [Comparative potency approach based on H2AX assay for estimating the genotoxicity of polycyclic aromatic hydrocarbons](#). *Toxicol Appl Pharmacol*. DOI:10.1016/j.taap.2012.01.022 (*CF770 goat anti-rabbit IgG; ICW; Li-Cor Odyssey*)

Azhdarinia, A., Ghosh, P., Ghosh, S., Wilganowski, N., and Sevick-Muraca, E. M. (2012). [Dual-labeling strategies for nuclear and fluorescence molecular imaging: a review and analysis](#). *Mol Imaging Biol* 14, 261-276. 10.1007/s11307-011-0528-9 (*CF770, CF790; in vivo imaging*)

Babelova, A., Jansen, F., Sander, K., Lohn, M., Schafer, L., Fork, C., Ruetten, H., Plettenburg, O., Stark, H., Daniel, C., et al. (2013). [Activation of Rac-1 and RhoA contributes to podocyte injury in chronic kidney disease](#). *PLoS One* 8, e80328. 10.1371/journal.pone.0080328 (*CF770 GAR; WB; LI-COR Odyssey*)

Dabek, M., Ferrier, L., Annahazi, A., Bezirard, V., Polizzi, A., Cartier, C., Leveque, M., Roka, R., Wittmann, T., Theodorou, V., et al. (2011). [Intracolonic infusion of fecal supernatants from ulcerative colitis patients triggers altered permeability and inflammation in mice: role of cathepsin G and protease-activated receptor-4](#). *Inflamm Bowel Dis* 17, 1409-1414. DOI:10.1002/ibd.21454 (*CF770 goat anti-rabbit IgG; WB; Li-Cor Odyssey*)

- Gauthier, T., Wache, Y., Laffitte, J., Taranu, I., Saeedikouzehkonani, N., Mori, Y., and Oswald, I. P. (2013). [Deoxynivalenol impairs the immune functions of neutrophils](#). *Mol Nutr Food Res*. DOI:10.1002/mnfr.201200755 (CF680 goat anti-rabbit IgG, CF770 goat anti-rabbit IgG; WB; Li-Cor Odyssey)
- Huc, L., Lemarie, A., Gueraud, F., and Helies-Toussaint, C. (2012). [Low concentrations of bisphenol A induce lipid accumulation mediated by the production of reactive oxygen species in the mitochondria of HepG2 cells](#). *Toxicol In Vitro* 26, 709-717. DOI:10.1016/j.tiv.2012.03.017 (CF770 goat anti-mouse IgG; WB; Li-Cor Odyssey)
- Jamin, E. L., Riu, A., Douki, T., Debrauwer, L., Cravedi, J. P., Zalko, D., and Audebert, M. (2013). [Combined Genotoxic Effects of a Polycyclic Aromatic Hydrocarbon \(B\(a\)P\) and an Heterocyclic Amine \(PhIP\) in Relation to Colorectal Carcinogenesis](#). *PLoS One* 8, e58591. DOI:10.1371/journal.pone.0058591 (CF770 goat anti-rabbit IgG; ICW; Li-Cor Odyssey)
- Khoury, L., Zalko, D., and Audebert, M. (2013). [Validation of high-throughput genotoxicity assay screening using gammaH2AX in-cell western assay on HepG2 cells](#). *Environ Mol Mutagen* 54, 737-746. 10.1002/em.21817 (CF770; ICW)
- Kim, J. Y., Bae, H. J., Choi, J., Lim, J. R., Kim, S. W., Lee, S. H., and Park, E. S. (2014). [Efficacy of gastro-retentive forms of ecabet sodium in the treatment of gastric ulcer in rats](#). *Arch Pharm Res* 37, 1053-1062. 10.1007/s12272-013-0278-0 (CF770; in vivo imaging)
- Liang, Y., Cucchetti, M., Roncagalli, R., Yokosuka, T., Malzac, A., Bertosio, E., Imbert, J., Nijman, I. J., Suchanek, M., Saito, T., et al. (2013). [The lymphoid lineage-specific actin-uncapping protein Rltpr is essential for costimulation via CD28 and the development of regulatory T cells](#). *Nat Immunol* 14, 858-866. 10.1038/ni.2634 (CF770; WB)
- Lucioli, J., Pinton, P., Callu, P., Laffitte, J., Grosjean, F., Kolf-Clauw, M., Oswald, I. P., and Bracarense, A. P. (2013). [The food contaminant deoxynivalenol activates the mitogen activated protein kinases in the intestine: Interest of ex vivo models as an alternative to in vivo experiments](#). *Toxicon*. DOI:10.1016/j.toxicon.2013.01.024 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)
- Martinsen, A., Baeyens, N., Yerna, X., and Morel, N. (2012). [Rho kinase regulation of vasopressin-induced calcium entry in vascular smooth muscle cell: Comparison between rat isolated aorta and cultured aortic cells](#). *Cell Calcium*. DOI:10.1016/j.ceca.2012.07.002 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)
- Moussa, L., Bezirard, V., Salvador-Cartier, C., Bacquie, V., Houdeau, E., and Theodorou, V. (2012). [A new soy germ fermented ingredient displays estrogenic and protease inhibitor activities able to prevent irritable bowel syndrome-like symptoms in stressed female rats](#). *Clin Nutr*. DOI:10.1016/j.clnu.2012.05.021 (CF770 anti-rabbit IgG; WB; LI-COR Odyssey)
- Nebot-Vivinus, M., Harkat, C., Bziouche, H., Cartier, C., Plichon-Dainese, R., Moussa, L., Eutamene, H., Pishvaie, D., Holowacz, S., Seyrig, C., et al. (2014). [Multispecies probiotic protects gut barrier function in experimental models](#). *World J Gastroenterol* 20, 6832-6843. 10.3748/wjg.v20.i22.6832 (CF770; WB; LI-COR Odyssey)
- Oliveira, A. F., and Yasuda, R. (2014). [Neurofibromin is the major ras inactivator in dendritic spines](#). *J Neurosci* 34, 776-783. 10.1523/JNEUROSCI.3096-13.2014 (CF680 GAM, CF770 GAR; WB; LI-COR Odyssey)
- Olivier, I., Theodorou, V., Valet, P., Castan-Laurell, I., Guillou, H., Bertrand-Michel, J., Cartier, C., Bezirard, V., Ducroc, R., Segain, J. P., et al. (2011). [Is Crohn's creeping fat an adipose tissue?](#) *Inflamm Bowel Dis* 17, 747-757. DOI:10.1002/ibd.21413 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)
- Suemizu, H., Kawai, K., Higuchi, Y., Hashimoto, H., Ogura, T., Itoh, T., Sasaki, E., and Nakamura, M. (2013). [A versatile technique for the in vivo imaging of human tumor xenografts using near-infrared fluorochrome-conjugated macromolecule probes](#). *PLoS One* 8, e82708. 10.1371/journal.pone.0082708 (Xenolight CF770; in vivo imaging)

Sun, Y., Shukla, G., Pero, S. C., Currier, E., Sholler, G., and Krag, D. (2012). [Single tumor imaging with multiple antibodies targeting different antigens](#). *Biotechniques* 0, 1-3. DOI:10.2144/000113855 (*XenoLight CF680, XenoLight CF770; in vivo imaging; PerkinElmer IVIS Lumina*)

Titova, E., and Obenaus, A. (2012). [Immunological Response to Experimental Intracerebral Hemorrhage: Morphological Assessments](#). In *Animal Models of Acute Neurological Injuries II*, J. Chen, X.-M. Xu, Z. C. Xu, and J. H. Zhang, eds. (Humana Press), pp. 625-652. DOI:10.1007/978-1-61779-576-3_48 (*CF680- and CF770- secondary antibody conjugates; IHF in floating brain sections; LI-COR Odyssey*)

Titova, E. M., Ghosh, N., Valadez, Z. G., Zhang, J. H., Bellinger, D. L., and Obenaus, A. (2014). [The late phase of post-stroke neurorepair in aged rats is reflected by MRI-based measures](#). *Neuroscience*. 10.1016/j.neuroscience.2014.09.028 (*CF680 goat anti-mouse & CF770 goat anti-rabbit; IHF; LI-COR Odyssey*)

CF790

Azhdarinia, A., Ghosh, P., Ghosh, S., Wilganowski, N., and Sevick-Muraca, E. M. (2012). [Dual-labeling strategies for nuclear and fluorescence molecular imaging: a review and analysis](#). *Mol Imaging Biol* 14, 261-276. 10.1007/s11307-011-0528-9 (*CF770, CF790; in vivo imaging*)

Ghosh, S. C., Ghosh, P., Wilganowski, N., Robinson, H., Hall, M. A., Dickinson, G., Pinkston, K. L., Harvey, B. R., Sevick-Muraca, E. M., and Azhdarinia, A. (2013). [Multimodal chelation platform for near-infrared fluorescence/nuclear imaging](#). *J Med Chem* 56, 406-416. 10.1021/jm300906g

Takeyama, H., Hata, T., Nishimura, J., Nonaka, R., Uemura, M., Haraguchi, N., Takemasa, I., Mizushima, T., Yamamoto, H., Doki, Y., et al. (2014). [A novel endoscopic fluorescent clip visible with near-infrared imaging during laparoscopic surgery in a porcine model](#). *Surg Endosc* 28, 1984-1990. 10.1007/s00464-014-3423-z (*CF790; in vivo imaging*)

CF dye references by application

CF Dye Mix-n-Stain Antibody Labeling Kits

Ahi, Y. S., Vemula, S. V., and Mittal, S. K. (2013). [Adenoviral E2 Iva2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein](#). *J Gen Virol*. DOI:10.1099/vir.0.049346-0 (*Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; IF*)

Anderson, M. S., Loftus, M. S., and Kedes, D. H. (2014). [Maturation and vesicle-mediated egress of primate gammaherpesvirus rhesus monkey rhadinovirus require inner tegument protein ORF52](#). *J Virol* 88, 9111-9128. 10.1128/JVI.01502-14 (*CF488A Mix n Stain; IF*)

Arul, M., Roslani, A. C., Ng, C. L., and Cheah, S. H. (2013). [Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression](#). *Cytotechnology*. 10.1007/s10616-013-9600-4 (*CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A GAM; IF*)

Deo, D. I., Gautrot, J. E., Sukhorukov, G. B., and Wang, W. (2014). [Biofunctionalization of PEGylated microcapsules for exclusive binding to protein substrates](#). *Biomacromolecules* 15, 2555-2562. 10.1021/bm500412d (*CF555 Mix-n-Stain microcapsules; fluorescence microscopy*)

Diamantopoulou, A., Raftogianni, A., Stamatakis, A., Tzanoulina, S., Oitzl, M. S., and Stylianopoulou, F. (2013). [Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way](#). *Psychoneuroendocrinology*. DOI:10.1016/j.psyneuen.2013.02.012 (*Mix-n-Stain CF488A, Mix-N-Stain CF555; IHF*)

- Donskow-Lysoniewska, K.,Majewski, P.,Brodaczewska, K.,Jozwicka, K., and Doligalska, M. (2012). [Heligmosmoides polygyrus fourth stages induce protection against DSS- induced colitis and change opioid expression in the intestine](#). *Parasite Immunol.* DOI:10.1111/pim.12003 (*Mix-n-Stain CF488A; IHF*)
- Ersek, B.,Molnar, V.,Balogh, A.,Matko, J.,Cope, A. P.,Buzas, E. I.,Falus, A., and Nagy, G. (2012). [CD3zeta-Chain Expression of Human T Lymphocytes Is Regulated by TNF via Src-like Adaptor Protein-Dependent Proteasomal Degradation](#). *J Immunol.* DOI:10.4049/jimmunol.1102365 (*Mix-n-Stain CF488A; IF*)
- Galletti, G.,Sung, M. S.,Vahdat, L. T.,Shah, M. A.,Santana, S. M.,Altavilla, G.,Kirby, B. J., and Giannakakou, P. (2014). [Isolation of breast cancer and gastric cancer circulating tumor cells by use of an anti HER2-based microfluidic device](#). *Lab Chip* 14, 147-156. 10.1039/c3lc51039e (*Mix-n-Stain CF594; IF*)
- Gorham, JB, Williams, BA, Gidley, MJ, and Mikkelsen, D.(2016). [Visualization of microbe-dietary remnant interactions in digesta from pigs, by fluorescence in situ hybridization and staining methods; effects of a dietary arabinoxylan-rich wheat fraction](#). *Food Hydrocolloids* 52: 952-962. (*Mix-n-Stain CF660R labeling of enzyme*)
- Hirtz, M, Feng, W, Fuchs, H, and Levkin, PA. (2016). [Click-Chemistry Immobilized 3D-Infused Microarrays in Nanoporous Polymer Substrates](#). *Advanced Materials Interfaces.* DOI: 10.1002/admi.201500469 (*Mix-n-Stain CF488A; microarray*)
- Home, P.,Saha, B.,Ray, S.,Dutta, D.,Gunewardena, S.,Yoo, B.,Pal, A.,Vivian, J. L.,Larson, M.,Petroff, M., et al. (2012). [Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment](#). *Proc Natl Acad Sci U S A* 109, 7362-7367. DOI:10.1073/pnas.1201595109 (*Mix-n-Stain CF488A, Mix-n-Stain CF568; IF*)
- Kesik, M, Demir, B, Barlas, FB, Geyik, C, Cevher, SC, Odaci Demirkol, D, Timur, S, Cirpan, A, and Toppare, L. (2015). [A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging](#). *RSC Advances* 5: 83361-83367. (*Mix-n-Stain CF555; FC*)
- Lim, A. K.,Lorthongpanich, C.,Chew, T. G.,Tan, C. W.,Shue, Y. T.,Balu, S.,Gounko, N.,Kuramochi-Miyagawa, S.,Matzuk, M. M.,Chuma, S., et al. (2013). [The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles](#). *Development* 140, 3819-3825. 10.1242/dev.099184 (*CF488A Mix-n-Stain; IHF*)
- Lin, T-B, Hsieh, M-C, Lai, C-Y, Cheng, J-K, Wang, H-H, Chau, Y-P, Chen, G-D, and Peng, H-Y. (2016). [Melatonin relieves neuropathic allodynia through spinal MT2-enhanced PP2Ac and downstream HDAC4 shuttling-dependent epigenetic modification of hmgb1 transcription](#). *Journal of Pineal Research* DOI: 10.1111/jpi.12307 (*Mix-n-Stain; IHF*)
- Mikosik, A.,Foerster, J.,Jasiulewicz, A.,Frackowiak, J.,Colonna-Romano, G.,Bulati, M.,Buffa, S.,Martorana, A.,Caruso, C.,Bryl, E., et al. (2013). [Expression of calpain-calpastatin system \(CCS\) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project](#). *Immun Ageing* 10, 27. DOI:10.1186/1742-4933-10-27 (*Mix-n-Stain CF555; FC*)
- Miyagishima, S. Y.,Kabeya, Y.,Sugita, C.,Sugita, M., and Fujiwara, T. (2014). [DipM is required for peptidoglycan hydrolysis during chloroplast division](#). *BMC Plant Biol* 14, 57. 10.1186/1471-2229-14-57 (*CF488A Mix-n-Stain, CF555 Mix-n-Stain; IF*)
- Mofarrahi, M, McClung, JM, Kontos, CD, Davis, EC, Tappuni, B, Moroz, N, Pickett, AE, Huck, L, Harel, S, Danialou, G, et al. (2015). [Angiopoietin-1 enhances skeletal muscle regeneration in mice](#). *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology* 308: R576-R589. (*Mix-n-Stain CF568; IHF*)

- Montesinos-Rongen, M, Purschke, FG, Brunn, A, May, C, Nordhoff, E, Marcus, K, and Deckert, M. (2015). [Primary Central Nervous System \(CNS\) Lymphoma B Cell Receptors Recognize CNS Proteins](#). *J Immunol* 195: 1312-1319. (Mix-n-Stain CF488A; IHF)
- Osteikoetxea, X, Balogh, A, Szabó-Taylor, K, Németh, A, Szabó, TG, Pálóczi, K, Sódar, B, Kittel, Á, György, B, Pállinger, É, et al. (2015). [Improved Characterization of EV Preparations Based on Protein to Lipid Ratio and Lipid Properties](#). *PLoS One* 10: e0121184. (Mix-n-Stain CF488A; FC)
- Park, K. S., Martelotto, L. G., Peifer, M., Sos, M. L., Karnezis, A. N., Mahjoub, M. R., Bernard, K., Conklin, J. F., Szczepny, A., Yuan, J., et al. (2011). [A crucial requirement for Hedgehog signaling in small cell lung cancer](#). *Nat Med* 17, 1504-1508. DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; IF)
- Ruger, M., Ackermann, M., and Reichl, U. (2014). [Species-specific viability analysis of *Pseudomonas aeruginosa*, *Burkholderia cepacia* and *Staphylococcus aureus* in mixed culture by flow cytometry](#). *BMC Microbiol* 14, 56. 10.1186/1471-2180-14-56 (CF405S Mix-n-Stain; FC)
- Ruger, M., Bensch, G., Tungler, R., and Reichl, U. (2012). [A flow cytometric method for viability assessment of *Staphylococcus aureus* and *Burkholderia cepacia* in mixed culture](#). *Cytometry A*. DOI:10.1002/cyto.a.22219 (CF405S Mix-n-Stain labeling of wheat germ agglutinin; FC)
- Sainski, A. M., Dai, H., Natesampillai, S., Pang, Y. P., Bren, G. D., Cummins, N. W., Correia, C., Meng, X. W., Tarara, J. E., Ramirez-Alvarado, M., et al. (2014). [Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation](#). *J Cell Biol* 207, 159. 10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)
- Tschumper, R. C., Dispenzieri, A., Abraham, R. S., Henderson, K. J., and Jelinek, D. F. (2013). [Molecular analysis of immunoglobulin genes reveals frequent clonal relatedness in double monoclonal gammopathies](#). *Blood Cancer J* 3, e112. DOI:10.1038/bcj.2013.12 (Mix-n-Stain CF350; IF)
- Wienand, K., and Shires, K. (2015). [The Use of MAGE C1 and Flow Cytometry to Determine the Malignant Cell Type in Multiple Myeloma](#). *PLoS ONE* 10(3): e0120734. doi:10.1371/journal.pone.0120734 (CF488A Mix-n-Stain; FC)
- Xu, Z., Parra, D., Gomez, D., Salinas, I., Zhang, Y. A., von Gersdorff Jorgensen, L., Heinecke, R. D., Buchmann, K., LaPatra, S., and Sunyer, J. O. (2013). [Teleost skin, an ancient mucosal surface that elicits gut-like immune responses](#). *Proc Natl Acad Sci U S A* 110, 13097-13102. 10.1073/pnas.1304319110 (CF488A Mix-n-Stain, CF555, CF640R; IHF)
- Yamamoto, S., Yamazaki, T., Komazaki, S., Yamashita, T., Osaki, M., Matsubayashi, M., Kidoya, H., Takakura, N., Yamazaki, D., and Kakizawa, S. (2014). [Contribution of calumin to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity](#). *Dev Biol* 393, 33-43. 10.1016/j.ydbio.2014.06.024 (CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHF)
- Yamashita, A., Zhao, Y., Matsuura, Y., Yamasaki, K., Moriguchi-Goto, S., Sugita, C., Iwakiri, T., Okuyama, N., Koshimoto, C., Kawai, K., et al. (2014). [Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage](#). *PLoS One* 9, e86426. 10.1371/journal.pone.0086426 (CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHF)
- Yang, Y., Zhang, Y., Cuevas-Gonzalez, S., Villar, V. A., Escano, C., Asico, L., Yu, P., Grandy, D. K., Felder, R. A., Armando, I., et al. (2012). [Paraoxonase 2 decreases renal reactive oxygen species production, lowers blood pressure, and mediates dopamine D\(2\) receptor-induced inhibition of NADPH oxidase](#). *Free Radic Biol Med*. DOI:10.1016/j.freeradbiomed.2012.05.015 (Mix-n-Stain CF555; IHF)
- Zolnerciks, J. K., Akkaya, B. G., Snippe, M., Chiba, P., Seelig, A., and Linton, K. J. (2014). [The Q loops of the human multidrug resistance transporter ABCB1 are necessary to couple drug binding to the ATP catalytic cycle](#). *FASEB J* 28, 4335-4346. 10.1096/fj.13-245639 (CF633 Mix-n-Stain; IF)

Flow cytometry

- Endo, H., Yano, M., Okumura, Y., and Kido, H. (2014). [Ibuprofen enhances the anticancer activity of cisplatin in lung cancer cells by inhibiting the heat shock protein 70](#). *Cell Death Dis* 5, e1027. DOI:10.1038/cddis.2013.550 (CF488A Annexin V; FC)
- Gautam, N., Roy, U., Balkundi, S., Puligujja, P., Guo, D., Smith, N., Liu, X. M., Lamberty, B., Morsey, B., Fox, H. S., et al. (2013). [Preclinical Pharmacokinetics and Tissue Distribution of Long-Acting Nanoformulated Antiretroviral Therapy. Antimicrob Agents Chemother](#). DOI:10.1128/AAC.00267-13 (CF633 succinimidyl ester; nanoparticles; IF; FC)
- Gielen, P. R., Aftab, Q., Ma, N., Chen, V. C., Hong, X., Lozinsky, S., Naus, C. C., and Sin, W. C. (2013). [Connexin43 confers Temozolomide resistance in human glioma cells by modulating the mitochondrial apoptosis pathway](#). *Neuropharmacology*. DOI:10.1016/j.neuropharm.2013.05.002 (CF405M Annexin V; FC)
- Giuntini, S., Reason, D. C., and Granoff, D. M. (2012). [Combined roles of human IgG subclass, alternative complement pathway activation, and epitope density in the bactericidal activity of antibodies to meningococcal factor h binding protein](#). *Infect Immun* 80, 187-194. DOI:10.1128/IAI.05956-11 (CF488A goat anti-human IgG; FC)
- Kesik, M., Demir, B., Barlas, FB, Geyik, C, Cevher, SC, Odaci Demirkol, D, Timur, S, Cirpan, A, and Toppare, L. (2015). [A multi-functional fluorescent scaffold as a multi-colour probe: design and application in targeted cell imaging](#). *RSC Advances* 5: 83361-83367. (Mix-n-Stain CF555; FC)
- Li, X., Saeki, R., Watari, A., Yagi, K., and Kondoh, M. (2014). [Tissue distribution and safety evaluation of a claudin-targeting molecule, the C-terminal fragment of Clostridium perfringens enterotoxin](#). *Eur J Pharm Sci* 52, 132-137. DOI:10.1016/j.ejps.2013.10.018 (Xenolight CF750; FC, in vivo imaging)
- Mahassni, S. H., and Al-Reemi, R. M. (2013). [Apoptosis and necrosis of human breast cancer cells by an aqueous extract of garden cress \(Lepidium sativum\) seeds](#). *Saudi Journal of Biological Sciences* 20, 131-139. DOI: dx.doi.org/10.1016/j.sjbs.2012.12.002 (CF488A Annexin V; IF, FC)
- Mikosik, A., Foerster, J., Jasiulewicz, A., Frackowiak, J., Colonna-Romano, G., Bulati, M., Buffa, S., Martorana, A., Caruso, C., Bryl, E., et al. (2013). [Expression of calpain-calpastatin system \(CCS\) member proteins in human lymphocytes of young and elderly individuals; pilot baseline data for the CALPACENT project](#). *Immun Ageing* 10, 27. DOI:10.1186/1742-4933-10-27 (Mix-n-Stain CF555; FC)
- Osteikoetxea, X, Balogh, A, Szabó-Taylor, K, Németh, A, Szabó, TG, Pálóczi, K, Sódar, B, Kittel, Á, György, B, Pállinger, É, et al. (2015). [Improved Characterization of EV Preparations Based on Protein to Lipid Ratio and Lipid Properties](#). *PLoS One* 10: e0121184. (Mix-n-Stain CF488A; FC)
- Ruger, M., Ackermann, M., and Reichl, U. (2014). [Species-specific viability analysis of Pseudomonas aeruginosa, Burkholderia cepacia and Staphylococcus aureus in mixed culture by flow cytometry](#). *BMC Microbiol* 14, 56. DOI:10.1186/1471-2180-14-56 (CF405S Mix-n-Stain; FC)
- Ruger, M., Bensch, G., Tungler, R., and Reichl, U. (2012). [A flow cytometric method for viability assessment of Staphylococcus aureus and Burkholderia cepacia in mixed culture](#). *Cytometry A*. DOI:10.1002/cyto.a.22219 (CF405S Mix-n-Stain labeling of wheat germ agglutinin; FC)
- Sainski, A. M., Dai, H., Natesampillai, S., Pang, Y. P., Bren, G. D., Cummins, N. W., Correia, C., Meng, X. W., Tarara, J. E., Ramirez-Alvarado, M., et al. (2014). [Casp8p41 generated by HIV protease kills CD4 T cells through direct Bak activation](#). *J Cell Biol* 207, 159. DOI:10.1083/jcb.20140505109252014c (CF640R Mix-n-Stain; FC)
- Skindersoe, M. E., Rohde, M., and Kjaerulff, S. (2012). [A novel and rapid apoptosis assay based on thiol redox status](#). *Cytometry A*. DOI:10.1002/cyto.a.22032 (CF647 Annexin V; IF, FC)

Wienand, K., and Shires, K. (2015). [The Use of MAGE C1 and Flow Cytometry to Determine the Malignant Cell Type in Multiple Myeloma](#). PLoS ONE 10(3): e0120734. doi:10.1371/journal.pone.0120734 (CF488A Mix-n-Stain; FC)

Zeiderman, M. R., Egger, M. E., Kimbrough, C. W., England, C. G., Dupre, T. V., McMasters, K. M., and McNally, L. R. (2014). [Targeting of BRAF resistant melanoma via extracellular matrix metalloproteinase inducer receptor](#). J Surg Res 190, 111-118. 10.1016/j.jss.2014.02.021 (CF750 succinimidyl ester; in vivo imaging, FC)

Western blotting

Ait-Belgnaoui, A., Colom, A., Braniste, V., Ramalho, L., Marrot, A., Cartier, C., Houdeau, E., Theodorou, V., and Tompkins, T. (2014). [Probiotic gut effect prevents the chronic psychological stress-induced brain activity abnormality in mice](#). Neurogastroenterol Motil 26, 510-520. 10.1111/nmo.12295 (CF770; WB; LI-COR Odyssey)

Annahazi, A., Ferrier, L., Bezirard, V., Leveque, M., Eutamene, H., Ait-Belgnaoui, A., Coeffier, M., Ducrotte, P., Roka, R., Inczeffi, O., et al. (2013). [Luminal Cysteine-Proteases Degrade Colonic Tight Junction Structure and Are Responsible for Abdominal Pain in Constipation-Predominant IBS](#). Am J Gastroenterol. DOI:10.1038/ajg.2013.152 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Avelar, G. M., Schumacher, R. I., Zaini, P. A., Leonard, G., Richards, T. A., and Gomes, S. L. (2014). [A rhodopsin-guanlyl cyclase gene fusion functions in visual perception in a fungus](#). Curr Biol 24, 1234-1240. 10.1016/j.cub.2014.04.009 (CF680; WB; LI-COR Odyssey)

Babelova, A., Jansen, F., Sander, K., Lohn, M., Schafer, L., Fork, C., Ruetten, H., Plettenburg, O., Stark, H., Daniel, C., et al. (2013). [Activation of Rac-1 and RhoA contributes to podocyte injury in chronic kidney disease](#). PLoS One 8, e80328. 10.1371/journal.pone.0080328 (CF770 GAR; WB; LI-COR Odyssey)

Dabek, M., Ferrier, L., Annahazi, A., Bezirard, V., Polizzi, A., Cartier, C., Leveque, M., Roka, R., Wittmann, T., Theodorou, V., et al. (2011). [Intracolonic infusion of fecal supernatants from ulcerative colitis patients triggers altered permeability and inflammation in mice: role of cathepsin G and protease-activated receptor-4](#). Inflamm Bowel Dis 17, 1409-1414. DOI:10.1002/ibd.21454 (CF770 goat anti-rabbit IgG; WB; Li-Cor Odyssey)

Gauthier, T., Wache, Y., Laffitte, J., Taranu, I., Saeedikouzehkonani, N., Mori, Y., and Oswald, I. P. (2013). [Deoxynivalenol impairs the immune functions of neutrophils](#). Mol Nutr Food Res. DOI:10.1002/mnfr.201200755 (CF680 goat anti-rabbit IgG, CF770 goat anti-rabbit IgG; WB; Li-Cor Odyssey)

Huc, L., Lemarie, A., Gueraud, F., and Helies-Toussaint, C. (2012). [Low concentrations of bisphenol A induce lipid accumulation mediated by the production of reactive oxygen species in the mitochondria of HepG2 cells](#). Toxicol In Vitro 26, 709-717. DOI:10.1016/j.tiv.2012.03.017 (CF770 goat anti-mouse IgG; WB; Li-Cor Odyssey)

Kohler, C., Lourenco, R. F., Avelar, G. M., and Gomes, S. L. (2012). [Extracytoplasmic function \(ECF\) sigma factor sigmaF is involved in Caulobacter crescentus response to heavy metal stress](#). BMC Microbiol 12, 210. DOI:10.1186/1471-2180-12-210 (CF680 goat anti-rabbit IgG; WB; Li-Cor Odyssey)

Liang, Y., Cucchetti, M., Roncagalli, R., Yokosuka, T., Malzac, A., Bertosio, E., Imbert, J., Nijman, I. J., Suchanek, M., Saito, T., et al. (2013). [The lymphoid lineage-specific actin-uncapping protein Rltpr is essential for costimulation via CD28 and the development of regulatory T cells](#). Nat Immunol 14, 858-866. 10.1038/ni.2634 (CF770; WB)

Lucioli, J., Pinton, P., Callu, P., Laffitte, J., Grosjean, F., Kolf-Clauw, M., Oswald, I. P., and Bracarense, A. P. (2013). [The food contaminant deoxynivalenol activates the mitogen activated protein kinases in the intestine: Interest of ex vivo models as an alternative to in vivo experiments](#). Toxicol. DOI:10.1016/j.toxicol.2013.01.024 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Martinsen, A., Baeyens, N., Yerna, X., and Morel, N. (2012). [Rho kinase regulation of vasopressin-induced calcium entry in vascular smooth muscle cell: Comparison between rat isolated aorta and cultured aortic cells](#). *Cell Calcium*. DOI:10.1016/j.ceca.2012.07.002 (CF770 goat anti-mouse IgG, CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Moussa, L., Bezirard, V., Salvador-Cartier, C., Bacquie, V., Houdeau, E., and Theodorou, V. (2012). [A new soy germ fermented ingredient displays estrogenic and protease inhibitor activities able to prevent irritable bowel syndrome-like symptoms in stressed female rats](#). *Clin Nutr*. DOI:10.1016/j.clnu.2012.05.021 (CF770 anti-rabbit IgG; WB; LI-COR Odyssey)

Nebot-Vivinus, M., Harkat, C., Bziouche, H., Cartier, C., Plichon-Dainese, R., Moussa, L., Eutamene, H., Pishvaie, D., Holowacz, S., Seyrig, C., et al. (2014). [Multispecies probiotic protects gut barrier function in experimental models](#). *World J Gastroenterol* 20, 6832-6843. 10.3748/wjg.v20.i22.6832 (CF770; WB; LI-COR Odyssey)

Oliveira, A. F., and Yasuda, R. (2014). [Neurofibromin is the major ras inactivator in dendritic spines](#). *J Neurosci* 34, 776-783. 10.1523/JNEUROSCI.3096-13.2014 (CF680 GAM, CF770 GAR; WB; LI-COR Odyssey)

Olivier, I., Theodorou, V., Valet, P., Castan-Laurell, I., Guillou, H., Bertrand-Michel, J., Cartier, C., Bezirard, V., Ducroc, R., Segain, J. P., et al. (2011). [Is Crohn's creeping fat an adipose tissue?](#) *Inflamm Bowel Dis* 17, 747-757. DOI:10.1002/ibd.21413 (CF770 goat anti-rabbit IgG; WB; LI-COR Odyssey)

Ottenheijm, C. A., Buck, D., de Winter, J. M., Ferrara, C., Piroddi, N., Tesi, C., Jasper, J. R., Malik, F. I., Meng, H., Stienen, G. J., et al. (2013). [Deleting exon 55 from the nebulin gene induces severe muscle weakness in a mouse model for nemaline myopathy](#). *Brain* 136, 1718-1731. 10.1093/brain/awt113 (CF680 GAR; WB; LI-COR Odyssey)

Wu, C. L., Chou, Y. H., Chang, Y. J., Teng, N. Y., Hsu, H. L., and Chen, L. (2012). [Interplay between Cell Migration and Neurite Outgrowth Determines SH2B1beta-Enhanced Neurite Regeneration of Differentiated PC12 Cells](#). *PLoS One* 7, e34999. DOI:10.1371/journal.pone.0034999 (CF680 goat anti-mouse IgG; WB; LI-COR Odyssey)

In-Cell Western®

Audebert, M., Zeman, F., Beaudoin, R., Pery, A., and Cravedi, J. P. (2012). [Comparative potency approach based on H2AX assay for estimating the genotoxicity of polycyclic aromatic hydrocarbons](#). *Toxicol Appl Pharmacol*. DOI:10.1016/j.taap.2012.01.022 (CF770 goat anti-rabbit IgG; ICW; Li-Cor Odyssey)

Jamin, E. L., Riu, A., Douki, T., Debrauwer, L., Cravedi, J. P., Zalko, D., and Audebert, M. (2013). [Combined Genotoxic Effects of a Polycyclic Aromatic Hydrocarbon \(B\(a\)P\) and an Heterocyclic Amine \(PhIP\) in Relation to Colorectal Carcinogenesis](#). *PLoS One* 8, e58591. DOI:10.1371/journal.pone.0058591 (CF770 goat anti-rabbit IgG; ICW; Li-Cor Odyssey)

Khoury, L., Zalko, D., and Audebert, M. (2013). [Validation of high-throughput genotoxicity assay screening using gammaH2AX in-cell western assay on HepG2 cells](#). *Environ Mol Mutagen* 54, 737-746. 10.1002/em.21817 (CF770; ICW)

In vivo imaging

Abe, S., Morita, Y., Kaneko, M. K., Hanibuchi, M., Tsujimoto, Y., Goto, H., Kakiuchi, S., Aono, Y., Huang, J., Sato, S., et al. (2013). [A novel targeting therapy of malignant mesothelioma using anti-podoplanin antibody](#). *J Immunol* 190, 6239-6249. DOI:10.4049/jimmunol.1300448 (XenoLight CF770; in vivo imaging; PerkinElmer IVIS Spectrum imaging system)

Alawieh, A., Elvington, A., Zhu, H., Yu, J., Kindy, MS, Atkinson, C., and Tomlinson, S. (2015). [Modulation of post-stroke degenerative and regenerative processes and subacute protection by site-targeted inhibition of the alternative pathway of complement](#). *Journal of Neuroinflammation* 12: 1-15. (CF750 succinimidyl ester; in vivo imaging)

Alfonso-Loeches, S., Pascual, M., Gomez-Pinedo, U., Pascual-Lucas, M., Renau-Piqueras, J., and Guerri, C. (2012). [Toll-like receptor 4 participates in the myelin disruptions associated with chronic alcohol abuse](#). *Glia* 60, 948-964. DOI:10.1002/glia.22327 (*XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system*)

Alfonso-Loeches, S., Pascual, M., and Guerri, C. (2013). [Gender differences in alcohol-induced neurotoxicity and brain damage](#). *Toxicology*. DOI:10.1016/j.tox.2013.03.001 (*XenoLight CF770; in vivo imaging (mouse brain); PerkinElmer IVIS 200 imaging system*)

Darniot, M., Schildgen, V., Schildgen, O., Sproat, B., Kleines, M., Ditt, V., Pitoiset, C., Pothier, P., and Manoha, C. (2012). [RNA interference in vitro and in vivo using DsiRNA targeting the nucleocapsid N mRNA of human metapneumovirus](#). *Antiviral Res* 93, 364-373. DOI:10.1016/j.antiviral.2012.01.004 (*CF750 succinimidyl ester (to label siRNA); in vivo imaging; Visen Medical FMT 2500 imaging system*)

Fan, Q., Cai, H., Yang, H., Li, L., Yuan, C., Lu, X., and Wan, L. (2014). [Biological evaluation of 131I- and CF750-labeled Dmab\(scFv\)-Fc antibodies for xenograft imaging of CD25-positive tumors](#). *Biomed Res Int* 2014, 459676. 10.1155/2014/459676 (*CF750; in vivo imaging; Caliper IVIS*)

Gao, F, Cai, P, Yang, W, Xue, J, Gao, L, Liu, R, Wang, Y, Zhao, Y, He, X, Zhao, L, *et al.* (2015). [Ultrasmall \[64Cu\]Cu Nanoclusters for Targeting Orthotopic Lung Tumors Using Accurate Positron Emission Tomography Imaging](#). *ACS Nano* 9: 4976-4986. (*CF680R succinimidyl ester; in vivo imaging*)

Guo, K., Tang, J. P., Jie, L., Al-Aidaros, A. Q., Hong, C. W., Tan, C. P., Park, J. E., Varghese, L., Feng, Z., Zhou, J., *et al.* (2012). [Engineering the first chimeric antibody in targeting intracellular PRL-3 oncoprotein for cancer therapy in mice](#). *Oncotarget* 3, 158-171 (*XenoLight CF750 NIR Fluorescent Labeling Kit; in vivo imaging; PerkinElmer IVIS Spectrum imaging system*)

Herz, C., Hertrampf, A., Zimmermann, S., Stetter, N., Wagner, M., Kleinhans, C., Erlacher, M., Schuler, J., Platz, S., Rohn, S., *et al.* (2014). [The isothiocyanate erucin abrogates telomerase in hepatocellular carcinoma cells in vitro and in an orthotopic xenograft tumour model of HCC](#). *J Cell Mol Med*. 10.1111/jcmm.12412 (*Xenolight CF750; in vivo imaging; Bruker Image Station*)

Ito, A., Ito, Y., Matsushima, S., Tsuchida, D., Ogasawara, M., Hasegawa, J., Misawa, K., Kondo, E., Kaneda, N., and Nakanishi, H. (2014). [New whole-body multimodality imaging of gastric cancer peritoneal metastasis combining fluorescence imaging with ICG-labeled antibody and MRI in mice](#). *Gastric Cancer* 17, 497-507. 10.1007/s10120-013-0316-0 (*Xenolight CF750; in vivo imaging; IVIS Lumina II*)

Kim, J. Y., Bae, H. J., Choi, J., Lim, J. R., Kim, S. W., Lee, S. H., and Park, E. S. (2014). [Efficacy of gastro-retentive forms of ecabet sodium in the treatment of gastric ulcer in rats](#). *Arch Pharm Res* 37, 1053-1062. 10.1007/s12272-013-0278-0 (*CF770; in vivo imaging*)

Li, X., Iida, M., Tada, M., Watari, A., Kawahigashi, Y., Kimura, Y., Yamashita, T., Ishii-Watabe, A., Uno, T., Fukasawa, M., *et al.* (2014). [Development of an anti-claudin-3 and -4 bispecific monoclonal antibody for cancer diagnosis and therapy](#). *J Pharmacol Exp Ther* 351, 206-213. 10.1124/jpet.114.216911 (*Xenolight CF750; in vivo imaging*)

Li, X., Saeki, R., Watari, A., Yagi, K., and Kondoh, M. (2014). [Tissue distribution and safety evaluation of a claudin-targeting molecule, the C-terminal fragment of Clostridium perfringens enterotoxin](#). *Eur J Pharm Sci* 52, 132-137. 10.1016/j.ejps.2013.10.018 (*Xenolight CF750; FC, in vivo imaging*)

Matsuo, H., Yoshimoto, N., Iijima, M., Niimi, T., Jung, J., Jeong, S. Y., Choi, E. K., Sewaki, T., Arakawa, T., and Kuroda, S. (2012). [Engineered hepatitis B virus surface antigen L protein particles for in vivo active targeting of splenic dendritic cells](#). *Int J Nanomedicine* 7, 3341-3350. DOI:10.2147/IJN.S32813 (*CF750 succinimidyl ester; bionanocapsules (BNCs); in vivo imaging; Olympus OV-100 imaging system*)

Moore, L., Chow, E. K., Osawa, E., Bishop, J. M., and Ho, D. (2013). [Diamond-Lipid Hybrids Enhance Chemotherapeutic Tolerance and Mediate Tumor Regression](#). *Adv Mater*. DOI:10.1002/adma.201300343 (*XenoLight CF750 in Nanodiamond-lipid hybrid particles (NDLPs); in vivo imaging; PerkinElmer IVIS Spectrum imaging system*)

Suemizu, H., Kawai, K., Higuchi, Y., Hashimoto, H., Ogura, T., Itoh, T., Sasaki, E., and Nakamura, M. (2013). [A versatile technique for the in vivo imaging of human tumor xenografts using near-infrared fluorochrome-conjugated macromolecule probes](#). *PLoS One* 8, e82708. 10.1371/journal.pone.0082708 (*Xenolight CF770; in vivo imaging*)

Sun, X., Ma, T., Liu, H., Yu, X., Wu, Y., Shi, J., Jia, B., Zhao, H., Wang, F., and Liu, Z. (2014). [Longitudinal monitoring of tumor antiangiogenic therapy with near-infrared fluorophore-labeled agents targeted to integrin alphavbeta3 and vascular endothelial growth factor](#). *Eur J Nucl Med Mol Imaging* 41, 1428-1439. 10.1007/s00259-014-2702-1 (*Xenolight CF680 CF770; in vivo imaging*)

Sun, Y., Shukla, G., Pero, S. C., Currier, E., Sholler, G., and Krag, D. (2012). [Single tumor imaging with multiple antibodies targeting different antigens](#). *Biotechniques* 0, 1-3. DOI:10.2144/000113855 (*XenoLight CF680, XenoLight CF770; in vivo imaging; PerkinElmer IVIS Lumina*)

Takeyama, H., Hata, T., Nishimura, J., Nonaka, R., Uemura, M., Haraguchi, N., Takemasa, I., Mizushima, T., Yamamoto, H., Doki, Y., et al. (2014). [A novel endoscopic fluorescent clip visible with near-infrared imaging during laparoscopic surgery in a porcine model](#). *Surg Endosc* 28, 1984-1990. 10.1007/s00464-014-3423-z (*CF790; in vivo imaging*)

Wei, D., Fan, Q., Cai, H., Yang, H., Wan, L., Li, L., and Lu, X. (2015). [CF750-A33scFv-Fc-Based Optical Imaging of Subcutaneous and Orthotopic Xenografts of GPA33-Positive Colorectal Cancer in Mice](#). *BioMed Research International* 2015, 11. (*CF750 succinimidyl ester, in vivo imaging*)

Zeiderman, M. R., Egger, M. E., Kimbrough, C. W., England, C. G., Dupre, T. V., McMasters, K. M., and McNally, L. R. (2014). [Targeting of BRAF resistant melanoma via extracellular matrix metalloproteinase inducer receptor](#). *J Surg Res* 190, 111-118. 10.1016/j.jss.2014.02.021 (*CF750 succinimidyl ester; in vivo imaging, FC*)

Super-resolution microscopy

Früh, S.M., Schoen, I., Ries, J., and Vogel, V. (2015). [Molecular architecture of native fibronectin fibrils](#). *Nature Communications* 6, 7275. DOI: 10.1038/ncomms8275 (*CF680 STORM*)

Görlitz, F., Hoyer, P., J. Falk, H.J., Kastrup, L., Engelhardt, J., and Hell, S.W. (2014). [A STED Microscope Designed for Routine Biomedical Applications](#). *Progress Electromagnetics Res.* 147, 57-68. (*CF680R STED*)

Kim, H. J., and Selvin, P. R. (2013). [Fluorescence Imaging with One Nanometer Accuracy](#). SpringerReference Encyclopedia of Biophysics (*CF633 FIONA*)

Needham, S.R., Zanetti-Domingues, L.C., Scherer, K.M., Hirsch, M., Rolfe, D.J., Roberts, S.K., Martin-Fernandez, M.L., Clarke, D.T., and Christopher J. Tynan. (2015). [Determining the geometry of oligomers of the human epidermal growth factor family on cells with <10 nm resolution](#). *Biochem. Soc. Trans.* (2015) 43, 309–314; doi:10.1042/BST20140318 (*CF640R; FLIMP*)

Lehmann, M., Lichtner, G., Klenz, H., and Schmoranzler, J. (2015). [Novel organic dyes for multicolor localization-based super-resolution microscopy](#). *J. Biophotonics* 1–10 (2015) / DOI 10.1002/jbio.201500119 (*CF555, CF568, CF647, CF680 STORM*)

Markaki, Y., Smeets, D., Cremer, M., and Schermelleh, L. (2013). [Fluorescence In Situ Hybridization Applications for Super-Resolution 3D Structured Illumination Microscopy](#). *Methods Mol Biol* 950, 43-64. DOI:10.1007/978-1-62703-137-0_4 (*CF405M secondary antibodies; super resolution microscopy (3D-SIM); 3D-FISH*)

Olivier, N., Keller, D., Rajan, V. S., Gonczy, P., and Manley, S. (2013). [Simple buffers for 3D STORM microscopy](#). *Biomed Opt Express* 4, 885-899. DOI:10.1364/BOE.4.000885 (CF647 goat anti-mouse IgG; 3D-STORM; IF)

Platonova, E, Winterflood, CM, and Ewers, H. (2015) [A Simple Method for GFP- and RFP-based Dual Color Single-Molecule Localization Microscopy](#). *ACS Chemical Biology* 10: 1411-1416. (CF680 anti-GFP; STORM)

Platonova, E, Winterflood, CM, Junemann, A, Albrecht, D, Faix, J, and Ewers, H. (2015) [Single-molecule microscopy of molecules tagged with GFP or RFP derivatives in mammalian cells using nanobody binders](#). *Methods* 88: 89-97. (CF680 SE; STORM)

Simonson, P. D., Rothenberg, E., and Selvin, P. R. (2011). [Single-molecule-based super-resolution images in the presence of multiple fluorophores](#). *Nano Lett* 11, 5090-5096. DOI:10.1021/nl203560r (CF633 goat anti-mouse IgG; IF, gSHRImP)

Venkataramani, V., Frank Herrmannsdörfer, F., Heilemann, M., and Kuner, T. (2016). [SuReSim: simulating localization microscopy experiments from ground truth models](#). *Nature Methods* 13, 319-321. doi:10.1038/nmeth.3775 (CF680 goat anti-mouse, 3D STORM)

Winterflood, C.M., Platonova, E. Albrecht, D. and Ewers, H. (2015) [Dual-Color 3D Superresolution Microscopy by Combined Spectral-Demixing and Biplane Imaging](#). *Biophysical Journal* 109, 3–6. (CF680 3-D superresolution microscopy)

Zanetti-Domingues, LC, Hirsch, M, Tynan, CJ, Rolfe, DJ, Boyadzhiev, TV, Scherer, KM, Clarke, DT, Martin-Fernandez, ML, and Needham, SR (2015). [Determining the geometry of oligomers of the human epidermal growth factor family on cells with 7 nm resolution](#). *Progress in Biophysics and Molecular Biology* 118: 139-152. (CF640R SE; FLImP)

Zhang, M, Kenny, SJ, Ge, L, Xu, K, and Schekman, R. (2016) [Translocation of interleukin-1 \$\beta\$ into a vesicle intermediate in autophagy-mediated secretion](#). *eLife* 4. (CF568 goat anti-mouse IgG; STORM)

Zhang, Z., Kenny, S.J., Hauser, M., Li, W., and Xu, K. (2015). [Ultrahigh-throughput single-molecule spectroscopy and spectrally resolved super-resolution microscopy](#). *Nature Methods* doi:10.1038/nmeth.3528 (CF660C, CF680 3-D STORM)

TIRF microscopy

Bosch, P. J., Correa, I. R., Jr., Sonntag, M. H., Ibach, J., Brunsveld, L., Kanger, J. S., and Subramaniam, V. (2014). [Evaluation of fluorophores to label SNAP-tag fused proteins for multicolor single-molecule tracking microscopy in live cells](#). *Biophys J* 107, 803-814. 10.1016/j.bpj.2014.06.040 (CF633 succinimidyl ester, CF640R succinimidyl ester; TIRF)

Martin-Fernandez, M. L., Tynan, C. J., and Webb, S. E. (2013). [A 'pocket guide' to total internal reflection fluorescence](#). *J Microsc* 252, 16-22. 10.1111/jmi.12070 (CF640R; TIRF)

Shirasaki, Y., Yamagishi, M., Suzuki, N., Izawa, K., Nakahara, A., Mizuno, J., Shoji, S., Heike, T., Harada, Y., Nishikomori, R., et al. (2014). [Real-time single-cell imaging of protein secretion](#). *Sci Rep* 4, 4736. 10.1038/srep04736 (CF660R; TIRF)

Zanetti-Domingues LC, Tynan CJ, Rolfe DJ, Clarke DT, Martin-Fernandez M (2013) [Hydrophobic Fluorescent Probes Introduce Artifacts into Single Molecule Tracking Experiments Due to Non-Specific Binding](#). *PLoS ONE* 8(9): e74200. doi:10.1371/journal.pone.0074200 (CF488A, CF568, CF633, CF640R TIRF)

Immunofluorescence microscopy

- Adolfsson, K., Schneider, M., Hammarin, G., Hacker, U., and Prinz, C. N. (2013). [Ingestion of gallium phosphide nanowires has no adverse effect on Drosophila tissue function](#). *Nanotechnology* 24, 285101. DOI:10.1088/0957-4484/24/28/285101 (CF640R WGA; IF)
- Ahi, Y. S., Vemula, S. V., and Mittal, S. K. (2013). [Adenoviral E2 IVa2 Protein Interacts with L4 33K Protein and E2 DNA-Binding Protein](#). *J Gen Virol*. DOI:10.1099/vir.0.049346-0 (Mix-n-Stain CF350, Mix-n-Stain CF488A, CF568 goat anti-mouse IgG; IF)
- Ahmed, S. M., Theriault, B. L., Uppalapati, M., Chiu, C. W., Gallie, B. L., Sidhu, S. S., and Angers, S. (2012). [KIF14 negatively regulates Rap1a-Radil signaling during breast cancer progression](#). *J Cell Biol* 199, 951-967. DOI:10.1083/jcb.201206051 (CF647 phalloidin; IF)
- Akhmetshina, A., Palumbo, K., Dees, C., Bergmann, C., Venalis, P., Zerr, P., Horn, A., Kireva, T., Beyer, C., Zwerina, J., et al. (2012). [Activation of canonical Wnt signalling is required for TGF-beta-mediated fibrosis](#). *Nat Commun* 3, 735. DOI:10.1038/ncomms1734 (CF488A and CF594 streptavidin; IHF, IF)
- Al Tanoury, Z., Piskunov, A., Andriamoratsiresy, D., Gaouar, S., Lutzinger, R., Ye, T., Jost, B., Keime, C., and Rochette-Egly, C. (2014). [Genes involved in cell adhesion and signaling: a new repertoire of retinoic acid receptor target genes in mouse embryonic fibroblasts](#). *J Cell Sci* 127, 521-533. 10.1242/jcs.131946 (CF488A phalloidin; IF)
- Albert, S., Spaethe, J., Grubel, K., and Rossler, W. (2014). [Royal jelly-like protein localization reveals differences in hypopharyngeal glands buildup and conserved expression pattern in brains of bumblebees and honeybees](#). *Biol Open* 3, 281-288. 10.1242/bio.20147211 (CF633 phalloidin; IHF)
- Amann, R., Rohde, J., Wulle, U., Conlee, D., Raue, R., Martinon, O., and Rziha, H. J. (2012). [A new rabies vaccine based on a recombinant Orf virus \(Parapoxvirus\) expressing the rabies virus glycoprotein](#). *J Virol*. DOI:10.1128/JVI.02470-12 (CF647 phalloidin; IF)
- Anderson, M. S., Loftus, M. S., and Kedes, D. H. (2014). [Maturation and vesicle-mediated egress of primate gammaherpesvirus rhesus monkey rhadinovirus require inner tegument protein ORF52](#). *J Virol* 88, 9111-9128. 10.1128/JVI.01502-14 (CF488A Mix n Stain; IF)
- Arul, M., Roslani, A. C., Ng, C. L., and Cheah, S. H. (2013). [Culture of low passage colorectal cancer cells and demonstration of variation in selected tumour marker expression](#). *Cytotechnology*. 10.1007/s10616-013-9600-4 (CF488A Mix-n-Stain, CF594 Mix-n-Stain, CF488A GAM; IF)
- Azzedine, H., Zavadakova, P., Plante-Bordeneuve, V., Vaz Pato, M., Pinto, N., Bartesaghi, L., Zenker, J., Poirot, O., Bernard-Marissal, N., Arnaud Gouttenoire, E., et al. (2013). [PLEKHG5 deficiency leads to an intermediate form of autosomal-recessive Charcot-Marie-Tooth disease](#). *Hum Mol Genet*. DOI:10.1093/hmg/ddt274 (CF594 a-bungarotoxin; IHF)
- Barboro, P., Borzi, L., Repaci, E., Ferrari, N., and Balbi, C. (2013). [Androgen receptor activity is affected by both nuclear matrix localization and the phosphorylation status of the heterogeneous nuclear ribonucleoprotein K in anti-androgen-treated LNCaP cells](#). *PLoS One* 8, e79212. 10.1371/journal.pone.0079212 (CF555 DAM, CF633 DAR; IF)
- Barboro, P., Repaci, E., D'Arrigo, C., and Balbi, C. (2012). [The Role of Nuclear Matrix Proteins Binding to Matrix Attachment Regions \(MARS\) in Prostate Cancer Cell Differentiation](#). *PLoS One* 7, e40617. DOI:10.1371/journal.pone.0040617 (CF555 goat anti-mouse IgG, CF633 anti-rabbit IgG, CF555 streptavidin; IF, FISH)

- Blankenburg, S., Balfanz, S., Hayashi, Y., Shigenobu, S., Miura, T., Baumann, O., Baumann, A., and Blenau, W. (2014). [Cockroach GABA receptor subtypes: Molecular characterization, pharmacological properties and tissue distribution](#). *Neuropharmacology*. 10.1016/j.neuropharm.2014.08.022 (CF633 phalloidin; IF)
- Bohara, M., Kambe, Y., Nagayama, T., Tokimura, H., Arita, K., and Miyata, A. (2014). [C-type natriuretic peptide modulates permeability of the blood-brain barrier](#). *J Cereb Blood Flow Metab* 34, 589-596. jcbfm2013234 [pii] 10.1038/jcbfm.2013.234 (CF488A GAM; IF)
- Boratko, A., and Csontos, C. (2013). [NHERF2 is crucial in ERM phosphorylation in pulmonary endothelial cells](#). *Cell Commun Signal* 11, 99. 1478-811X-11-99 [pii] 10.1186/1478-811X-11-99 (CF594 phalloidin; IF)
- Bosch, P. J., Correa, I. R., Jr., Sonntag, M. H., Ibach, J., Brunsveld, L., Kanger, J. S., and Subramaniam, V. (2014). [Evaluation of fluorophores to label SNAP-tag fused proteins for multicolor single-molecule tracking microscopy in live cells](#). *Biophys J* 107, 803-814. 10.1016/j.bpj.2014.06.040 (CF633 succinimidyl ester, CF640R succinimidyl ester; TIRF)
- Bostrom, M., Hellstrom Erkenstam, N., Kaluza, D., Jakobsson, L., Kalm, M., and Blomgren, K. (2014). [The hippocampal neurovascular niche during normal development and after irradiation to the juvenile mouse brain](#). *Int J Radiat Biol* 90, 778-789. 10.3109/09553002.2014.931612 (CF555 DAG; IHF)
- Cai, L., Lu, J., Sheen, V., and Wang, S. (2012). [Optimal Poly\(L-lysine\) Grafting Density in Hydrogels for Promoting Neural Progenitor Cell Functions](#). *Biomacromolecules*. DOI:10.1021/bm300381d (CF647 goat anti-rabbit IgG; IF)
- Chen, T., Hu, Y., Cen, Y., Chu, X., and Lu, Y. (2013). [A Dual-Emission Fluorescent Nanocomplex of Gold Clusters Decorated Silica Particle for Live Cell Imaging of Highly Reactive Oxygen Species](#). *J Am Chem Soc*. DOI:10.1021/ja4035939 (CF405S succinimidyl ester; Dual-Emission Fluorescent Nanocomplex (DEFN) for hROS Detection; IF)
- Chen, Z. H., Zhang, Y. C., Jiang, W. F., Yang, C., Zou, G. M., Kong, Y., and Cai, W. (2014). [Characterization of interstitial Cajal progenitors cells and their changes in Hirschsprung's disease](#). *PLoS One* 9, e86100. 10.1371/journal.pone.0086100 (CF488A DAR, CF543 BAG, CF633 DAM; IHF)
- Cohen, Y., Megyeri, M., Chen, O. C., Condomitti, G., Riezman, I., Loizides-Mangold, U., Abdul-Sada, A., Rimon, N., Riezman, H., Platt, F. M., et al. (2013). [The yeast p5 type ATPase, spf1, regulates manganese transport into the endoplasmic reticulum](#). *PLoS One* 8, e85519. 10.1371/journal.pone.0085519 (CF568 GAR; IF)
- Davies, B. S., Goulbourne, C. N., Barnes, R. H., 2nd, Turlo, K. A., Gin, P., Vaughan, S., Vaux, D. J., Bensadoun, A., Beigneux, A. P., Fong, L. G., et al. (2012). [Assessing mechanisms of GPIHBP1 and lipoprotein lipase movement across endothelial cells](#). *J Lipid Res*. DOI:10.1194/jlr.M031559 (CF568 succinimidyl ester; in vivo injection, IHF)
- Deo, D. I., Gautrot, J. E., Sukhorukov, G. B., and Wang, W. (2014). [Biofunctionalization of PEGylated microcapsules for exclusive binding to protein substrates](#). *Biomacromolecules* 15, 2555-2562. 10.1021/bm500412d (CF555 Mix-n-Stain microcapsules; fluorescence microscopy)
- Diamantopoulou, A., Raftogianni, A., Stamatakis, A., Tzanoulinou, S., Oitzl, M. S., and Stylianopoulou, F. (2013). [Denial or receipt of expected reward through maternal contact during the neonatal period differentially affect the development of the rat amygdala and program its function in adulthood in a sex-dimorphic way](#). *Psychoneuroendocrinology*. DOI:10.1016/j.psyneuen.2013.02.012 (Mix-n-Stain CF488A, Mix-N-Stain CF555; IHF)
- Donskow-Lysoniewska, K., Majewski, P., Brodaczewska, K., Jozwicka, K., and Doligalska, M. (2012). [Heligmosmoides polygyrus fourth stages induce protection against DSS- induced colitis and change opioid expression in the intestine](#). *Parasite Immunol*. DOI:10.1111/pim.12003 (Mix-n-Stain CF488A; IHF)

- Elting, M. W., Leslie, S. R., Churchman, L. S., Korlach, J., McFaul, C. M., Leith, J. S., Levene, M. J., Cohen, A. E., and Spudich, J. A. (2013). [Single-molecule fluorescence imaging of processive myosin with enhanced background suppression using linear zero-mode waveguides \(ZMWs\) and convex lens induced confinement \(CLIC\)](#). *Opt Express* 21, 1189-1202. (CF594 anti-GFP; single molecule imaging)
- Ersek, B., Molnar, V., Balogh, A., Matko, J., Cope, A. P., Buzas, E. I., Falus, A., and Nagy, G. (2012). [CD3zeta-Chain Expression of Human T Lymphocytes Is Regulated by TNF via Src-like Adaptor Protein-Dependent Proteasomal Degradation](#). *J Immunol*. DOI:10.4049/jimmunol.1102365 (*Mix-n-Stain CF488A; IF*)
- Fan, Y., Potdar, A. A., Gong, Y., Eswarappa, S. M., Donnola, S., Lathia, J. D., Hambardzumyan, D., Rich, J. N., and Fox, P. L. (2014). [Profilin-1 phosphorylation directs angiocrine expression and glioblastoma progression through HIF-1alpha accumulation](#). *Nat Cell Biol* 16, 445-456. 10.1038/ncb2954 (CF633 phalloidin; IHF)
- Felix-Ortiz, A. C., Beyeler, A., Seo, C., Leppla, C. A., Wildes, C. P., and Tye, K. M. (2013). [BLA to vHPC inputs modulate anxiety-related behaviors](#). *Neuron* 79, 658-664. 10.1016/j.neuron.2013.06.016 (CF594 Streptavidin; IHF)
- Feng, X., Krogh, K. A., Wu, C. Y., Lin, Y. W., Tsai, H. C., Thayer, S. A., and Wei, L. N. (2014). [Receptor-interacting protein 140 attenuates endoplasmic reticulum stress in neurons and protects against cell death](#). *Nat Commun* 5, 4487. 10.1038/ncomms5487 (CF594-dUTP; tunel assay)
- Feng, X., Wu, C. Y., Burton, F. H., Loh, H. H., and Wei, L. N. (2014). [beta-arrestin protects neurons by mediating endogenous opioid arrest of inflammatory microglia](#). *Cell Death Differ* 21, 397-406. 10.1038/cdd.2013.152 (CF594-dUTP; tunel assay)
- Galletti, G., Sung, M. S., Vahdat, L. T., Shah, M. A., Santana, S. M., Altavilla, G., Kirby, B. J., and Giannakakou, P. (2014). [Isolation of breast cancer and gastric cancer circulating tumor cells by use of an anti HER2-based microfluidic device](#). *Lab Chip* 14, 147-156. 10.1039/c3lc51039e (CF594 Mix-n-Stain; IF)
- Gan, E. S., Xu, Y., Wong, J. Y., Geraldine Goh, J., Sun, B., Wee, W. Y., Huang, J., and Ito, T. (2014). [Jumonji demethylases moderate precocious flowering at elevated temperature via regulation of FLC in Arabidopsis](#). *Nat Commun* 5, 5098. 10.1038/ncomms6098 (CF488A GAR, CF555 GAM; IF)
- Gautam, N., Roy, U., Balkundi, S., Puligujja, P., Guo, D., Smith, N., Liu, X. M., Lamberty, B., Morsey, B., Fox, H. S., et al. (2013). [Preclinical Pharmacokinetics and Tissue Distribution of Long-Acting Nanoformulated Antiretroviral Therapy. Antimicrob Agents Chemother](#). DOI:10.1128/AAC.00267-13 (CF633 succinimidyl ester; nanoparticles; IF; FC)
- Giannakopoulou, A., Grigoriadis, N., Bekiari, C., Lourbopoulos, A., Dori, I., Tsingotjidou, A. S., Michaloudi, H., and Papadopoulos, G. C. (2013). [Acute inflammation alters adult hippocampal neurogenesis in a multiple sclerosis mouse model](#). *J Neurosci Res* 91, 890-900. DOI:10.1002/jnr.23226 (CF555 streptavidin; TUNEL, IHF)
- He, J., Wang, Y., Xu, L. H., Qiao, J., Ouyang, D. Y., and He, X. H. (2013). [Cucurbitacin IIa induces caspase-3-dependent apoptosis and enhances autophagy in lipopolysaccharide-stimulated RAW 264.7 macrophages](#). *Int Immunopharmacol*. DOI:10.1016/j.intimp.2013.03.013 (CF488A goat anti-mouse IgG, CF568 goat anti-rabbit IgG; IF)
- Hoepflinger, M. C., Geretschlaeger, A., Sommer, A., Hoefftberger, M., Nishiyama, T., Sakayama, H., Hammerl, P., Tenhaken, R., Ueda, T., and Foissner, I. (2013). [Molecular and biochemical analysis of the first ARA6 homologue, a RAB5 GTPase, from green algae](#). *J Exp Bot* 64, 5553-5568. 10.1093/jxb/ert322 (CF488A GAR; IF)
- Home, P., Saha, B., Ray, S., Dutta, D., Gunewardena, S., Yoo, B., Pal, A., Vivian, J. L., Larson, M., Petroff, M., et al. (2012). [Altered subcellular localization of transcription factor TEAD4 regulates first mammalian cell lineage commitment](#).

Proc Natl Acad Sci U S A 109, 7362-7367. DOI:10.1073/pnas.1201595109 (*Mix-n-Stain CF488A, Mix-n-Stain CF568; IF*)

Hu, B., Shi, W., Wu, Y. L., Leow, W. R., Cai, P., Li, S., and Chen, X. (2014). [Orthogonally engineering matrix topography and rigidity to regulate multicellular morphology](#). *Adv Mater* 26, 5786-5793. 10.1002/adma.201402489 (*CF568 phalloidin; IF*)

Huh, D., Kim, H. J., Fraser, J. P., Shea, D. E., Khan, M., Bahinski, A., Hamilton, G. A., and Ingber, D. E. (2013). [Microfabrication of human organs-on-chips](#). *Nat Protoc* 8, 2135-2157. 10.1038/nprot.2013.137 (*CF647 phalloidin; IF*)

Hwang, R. D., Wiemerslage, L., LaBreck, C. J., Khan, M., Kannan, K., Wang, X., Zhu, X., Lee, D., and Fridell, Y. W. (2014). [The neuroprotective effect of human uncoupling protein 2 \(hUCP2\) requires cAMP-dependent protein kinase in a toxin model of Parkinson's disease](#). *Neurobiol Dis* 69, 180-191. 10.1016/j.nbd.2014.05.032 (*CF594 Annexin V; IHF*)

Inutsuka, A., Inui, A., Tabuchi, S., Tsunematsu, T., Lazarus, M., and Yamanaka, A. (2014). [Concurrent and robust regulation of feeding behaviors and metabolism by orexin neurons](#). *Neuropharmacology* 85, 451-460. 10.1016/j.neuropharm.2014.06.015 (*CF488 CF594 CF647; IHF*)

Ise, H., Goto, M., Komura, K., and Akaike, T. (2012). [Engulfment and clearance of apoptotic cells based on a GlcNAc-binding lectin-like property of surface vimentin](#). *Glycobiology*. DOI:10.1093/glycob/cws052 (*CF488A goat anti-mouse IgG, CF488A donkey anti-rat IgG, CF555 donkey anti-rabbit IgG; IF, IHF*)

Jaiswal, D., and Brown, J. L. (2012). [Nanofiber diameter-dependent MAPK activity in osteoblasts](#). *J Biomed Mater Res A*. DOI:10.1002/jbm.a.34234 (*CF568 phalloidin; IF*)

Jalewa, J., Joshi, A., McGinnity, T. M., Prasad, G., Wong-Lin, K., and Holscher, C. (2014). [Neural circuit interactions between the dorsal raphe nucleus and the lateral hypothalamus: an experimental and computational study](#). *PLoS One* 9, e88003. 10.1371/journal.pone.0088003 (*CF594 DAC CF633 DAGp; IHF*)

Kanno, T., Tanaka, K., Yanagisawa, Y., Yasutake, K., Hadano, S., Yoshii, F., Hirayama, N., and Ikeda, J. E. (2012). [A novel small molecule, N-\(4-\(2-pyridyl\)\(1,3-thiazol-2-yl\)\)-2-\(2,4,6-trimethylphenoxy\) acetamide, selectively protects against oxidative stress-induced cell death by activating the Nrf2-ARE pathway: Therapeutic implications for ALS](#). *Free Radic Biol Med*. DOI:10.1016/j.freeradbiomed.2012.09.010 (*CF488A goat anti-mouse IgG; IF*)

Kapoor, N., Pawar, S., Sirakova, T. D., Deb, C., Warren, W. L., and Kolattukudy, P. E. (2013). [Human Granuloma In Vitro Model, for TB Dormancy and Resuscitation](#). *PLoS One* 8, e53657. DOI:10.1371/journal.pone.0053657 (*CF594 TUNEL Assay Apoptosis Detection Kit; TUNEL assay*)

Kawase, A., Yamada, A., Gamou, Y., Tahara, C., Takeshita, F., Murata, K., Matsuda, H., Samukawa, K., and Iwaki, M. (2013). [Effects of ginsenosides on the expression of cytochrome P450s and transporters involved in cholesterol metabolism](#). *J Nat Med*. DOI:10.1007/s11418-013-0791-y (*CF568 goat anti-mouse IgG; IHF*)

Kern, F., Stanika, R. I., Sarg, B., Offterdinger, M., Hess, D., Obermair, G. J., Lindner, H., Bandtlow, C. E., Hengst, L., and Schweigreiter, R. (2013). [Nogo-A couples with Apg-1 through interaction and co-ordinate expression under hypoxic and oxidative stress](#). *Biochem J* 455, 217-227. 10.1042/BJ20130579 (*CF488A GAC; IHF*)

Kim, H. J., and Ingber, D. E. (2013). [Gut-on-a-Chip microenvironment induces human intestinal cells to undergo villus differentiation](#). *Integr Biol (Camb)*. DOI:10.1039/c3ib40126j (*CF647 phalloidin; IF*)

Kim, H. J., and Selvin, P. R. (2013). [Fluorescence Imaging with One Nanometer Accuracy](#). SpringerReference. springerreference.com/docs/html/chapterdbid/305550.html (*CF633; Fluorescence Imaging with One Nanometer Accuracy (FIONA)*)

- Kiyono, M., Oka, Y., Sone, Y., Tanaka, M., Nakamura, R., Sato, M. H., Pan-Hou, H., Sakabe, K., and Inoue, K. (2012). [Expression of the bacterial heavy metal transporter MerC fused with a plant SNARE, SYP121, in Arabidopsis thaliana increases cadmium accumulation and tolerance.](#) *Planta* 235, 841-850. DOI:10.1007/s00425-011-1543-4 (CF488A goat anti-rabbit IgG; IHF)
- Kohara, K., Pignatelli, M., Rivest, A. J., Jung, H. Y., Kitamura, T., Suh, J., Frank, D., Kajikawa, K., Mise, N., Obata, Y., et al. (2014). [Cell type-specific genetic and optogenetic tools reveal hippocampal CA2 circuits.](#) *Nat Neurosci* 17, 269-279. 10.1038/nn.3614 (CF633 GAM, CF633 GAR, CF633 SA, CF405S GAM; IHF)
- Komura, K., Ise, H., and Akaike, T. (2012). [Dynamic behaviors of vimentin induced by interaction with GlcNAc molecules.](#) *Glycobiology*. DOI:10.1093/glycob/cws118 (CF488A goat anti-mouse IgG; IF)
- Lasher, R. A., Pahnke, A. Q., Johnson, J. M., Sachse, F. B., and Hitchcock, R. W. (2012). [Electrical stimulation directs engineered cardiac tissue to an age-matched native phenotype.](#) *J Tissue Eng* 3, 2041731412455354. DOI:10.1177/2041731412455354 (CF488A wheat germ agglutinin; IHF)
- Lee, A. T., Vogt, D., Rubenstein, J. L., and Sohal, V. S. (2014). [A class of GABAergic neurons in the prefrontal cortex sends long-range projections to the nucleus accumbens and elicits acute avoidance behavior.](#) *J Neurosci* 34, 11519-11525. 10.1523/JNEUROSCI.1157-14.2014 (CF405 mouse anti-biotin; IHF)
- Lencesova, L., Sirova, M., Csaderova, L., Laukova, M., Sulova, Z., Kvetnansky, R., and Krizanova, O. (2010). [Changes and role of adrenoceptors in PC12 cells after phenylephrine administration and apoptosis induction.](#) *Neurochem Int* 57, 884-892. DOI:10.1016/j.neuint.2010.09.007 (CF488A goat anti-rabbit IgG; IF)
- Li, W., Yu, J., Liu, Y., Huang, X., Abumaria, N., Zhu, Y., Xiong, W., Ren, C., Liu, X. G., Chui, D., et al. (2013). [Elevation of brain magnesium prevents and reverses cognitive deficits and synaptic loss in Alzheimer's disease mouse model.](#) *J Neurosci* 33, 8423-8441. DOI:10.1523/JNEUROSCI.4610-12.2013 (CF488A goat anti-mouse IgG, CF488A goat anti-rabbit IgG, and CF488A rabbit anti-goat IgG; IHF)
- Lim, A. K., Lorthongpanich, C., Chew, T. G., Tan, C. W., Shue, Y. T., Balu, S., Gounko, N., Kuramochi-Miyagawa, S., Matzuk, M. M., Chuma, S., et al. (2013). [The nuage mediates retrotransposon silencing in mouse primordial ovarian follicles.](#) *Development* 140, 3819-3825. 10.1242/dev.099184 (CF488A Mix-n-Stain; IHF)
- Lindberg, O. R., Brederlau, A., and Kuhn, H. G. (2014). [Epidermal growth factor treatment of the adult brain subventricular zone leads to focal microglia/macrophage accumulation and angiogenesis.](#) *Stem Cell Reports* 2, 440-448. 10.1016/j.stemcr.2014.02.003 (CF488A DAM CF555 DAR, DAG CF633 DAG; IHF)
- Lindberg, O. R., Persson, A., Brederlau, A., Shabro, A., and Kuhn, H. G. (2012). [EGF-Induced Expansion of Migratory Cells in the Rostral Migratory Stream.](#) *PLoS One* 7, e46380. DOI:10.1371/journal.pone.0046380 (CF488A donkey anti-mouse IgG; CF555 donkey anti-goat IgG; CF555 donkey anti-rabbit IgG; CF633 donkey anti-goat IgG; IHF)
- Liu, K. P., Zhou, D., Ouyang, D. Y., Xu, L. H., Wang, Y., Wang, L. X., Pan, H., and He, X. H. (2013). [LC3B-II deacetylation by histone deacetylase 6 is involved in serum-starvation-induced autophagic degradation.](#) *Biochem Biophys Res Commun* 441, 970-975. 10.1016/j.bbrc.2013.11.007 (CF488A GAM CF568 GAR; IF)
- Lourbopoulos, A., Mourouzis, I., Karapanayiotides, T., Nousiopoulou, E., Chatzigeorgiou, S., Mavridis, T., Kokkinakis, I., Touloumi, O., Irinopoulou, T., Chouliaras, K., et al. (2014). [Changes in thyroid hormone receptors after permanent cerebral ischemia in male rats.](#) *J Mol Neurosci* 54, 78-91. 10.1007/s12031-014-0253-3 (CF488A GAR, CF488A DAR, CF555 GAM, CF555 DAG, EverBrite; IHF)

- Lozada, A. F., Wang, X., Gounko, N. V., Massey, K. A., Duan, J., Liu, Z., and Berg, D. K. (2012). [Glutamatergic Synapse Formation is Promoted by alpha7-Containing Nicotinic Acetylcholine Receptors](#). *J Neurosci* 32, 7651-7661. DOI:10.1523/JNEUROSCI.6246-11.2012 (CF555 donkey anti-rabbit, CF633 goat anti-guinea pig; IHF)
- Ma, L., Makino, Y., Yamaza, H., Akiyama, K., Hoshino, Y., Song, G., Kukita, T., Nonaka, K., Shi, S., and Yamaza, T. (2012). [Cryopreserved dental pulp tissues of exfoliated deciduous teeth is a feasible stem cell resource for regenerative medicine](#). *PLoS One* 7, e51777. DOI:10.1371/journal.pone.0051777 (CF633 secondary antibodies; IF, IHF)
- Mahassni, S. H., and Al-Reemi, R. M. (2013). [Apoptosis and necrosis of human breast cancer cells by an aqueous extract of garden cress \(*Lepidium sativum*\) seeds](#). *Saudi Journal of Biological Sciences* 20, 131-139. DOI: dx.doi.org/10.1016/j.sjbs.2012.12.002 (CF488A Annexin V; IF, FC)
- Markaki, Y., Smeets, D., Cremer, M., and Schermelleh, L. (2013). [Fluorescence In Situ Hybridization Applications for Super-Resolution 3D Structured Illumination Microscopy](#). *Methods Mol Biol* 950, 43-64. DOI:10.1007/978-1-62703-137-0_4 (CF405M secondary antibodies; super resolution microscopy (3D-SIM); 3D-FISH)
- Miyagishima, S. Y., Kabeya, Y., Sugita, C., Sugita, M., and Fujiwara, T. (2014). [DipM is required for peptidoglycan hydrolysis during chloroplast division](#). *BMC Plant Biol* 14, 57. 10.1186/1471-2229-14-57 (CF488A Mix-n-Stain, CF555 Mix-n-Stain; IF)
- Mofarrah, M., McClung, JM, Kontos, CD, Davis, EC, Tappuni, B, Moroz, N, Pickett, AE, Huck, L, Harel, S, Danialou, G, et al. (2015). [Angiopoietin-1 enhances skeletal muscle regeneration in mice](#). *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology* 308: R576-R589. (Mix-n-Stain CF568; IHF)
- Nabeshima, Y., Washida, M., Tamura, M., Maeno, A., Ohnishi, M., Shiroishi, T., Imura, A., and Razzaque, M. S. (2014). [Calpain 1 inhibitor BDA-410 ameliorates alpha-klotho-deficiency phenotypes resembling human aging-related syndromes](#). *Sci Rep* 4, 5847. 10.1038/srep05847 (CF594 GART & CF488 GACK; IHF)
- Neumann, K., Castineiras-Vilarino, M., Hockendorf, U., Hanneschlager, N., Lemeer, S., Kupka, D., Meyermann, S., Lech, M., Anders, H. J., Kuster, B., et al. (2014). [Clec12a is an inhibitory receptor for uric acid crystals that regulates inflammation in response to cell death](#). *Immunity* 40, 389-399. 10.1016/j.immuni.2013.12.015 (CF568 succinimidyl ester; fluorescence microscopy)
- Ouyang, D. Y., Xu, L. H., He, X. H., Zhang, Y. T., Zeng, L. H., Cai, J. Y., and Ren, S. (2013). [Autophagy is differentially induced in prostate cancer LNCaP, DU145 and PC-3 cells via distinct splicing profiles of ATG5](#). *Autophagy* 9, 20-32. DOI:10.4161/auto.22397 (CF568 goat anti-rabbit IgG; IF)
- Ouyang, D. Y., Zeng, L. H., Pan, H., Xu, L. H., Wang, Y., Liu, K. P., and He, X. H. (2013). [Piperine inhibits the proliferation of human prostate cancer cells via induction of cell cycle arrest and autophagy](#). *Food Chem Toxicol* 60, 424-430. 10.1016/j.fct.2013.08.007 (CF568 GAR; IF)
- Park, K. S., Martelotto, L. G., Peifer, M., Sos, M. L., Karnezis, A. N., Mahjoub, M. R., Bernard, K., Conklin, J. F., Szczepny, A., Yuan, J., et al. (2011). [A crucial requirement for Hedgehog signaling in small cell lung cancer](#). *Nat Med* 17, 1504-1508. DOI:10.1038/nm.2473 (Mix-n-Stain CF488A, Mix-n-Stain CF568, and Mix-n-Stain CF647; IF)
- Perez Bay, A. E., Schreiner, R., Benedicto, I., and Rodriguez-Boulan, E. J. (2014). [Galectin-4-mediated transcytosis of transferrin receptor](#). *J Cell Sci*. 10.1242/jcs.153437 (CF594 succinimidyl ester labeled transferrin; fluorescence microscopy)
- Perez Bay, A. E., Schreiner, R., Mazzoni, F., Carvajal-Gonzalez, J. M., Gravotta, D., Perret, E., Lehmann Mantaras, G., Zhu, Y. S., and Rodriguez-Boulan, E. J. (2013). [The kinesin KIF16B mediates apical transcytosis of transferrin receptor in AP-1B-deficient epithelia](#). *EMBO J* 32, 2125-2139. 10.1038/emboj.2013.130 (CF594 succinimidyl ester labeled transferrin; fluorescence microscopy)

- Persson, A., Osman, A., Bolouri, H., Mallard, C., and Kuhn, H. G. (2013). [Radixin expression in microglia after cortical stroke lesion](#). *Glia* 61, 790-799. DOI:10.1002/glia.22473 (CF555 donkey anti-goat IgG; IHF)
- Pillai, A. G., Henckens, M. J., Fernandez, G., and Joels, M. (2014). [Delayed effects of corticosterone on slow after-hyperpolarization potentials in mouse hippocampal versus prefrontal cortical pyramidal neurons](#). *PLoS One* 9, e99208. 10.1371/journal.pone.0099208 (CF555 hydrazide; fluorescence microscopy)
- Polackwich, R. J., Koch, D., Arevalo, R., Miermont, A. M., Jee, K. J., Lazar, J., Urbach, J., Mueller, S. C., and McAllister, R. G. (2013). [A Novel 3D Fibril Force Assay Implicates Src in Tumor Cell Force Generation in Collagen Networks](#). *PLoS One* 8, e58138. DOI:10.1371/journal.pone.0058138 (CF633 succinimidyl ester (used to label collagen); 3D Fibril Force Assay, IF)
- Puligujja, P., McMillan, J., Kendrick, L., Li, T., Balkundi, S., Smith, N., Veerubhotla, R. S., Edagwa, B. J., Kabanov, A. V., Bronich, T., et al. (2013). [Macrophage Folate Receptor-Targeted Antiretroviral Therapy Facilitates Drug Entry, Retention, Antiretroviral Activities and Biodistribution for Reduction of Human Immunodeficiency Virus Infections](#). *Nanomedicine*. DOI:10.1016/j.nano.2013.05.003 (CF633 succinimidyl ester nanoparticles; IF)
- Qian, M., Hu, H., Zuo, T., Wang, G., Zhang, L., and Zhou, P. (2013). [Unraveling of a Neutralization Mechanism by Two Human Antibodies against Conserved Epitopes in the Globular Head of H5 Hemagglutinin](#). *J Virol* 87, 3571-3577. DOI:10.1128/JVI.01292-12 (CF488A goat anti-human IgG; IHF)
- Qu, X., Zhu, W., Huang, S., Li, Y. S., Chien, S., Zhang, K., and Chen, S. (2013). [Relative impact of uniaxial alignment vs. form-induced stress on differentiation of human adipose derived stem cells](#). *Biomaterials* 34, 9812-9818. 10.1016/j.biomaterials.2013.09.009 (CF594 GAR; fluorescence microscopy)
- Quinn, K. E., Ashley, A. K., Reynolds, L. P., Grazul-Bilska, A. T., and Ashley, R. L. (2014). [Activation of the CXCL12/CXCR4 signaling axis may drive vascularization of the ovine placenta](#). *Domest Anim Endocrinol* 47, 11-21. 10.1016/j.domaniend.2013.12.004 (CF633 GAR; IHF)
- Ren, S., Ouyang, D. Y., Saltis, M., Xu, L. H., Zha, Q. B., Cai, J. Y., and He, X. H. (2012). [Anti-proliferative effect of 23,24-dihydrocucurbitacin F on human prostate cancer cells through induction of actin aggregation and cofilin-actin rod formation](#). *Cancer Chemother Pharmacol*. DOI:10.1007/s00280-012-1921-z (CF488A goat anti-mouse, CF568 goat anti-rabbit; IF)
- Ritzenthaler, J. D., Roser-Page, S., Guidot, D. M., and Roman, J. (2013). [Nicotinic Acetylcholine Receptors are Sensors for Ethanol in Lung Fibroblasts](#). *Alcohol Clin Exp Res*. DOI:10.1111/acer.12044 (CF488A a-Bungarotoxin; IF)
- Rizzi, F., Naponelli, V., Silva, A., Modernelli, A., Ramazzina, I., Bonacini, M., Tardito, S., Gatti, R., Uggeri, J., and Bettuzzi, S. (2014). [Polyphenon E\(R\), a standardized green tea extract, induces endoplasmic reticulum stress, leading to death of immortalized PNT1a cells by anoikis and tumorigenic PC3 by necroptosis](#). *Carcinogenesis*. 10.1093/carcin/bgt481 (CF488A GAM; IHF)
- Rohde, J., Amann, R., and Rziha, H. J. (2013). [New Orf virus \(Parapoxvirus\) recombinant expressing H5 hemagglutinin protects mice against H5N1 and H1N1 influenza A virus](#). *PLoS One* 8, e83802. 10.1371/journal.pone.0083802 (CF647 phalloidin; IF)
- Ruiz, R., Biea, I. A., and Tabares, L. (2014). [alpha-Synuclein A30P decreases neurodegeneration and increases synaptic vesicle release probability in CSPalpha-null mice](#). *Neuropharmacology* 76 Pt A, 106-117. 10.1016/j.neuropharm.2013.08.032 (CF488A DAR & CF488A DAM; IHF)
- Sadeghinezhad, J., Sorteni, C., Di Guardo, G., D'Agostino, C., Agrimi, U., Nonno, R., and Chiocchetti, R. (2013). [Neurochemistry of myenteric plexus neurons of bank vole \(*Myodes glareolus*\) ileum](#). *Res Vet Sci* 95, 846-853.

10.1016/j.rvsc.2013.07.028 (CF488A GAM, GAR, GART; IHF)

Schneider, K., Fuchs, C., Dobay, A., Rottach, A., Qin, W., Wolf, P., Alvarez-Castro, J. M., Nalaskowski, M. M., Kremmer, E., Schmid, V., et al. (2013). [Dissection of cell cycle-dependent dynamics of Dnmt1 by FRAP and diffusion-coupled modeling](#). *Nucleic Acids Res* 41, 4860-4876. 10.1093/nar/gkt191 (CF405S GAM; FRAP)

Shiheido, H., Terada, F., Tabata, N., Hayakawa, I., Matsumura, N., Takashima, H., Ogawa, Y., Du, W., Yamada, T., Shoji, M., et al. (2012). [A phthalimide derivative that inhibits centrosomal clustering is effective on multiple myeloma](#). *PLoS One* 7, e38878. DOI:10.1371/journal.pone.0038878 (CF568 anti-rabbit IgG; IF)

Shiimori, M., Inoue, K., and Sakamoto, H. (2012). [A specific set of EJC subunits is required for the nuclear retention of unspliced RNAs in *C. elegans*](#). *Mol Cell Biol*. DOI:10.1128/MCB.01298-12 (CF488A phalloidin; IHF)

Shiimori, M., Inoue, K., and Sakamoto, H. (2013). [A specific set of exon junction complex subunits is required for the nuclear retention of unspliced RNAs in *Caenorhabditis elegans*](#). *Mol Cell Biol* 33, 444-456. 10.1128/MCB.01298-12 (CF488A phalloidin; IF)

Simonson, P. D., Rothenberg, E., and Selvin, P. R. (2011). [Single-molecule-based super-resolution images in the presence of multiple fluorophores](#). *Nano Lett* 11, 5090-5096. DOI:10.1021/nl203560r (CF633 goat anti-mouse IgG; IF, gSHRIMP)

Skindersoe, M. E., Rohde, M., and Kjaerulff, S. (2012). [A novel and rapid apoptosis assay based on thiol redox status](#). *Cytometry A*. DOI:10.1002/cyto.a.22032 (CF647 Annexin V; IF, FC)

Smith, P. L., Hagberg, H., Naylor, A. S., and Mallard, C. (2014). [Neonatal peripheral immune challenge activates microglia and inhibits neurogenesis in the developing murine hippocampus](#). *Dev Neurosci* 36, 119-131. 10.1159/000359950 (CF555 DAG, CF488A DACK & CF647 DAM; IHF)

Song, Y., Zhang, X., Huang, L., Behlke, M. A., and Tsourkas, A. (2014). [Real-time imaging of single engineered RNA transcripts in living cells using ratiometric bimolecular beacons](#). *J Vis Exp*, e51544. 10.3791/51544 (CF640R SE molecular beacons RNA; fluorescence microscopy)

Stasevich, T. J., Sato, Y., Nozaki, N., and Kimura, H. (2014). [Quantifying histone and RNA polymerase II post-translational modification dynamics in mother and daughter cells](#). *Methods*. 10.1016/j.ymeth.2014.08.002 (CF640R succinimidyl ester; live cell imaging)

Stein, E., Inic-Kanada, A., Belij, S., Montanaro, J., Bintner, N., Schlacher, S., Mayr, U. B., Lubitz, W., Stojanovic, M., Najdenski, H., et al. (2013). [In vitro and in vivo uptake study of Escherichia coli Nissle 1917 bacterial ghosts: cell-based delivery system to target ocular surface diseases](#). *Invest Ophthalmol Vis Sci* 54, 6326-6333. 10.1167/iovs.13-12044 (CF488A GAR; IHF)

Tai, L. H., Lee, A. M., Benavidez, N., Bonci, A., and Wilbrecht, L. (2012). [Transient stimulation of distinct subpopulations of striatal neurons mimics changes in action value](#). *Nat Neurosci* 15, 1281-1289. DOI:10.1038/nn.3188 (CF555 donkey anti-mouse IgG, CF647 donkey anti-goat IgG; IHF)

Takakura, M., Kyo, S., Nakamura, M., Maida, Y., Mizumoto, Y., Bono, Y., Zhang, X., Hashimoto, Y., Urata, Y., Fujiwara, T., et al. (2012). [Circulating tumour cells detected by a novel adenovirus-mediated system may be a potent therapeutic marker in gynaecological cancers](#). *Br J Cancer*. DOI:10.1038/bjc.2012.276 (CF555 goat anti-mouse IgG; IF)

- Takeichi, T., Wang, E. L., and Kitamura, O. (2012). [The effects of low-dose methamphetamine pretreatment on endoplasmic reticulum stress and methamphetamine neurotoxicity in the rat midbrain](#). *Leg Med (Tokyo)* 14, 69-77. DOI:10.1016/j.legalmed.2011.12.004 (CF555 goat anti-rabbit IgG; IHF)
- Takenaka, N., Izawa, R., Wu, J., Kitagawa, K., Nihata, Y., Hosooka, T., Noguchi, T., Ogawa, W., Aiba, A., and Satoh, T. (2014). [A critical role of the small GTPase Rac1 in Akt2-mediated GLUT4 translocation in mouse skeletal muscle](#). *FEBS J* 281, 1493-1504. 10.1111/febs.12719 (CF488A, CF543, CF647 GAM, GAR, GART; IF)
- Tanaka, K., Kanno, T., Yanagisawa, Y., Yasutake, K., Inoue, S., Hirayama, N., and Ikeda, J. E. (2014). [A novel acylaminoimidazole derivative, WN1316, alleviates disease progression via suppression of glial inflammation in ALS mouse model](#). *PLoS One* 9, e87728. 10.1371/journal.pone.0087728 (CF488A GAM; IF)
- Thege, F. I., Lannin, T. B., Saha, T. N., Tsai, S., Kochman, M. L., Hollingsworth, M. A., Rhim, A. D., and Kirby, B. J. (2014). [Microfluidic immunocapture of circulating pancreatic cells using parallel EpCAM and MUC1 capture: characterization, optimization and downstream analysis](#). *Lab Chip* 14, 1775-1784. 10.1039/c4lc00041b (CF543 succinimidyl ester; fluorescence microscopy)
- Tian, T., Zhu, Y. L., Hu, F. H., Wang, Y. Y., Huang, N. P., and Xiao, Z. D. (2013). [Dynamics of exosome internalization and trafficking](#). *J Cell Physiol* 228, 1487-1495. 10.1002/jcp.24304 (CF633 GAR; IF)
- Tokunaga, M., Shiheido, H., Hayakawa, I., Utsumi, A., Takashima, H., Doi, N., Horisawa, K., Sakuma-Yonemura, Y., Tabata, N., and Yanagawa, H. (2013). [Hereditary spastic paraplegia protein spartin is an FK506-binding protein identified by mRNA display](#). *Chem Biol* 20, 935-942. 10.1016/j.chembiol.2013.05.011 (CF640R GAM; IF)
- Toth, R., Meszaros, I., Stefanics, R., Bartha, D., Balint, A., and Zadori, Z. (2013). [CpG distribution and methylation pattern in porcine parvovirus](#). *PLoS One* 8, e85986. 10.1371/journal.pone.0085986 (CF488A GAR; IF)
- Troidl, K., Ruding, I., Cai, W. J., Mucke, Y., Grossekkettler, L., Piotrowska, I., Apfelbeck, H., Schierling, W., Volger, O. L., Horrevoets, A. J., et al. (2009). [Actin-binding rho activating protein \(Abra\) is essential for fluid shear stress-induced arteriogenesis](#). *Arterioscler Thromb Vasc Biol* 29, 2093-2101. DOI:10.1161/ATVBAHA.109.195305 (CF488A goat anti-rabbit IgG; IF, IHF)
- Tschumper, R. C., Dispenzieri, A., Abraham, R. S., Henderson, K. J., and Jelinek, D. F. (2013). [Molecular analysis of immunoglobulin genes reveals frequent clonal relatedness in double monoclonal gammopathies](#). *Blood Cancer J* 3, e112. DOI:10.1038/bcj.2013.12 (Mix-n-Stain CF350; IF)
- Uno, T., Ioyama, Y., Sakamoto, K., Uno, Y., Kanamaru, K., Yamagata, H., Takagi, M., Mizoguchi, A., and Takeda, M. (2014). [Characterization of Rab-interacting lysosomal protein in the brain of Bombyx mori](#). *Histochem Cell Biol* 141, 311-320. 10.1007/s00418-013-1160-3 (CF555 DAM; IHF)
- von Walden, F., Casagrande, V., Ostlund Farrants, A. K., and Nader, G. A. (2012). [Mechanical loading induces the expression of a Pol I regulon at the onset of skeletal muscle hypertrophy](#). *Am J Physiol Cell Physiol* 302, C1523-1530. DOI:10.1152/ajpcell.00460.2011 (CF488A goat anti-mouse IgG, CF633 goat anti-rabbit IgG; IF, IHF)
- Wang, Y., Zhao, G. X., Xu, L. H., Liu, K. P., Pan, H., He, J., Cai, J. Y., Ouyang, D. Y., and He, X. H. (2014). [Cucurbitacin IIb exhibits anti-inflammatory activity through modulating multiple cellular behaviors of mouse lymphocytes](#). *PLoS One* 9, e89751. 10.1371/journal.pone.0089751 (CF488A GAM, CF568 GAR; IF)
- Watari, K., Shibata, T., Kawahara, A., Sata, K., Nabeshima, H., Shinoda, A., Abe, H., Azuma, K., Murakami, Y., Izumi, H., et al. (2014). [Tumor-derived interleukin-1 promotes lymphangiogenesis and lymph node metastasis through M2-type macrophages](#). *PLoS One* 9, e99568. 10.1371/journal.pone.0099568 (CF488A DARat & CF594 DARb; IHF)

- West, A. B., Cowell, R. M., Daher, J. P., Moehle, M. S., Hinkle, K. M., Melrose, H. L., Standaert, D. G., and Volpicelli-Daley, L. A. (2014). [Differential LRRK2 expression in the cortex, striatum, and substantia nigra in transgenic and nontransgenic rodents](#). *J Comp Neurol* 522, 2465-2480. 10.1002/cne.23583 (*CF555 DAR & CF488A DAM; IHF*)
- Wieduwild, R., Tsurkan, M., Chwalek, K., Murawala, P., Nowak, M., Freudenberg, U., Neinhuis, C., Werner, C., and Zhang, Y. (2013). [Minimal Peptide Motif for Non-covalent Peptide-Heparin Hydrogels](#). *J Am Chem Soc* 135, 2919-2922. DOI:10.1021/ja312022u (*CF488A phalloidin; IHF*)
- Witteveldt, J., Blundell, R., Maarleveld, J. J., McFadden, N., Evans, D. J., and Simmonds, P. (2014). [The influence of viral RNA secondary structure on interactions with innate host cell defences](#). *Nucleic Acids Res* 42, 3314-3329. 10.1093/nar/gkt1291 (*CF633 anti-biotin; IF*)
- Xu, Z., Parra, D., Gomez, D., Salinas, I., Zhang, Y. A., von Gersdorff Jorgensen, L., Heinecke, R. D., Buchmann, K., LaPatra, S., and Sunyer, J. O. (2013). [Teleost skin, an ancient mucosal surface that elicits gut-like immune responses](#). *Proc Natl Acad Sci U S A* 110, 13097-13102. 10.1073/pnas.1304319110 (*CF488A Mix-n-Stain, CF555, CF640R; IHF*)
- Yamamoto, S., Yamazaki, T., Komazaki, S., Yamashita, T., Osaki, M., Matsubayashi, M., Kidoya, H., Takakura, N., Yamazaki, D., and Kakizawa, S. (2014). [Contribution of calumen to embryogenesis through participation in the endoplasmic reticulum-associated degradation activity](#). *Dev Biol* 393, 33-43. 10.1016/j.ydbio.2014.06.024 (*CF488A Mix-n-Stain, CF568 Mix-n-Stain; IHF*)
- Yamashita, A., Zhao, Y., Matsuura, Y., Yamasaki, K., Moriguchi-Goto, S., Sugita, C., Iwakiri, T., Okuyama, N., Koshimoto, C., Kawai, K., et al. (2014). [Increased metabolite levels of glycolysis and pentose phosphate pathway in rabbit atherosclerotic arteries and hypoxic macrophage](#). *PLoS One* 9, e86426. 10.1371/journal.pone.0086426 (*CF488A Mix-n-Stain, CF594 Mix-n-Stain; IHF*)
- Yang, R., Xi, N., Lai, K. W., Patterson, K., Chen, H., Song, B., Qu, C., Zhong, B., and Wang, D. H. (2012). [Cellular biophysical dynamics and ion channel activities detected by AFM-based nanorobotic manipulator in insulinoma beta-cells](#). *Nanomedicine*. DOI:10.1016/j.nano.2012.10.011 (*CF488A phalloidin; IF*)
- Yang, Y., Zhang, Y., Cuevas-Gonzalez, S., Villar, V. A., Escano, C., Asico, L., Yu, P., Grandy, D. K., Felder, R. A., Armando, I., et al. (2012). [Paraoxonase 2 decreases renal reactive oxygen species production, lowers blood pressure, and mediates dopamine D\(2\) receptor-induced inhibition of NADPH oxidase](#). *Free Radic Biol Med*. DOI:10.1016/j.freeradbiomed.2012.05.015 (*Mix-n-Stain CF555; IHF*)
- Yates, J. L., Racine, R., McBride, K. M., and Winslow, G. M. (2013). [T Cell-Dependent IgM Memory B Cells Generated during Bacterial Infection Are Required for IgG Responses to Antigen Challenge](#). *J Immunol* 191, 1240-1249. DOI:10.4049/jimmunol.1300062 (*PE-CF594 conjugated anti-CD19 (BD Biosciences); IHF*)
- Yu, C. H., Rafiq, N. B., Krishnasamy, A., Hartman, K. L., Jones, G. E., Bershadsky, A. D., and Sheetz, M. P. (2013). [Integrin-matrix clusters form podosome-like adhesions in the absence of traction forces](#). *Cell Rep* 5, 1456-1468. 10.1016/j.celrep.2013.10.040 (*CF594 phalloidin; IF*)
- Yu, L., Zhao, Y., Quan, C., Ji, W., Zhu, J., Huang, Y., Guan, R., Sun, D., Jin, Y., Meng, X., et al. (2013). [Gemcitabine eliminates double minute chromosomes from human ovarian cancer cells](#). *PLoS One* 8, e71988. 10.1371/journal.pone.0071988 (*CF555 GAM; IF*)
- Zanetti-Domingues, L. C., Tynan, C. J., Rolfe, D. J., Clarke, D. T., and Martin-Fernandez, M. (2013). [Hydrophobic fluorescent probes introduce artifacts into single molecule tracking experiments due to non-specific binding](#). *PLoS One* 8, e74200. 10.1371/journal.pone.0074200 (*CF488A, CF568, CF633 & CF640R maleimide*)

Zhang, M., He, Y., Sun, X., Li, Q., Wang, W., Zhao, A., and Di, W. (2014). [A high M1/M2 ratio of tumor-associated macrophages is associated with extended survival in ovarian cancer patients](#). *J Ovarian Res* 7, 19. 10.1186/1757-2215-7-19 (CF350, CF488A labeled primaries; IHF)

Zhang, X., Song, Y., Shah, A. Y., Lekova, V., Raj, A., Huang, L., Behlke, M. A., and Tsourkas, A. (2013). [Quantitative assessment of ratiometric bimolecular beacons as a tool for imaging single engineered RNA transcripts and measuring gene expression in living cells](#). *Nucleic Acids Res*. DOI:10.1093/nar/gkt561 (CF640R succinimidyl ester; RNA probes for use in living cells (*Ratiometric Bimolecular Beacon (RBMB)*); IF)

Zhang, Y., Mao, R. R., Chen, Z. F., Tian, M., Tong, D. L., Gao, Z. R., Huang, M., Li, X., Xu, X., Zhou, W. H., et al. (2014). [Deep-brain magnetic stimulation promotes adult hippocampal neurogenesis and alleviates stress-related behaviors in mouse models for neuropsychiatric disorders](#). *Mol Brain* 7, 11. 10.1186/1756-6606-7-11 (CF488A GAM & CF555 DAM; IHF)

Zhang, Y. T., Ouyang, D. Y., Xu, L. H., Zha, Q. B., and He, X. H. (2013). [Formation of cofilin-actin rods following cucurbitacin-B-induced actin aggregation depends on slingshot homolog 1-mediated cofilin hyperactivation](#). *J Cell Biochem*. DOI:10.1002/jcb.24587 (CF488A GAM, CF568 GAR; IF)

Zhang, Y. T., Xu, L. H., Lu, Q., Liu, K. P., Liu, P. Y., Ji, F., Liu, X. M., Ouyang, D. Y., and He, X. H. (2014). [VASP activation via the Galpha13/RhoA/PKA pathway mediates cucurbitacin-B-induced actin aggregation and cofilin-actin rod formation](#). *PLoS One* 9, e93547. 10.1371/journal.pone.0093547 (CF488A GAM, CF568 GAR; IF)

Zhu, J. S., Ouyang, D. Y., Shi, Z. J., Xu, L. H., Zhang, Y. T., and He, X. H. (2012). [Cucurbitacin B induces cell cycle arrest, apoptosis and autophagy associated with G actin reduction and persistent activation of cofilin in Jurkat cells](#). *Pharmacology* 89, 348-346. DOI:10.1159/000338757 (CF488A GAM, CF568 GAR; IF)

Zurla, C., Lifland, A. W., and Santangelo, P. J. (2011). [Characterizing mRNA interactions with RNA granules during translation initiation inhibition](#). *PLoS One* 6, e19727. DOI:10.1371/journal.pone.0019727 (CF640R tetravalent RNA imaging probe; FISH)

Fluorescence polarization assay

Antolín-Urbaneja, J. C., Eguizabal, I., Briz, N., Dominguez, A., Estensoro, P., Secchi, A., Varriale, A., Di Giovanni, S., and D'Auria, S. (2013). [Compact and cost effective instrument for detecting drug precursors in different environments based on fluorescence polarization](#). Paper presented at: Optical Sensors 2013 (Prague, Czech Republic, Proc SPIE). DOI:10.1117/12.2017257 (CF488A succinimidyl ester; fluorescence polarization assay)

Di Giovanni, S., Varriale, A., Marzullo, V. M., Ruggiero, G., Staiano, M., Secchi, A., Pierno, L., Fiorello, A. M., and D'Auria, S. (2012). [Determination of benzyl methyl ketone - a commonly used precursor in amphetamine manufacture](#). *Analytical Methods* 4, 3558-3564. DOI:10.1039/c2ay25772f (CF488A succinimidyl ester; fluorescence polarization assay)

Pennacchio, A, Varriale, A, Scala, A, Marzullo, VM, Staiano, M, and D'Auria, S. (2016). [A novel fluorescence polarization assay for determination of penicillin G in milk](#). *Food Chemistry* 190: 381-385. (CF647 succinimidyl ester; fluorescence polarization assay)

Varriale, A, Pennacchio, A, Pinto, G, Oliviero, G, D'Errico, S, Majoli, A, Scala, A, Capo, A, Pennacchio, A, Di Giovanni, S, et al. (2015). [A Fluorescence Polarization Assay To Detect Steroid Hormone Traces in Milk](#). *Journal of Agricultural and Food Chemistry* 63: 9159-9164. (CF647 succinimidyl ester; fluorescence polarization assay)