

PIPETTE TIPS

More than 20 years of expertise as a pipette tips manufacturer gives **CAPP** the necessary know-how to select and design tips that match the expectations of the strictest customers.

CAPP offers a wide range of high-quality tips to fulfill the pipetting needs of research, diagnostics and analytical laboratories.

Premium design:

- Universal compatibility to the majority of pipette brands on the market
- Different lengths for different applications within the same volume range
- Crystal clear, incremental marks for convenience of use


Premium portfolio:

- Select from **EXPellPlus** Low Retention or **EXPell** Standard (both of premium quality)
- Options of bulk, racked, racked-sterile, reloads, racked-sterile-filtered and bulk-filtered tips
- Different designs of tips within the same volume range to fit almost all the pipettes available on the market

Premium manufacturing:

- Absolutely no compromise made on quality parameters
- Clean-room facility to eliminate the risk of contamination
- Certified RNase, DNase, DNA and Pyrogen-free
- Superb quality, Swiss-made injection molds
- Made from virgin polypropylene















EXPell and **EXPell Bulk Pipette Tips** come in self-standing, self-sealing plastic bags, enabling comfortable usage and storage.

The tips can be used directly from the bag or manually refilled into all CAPP racks. Each bag has a label showing the catalogue and the batch number for easy identification.

CAPP Bulk Pipette Tips are the ideal choice for cost-sensitive customers. The tips are manufactured under the same strict conditions as all other types of CAPP tips and are certified according to RNase, DNase, DNA and Pyrogen-free standards. They offer universal compatibility with all major pipette brands on the market.





Ordering Information

EXPell Bulk Filter Tips

Cat. No.	Description	
5131030C	Expell 10μL, bag, w/ filter, 20x1000 pcs.	
5131060C	Expell 10/20μL XL, bag, w/ filter, 20x1000 pcs	
5131061C	Expell 10/20µL XL, extra narrow, bag, w/ filter, 20x1000 pcs	
5131062C	Expell 20μL, bag, w/ filter, 10x1000 pcs.	
5131066C	Expell 100μL, bag, w/ filter, 10x1000 pcs.	
5131090C	Expell 200μL, bag, w/ filter, 10x1000 pcs.	
5131150C	Expell 1000μL, bag, w/ filter, 10x1000 pcs.	

EXPell Bulk Non-filter Tips

Cat. No.	Description	
5130010C	Expell 10μL, clear, bag, 20x1000 pcs.	
5130040C	Expell 10/20μL XL, clear, bag, 20x1000 pcs.	
5130041C	41C Expell 10/20μL XL, extra narrow, clear, bag, 20x1000 pcs.	
5130070C	Expell 200μL, clear, bag, 30x1000 pcs.	
4130075C	Expell 200µL, yellow, bag, 30x1000 pcs.	
5130100C	Expell 300μL, clear, bag, 10x1000 pcs.	
5130130C	Expell 1000µl (1250µL), clear, bag, 20x500 pcs.	
4130135C	Expell 1000μl (1250μL), blue, bag, 20x500 pcs.	
5130132C	Expell 1000μL (1250μL), pre-sterile, clear, bag, 5x200 pcs. individually wrapped	
5130120C	Expell 1250µL XL, clear, bag, 20x 500 pcs.	
5130160C	Expell 5000μL, clear, bag, 10x250 pcs. for ecopipette and CAPPBravo pipettes	
5130161C	Expell 5000μl, clear, bag, 8x250 pcs. for CAPPSolo pipettes	
5130192C	Expell 5500 μL, clear, bag, 8 x 250 pcs.	
5130190C	Expell 10000µl, clear, bag, 5x200 pcs. for ecopipette and CAPPBravo pipettes	
5130191C	Expell 10000μl, clear, bag, 10x100 pcs. for CAPP Solo pipettes	

EXPeliPlus Bulk Non-filter Tips, Low Retention

Cat. No. Description		
5030010C	OC ExpellPlus 10μL, clear, bag, 20x1000 pcs.	
5030012C ExpellPlus 10μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped		
5030040C	ExpellPlus 10/20μL XL, clear, bag, 20x1000 pcs.	
5030042C	ExpellPlus 10/20µL XL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped	
5030070C ExpellPlus 200μL, clear, bag, 10x1000 pcs.		
5030072C ExpellPlus 200μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped		
5030130C ExpellPlus 1000μl (1250μL), clear, bag, 20x500 pcs.		







RACKED TIPS

CAPP offers a wide portfolio of racked pipette tips. The racks are compatible with **CAPP** bulk tips of the corresponding volume sizes, as well as with the **CAPP** reload system.

All **CAPP Racked Tips** are manufactured using Swiss-made injection molds, to ensure a premium quality. The product portfolio for racked tips includes filter, non-filter, sterile and non-sterile tips. Additionally, **CAPP Racked Tips** are available as **EXPell** standard quality and **EXPell** sow-retention tips. Both versions are universally compatible with the majority of pipette brands available on the market.

In order to support a wider range of applications, **CAPP Racked Tips** are available in different lengths within the same volume range. The autoclavable racks are packed in user-friendly and space-saving dispenser boxes, including 10 racks (for the majority of volume sizes) or 8 racks for the 1mL tips.

Made of virgin polypropylene, **CAPP Racked Tips** are RNase, DNase and Pyrogen-free certified. The **EXPelipms** racked tips have unique low retention properties, reducing sample binding to a minimum and significantly improving your pipetting results.





Ordering Information

EXPell Racked Tips



CAPP

 $\mathbb{E}X_{\mathrm{Pell}}$

CAPP

EXPellPhy Racked Tips, Low Retention

Cat. No.	Description
5030020C	ExpellPlus 10μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030030C	ExpellPlus 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030050C	ExpellPlus 10/20μL XL, pre-sterile, hinged racks, 5x10x96 pcs.
5030051C	ExpellPlus 10/20μL XL, extra narrow, pre-sterile, hinged racks, 5x10x96 pcs.
5030060C	ExpellPlus 10/20μL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030061C	ExpellPlus 10/20μL XL, extra narrow pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030062C	ExpellPlus 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030066C	ExpellPlus 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030080C	ExpellPlus 200μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030090C	ExpellPlus 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130110C	ExpellPlus 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030115C	ExpellPlus 300μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030150C	ExpellPlus 1000μL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5030123C	ExpellPlus 1250μl XL, pre-sterile w/filter, hinged racks, 4x8x96 pcs.







INDIVIDUALLY WRAPPED TIPS

EXPeliptes Individually Wrapped Tips are ideal for sensitive applications requiring the strictest aseptic conditions.

Their unique individual packaging ensures sterility for every single pipetting cycle, maximising the exceptional performance of **EXPeliPhs** sterile tips. Assuring the greatest purity standards, **EXPeliPhs Individually Wrapped Tips** are free from Endotoxin, DNA, DNase, RNase and PCR inhibitor.

Available in four volume sizes: 10µL standard and extended length, 200µL and 1000-1250µL, **EXPeliPros** individually wrapped tips are universally compatible with the majority of pipette brands available on the market. Thanks to the unique composition of plastic polymer, the inner surface of **EXPeliPros Individually Wrapped Tips** is more hydrophobic, which significantly reduces sample adhesion. These low retention properties minimise sample binding inside the tip, making **EXPeliPros** tips ideal for applications requiring high accuracy and reproducibility.

EXPeliPits Individually Wrapped Tips are sterile. Batch number and expiration date are printed on each individual wrap.



Ordering Information

EXPellPlus Individually Wrapped Tips

Cat. No.	Description
5030012C	ExpellPlus 10μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped tips
5030042C	ExpellPlus 10/20μL XL, pre-sterile, long, clear, bag, 5x400 pcs. individually wrapped tips
5030072C	ExpellPlus 200μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped tips
5130132C	Expell 1000μL (1250μL), pre-sterile, clear, bag, 5x200 pcs. individually wrapped tips







CAPP's **EXPell Pipette Tips Reload System** is available for 10μL standard and extended length as well as for 200μL and 1000-1250μL tips. Depending on tip volume, it consists of towers with 5, 8 or 10 insert plates containing 96 tips each.

The system is extremely easy to use. Take off the tower cover and pick up the insert plate with tips. Place it into the empty rack. The rack has been refilled with 96 tips.

The **EXPell Reload System** enables multiple savings: Shipping costs are significantly reduced by up to 75% of the packing volume. The tips in an **EXPell Reload System** are packed more compactly compared to standard racked or bulk tips.

In the **EXPell Reload System** the tips from the upper insert plate are partially placed into the tips of the lower plate, resulting in a slim tower, taking much less space than a single box with 10 racked tips.

CAPP's EXPell Reload System

reduces the plastic waste. Each rack can be reused multiple times and, apart from the insert plates with tips, there is no further plastic component in the **EXPell Reload System** – only the recyclable cardboard packaging.

Further saving with EXPell Reload System concerns the space. Thanks to the minimal footprint, the towers of the EXPell Reload System take up as less space on the benchtop and in the storage room as possible.

The system is compatible with all **CAPP** racks of corresponding tip volumes.

Spare, empty racks are available as accessories.



Open the refill by sliding it towards the top.

1

2

Prepare an empty rack. Remove its original grid.





Pick up the first grid of refill tips and insert into the rack. The racks can be reused.

3



Once the tips are properly installed in the rack, you may close the hinged lid.



Cat. No.	Description
5030035C	Expell 10μL, reload tips, 10x10x96 pcs.
5030034C	Empty rack for 10μL, reload tips, 50 pcs.
5030055C	Expell 10/20μL XL, extra narrow, 10x10x96 pcs.
5030054C	Empty Rack for 10/20μL XL, extra narrow, reload tips, 50 pcs.
5030095C	Expell 200μL, reload tips, 10x10x96 pcs.
5130111C	Expell 300μL, reload tips, 10x8x96 pcs.
5030094C	Empty rack for 200μL/300μl, reload tips, 50 pcs.
5130155C	Expell 1000μL (1250μL), reload tips, 10x5x96 pcs.
5130125C	Empty rack for 1000μL (1250μL), reload tips, 32 pcs.







FILTER TIPS

Filter tips are primarily used to prevent cross-contamination on critical applications, for example in the field of molecular biology.

More than 20 years of expertise as a pipette manufacturer gives **CAPP** the necessary know-how to select and design tips that match the expectations of the strictest customers; offering a wide range of high-quality tips to fulfill the pipetting needs of research, diagnostics and analytical laboratories.

CAPP Filter Tips feature a premium design and universal tip compatibility. They are crystal clear and have accurate graduation marks. The premium filters are consistent in their dimensions, feature controlled pore sizes and are without any additives, making them perfect for molecular, clinical and life science use.

CAPP EXPell and EXPell Plus Filter Tips are made to fulfil premium specifications. They possess low retention properties and have a great finish with flash-free orifice. They are certified DNase, RNase, DNA/RNA and pyrogen-free.



EXPellPLUS PaperBox

Introducing EXPellPhrs Paper Box filtered pipette tips in cardboard racks

CAPP is proud to introduce the environmentally-friendly **EXPellPlus** Paper Box cardboard racks for **EXPellPlus** filter pipette tips. Perfectly suited to the **CAPP** refill system, these are a great alternative to standard plastic tip racks.

Recyclability:

When you choose filtered pipette tips in **EXPellPlus** Paper Box cardboard racks, the racks can be recycled, reducing any waste impact on the environment.

With the **EXPelines** Paper Box cardboard racks, when you are finished with a pack of tips, instead of adding to the global waste problem you can be a part of the solution by simply flattening and recycling the rack.

Together we can stop adding more plastic to the environment and be a part of the change that will help our planet!






Ordering Information

EXPell Filter tips

	•
Cat. No.	Description
5130030C	Expell 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131030C	Expell 10μL, bag, w/ filter, 20x1000 pcs.
5130060C	Expell 10/20μL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131060C	Expell 10/20µL XL, bag, w/ filter, 20x1000 pcs
5130061C	Expell 10/20μL XL, extra narrow, pre-sterile w/filter, hinged racks, 5x10x96 pcs.
5131061C	Expell 10/20 μ L XL, extra narrow, bag, w/ filter, 20x1000 pcs.
5130062C	Expell 20µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131062C	Expell 20μL, bag, w/ filter, 10x1000 pcs.
5130066C	Expell 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131066C	Expell 100μL, bag, w/ filter, 10x1000 pcs.
5130090C	Expell 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131090C	Expell 200μL, bag, w/ filter, 10x1000 pcs.
5130150C	Expell 1000μL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5131150C	Expell 1000μL, bag, w/ filter, 10x1000 pcs.
5130123C	Expell 1250μL XL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.



Cat. No.	Description
5030030C	ExpellPlus 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030060C	ExpellPlus 10/20µL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030061C	ExpellPlus 10/20μL XL, extra narrow, presterile w/ filter, hinged racks, 5x10x96 pcs.
5030062C	ExpellPlus 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030066C	ExpellPlus 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030090C	ExpellPlus 200µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030115C	ExpellPlus 300μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030150C	ExpellPlus 1000μL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5030123C	ExpellPlus 1250µl XL, pre-sterile w/filter, hinged racks, 4x8x96 pcs.





EXPell and **EXPell** Filter Tips in Cardboard Racks

Cat. No.	Description
5030029C	ExpellPlus 10μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030059C	ExpellPlus 10/20μl XL, extra narrow presterile w/ filter, PaperBox, 5x10x96 pcs.
5030063C	ExpellPlus 20μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030064C	ExpellPlus 100μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030089C	ExpellPlus 200μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5030114C	ExpellPlus 300μl, pre-sterile w/ filter, PaperBox, 5x10x96 pcs.
5130149C	Expell 1000µl, pre-sterile w/ filter, PaperBox.4x8x96 pcs.
5130119C	Expell 1250µl XL, pre-sterile w/ filter, PaperBox, 4x8x96 pc.





ד0000-0000 אר ד000-2000 אר

17 000T-00T

14 00Z-0Z

170-100 או 2-20 אר 토

This compatibility chart is for your reference. We are not responsible for technical modifications or changes made to the mentioned pipettes other than those of CAPP. Specifications like inaccuracy and imprecision values have not been checked. For a complete compatibility list please contact info@cappahn.com.

11 0000 אר

•	
•	
-	
•	
•	
•	
•	
5130155C	
clear, reload	
L (1250 µL), ι	
1000 μ	

5030114C

ExpellPlus 300 µL, w/ filter, clear, sterile

Expell 1000 µL, w/ filter, clear, sterile

SAPP Expell Pipette Tips Reload System

Expell 10 µL, clear, reload

5130149C 5130119C 5030035C

Expell 10 µL XL, extra narrow, clear, reload

Expell 200 µL, clear, reload Expell 300 µL, clear, reload



compatible X not compatible trademarks of BrandTech Scientific Inc. Finnpipette F1 and Novus are trademarks of Thermo Fisher Scientific Inc. Proline Plus and Picuss are trademarks of Sartorius © 2022 AHN Biotechnologie GmbH. All rights reserved, CAPPBravo, ecopipette, CAPPAero, CAPPMaestro and CAPPTronic are trademarks of AHN Biotechnologie GmbH. Pipetman and Pipetman G are trademarks of Gilson, Inc. Eppendorf Research Plus is a trademark of Eppendorf AG. Transferpette and Transferpette S are Biohit Liquid Handling Oy. Labmate Pro is a trademark of HTLPZ HTL SA. BioPette is a trademark of Labnet Intemational, Inc.