




CondaChrome®

Rapid Chromogenic Media

Inspired by knowledge

**CHROMOGENIC
MEDIA SOLUTIONS**




| BACTERIA | PRODUCT | CAT. NUMBER | Food | Cosmetic | Water | Clinical |
|--|--|-------------|------|----------|-------|----------|
| <i>Candida spp</i> | CondaChrome® Candida Chromogenic Agar | 1382 | ● | ● | | |
| <i>Cronobacter spp</i> | CondaChrome® Chromogenic Cronobacter Isolation Agar (CCI) ISO | 1446 | ● | | | |
| <i>Escherichia coli</i> | CondaChrome® EC Agar with MUG Chromogenic Agar | 1180 | ● | ● | | |
| | CondaChrome® EC with MUG Fluorogenic Broth | 1285 | ● | ● | | |
| | CondaChrome® TBX Chromogenic Agar (Tryptone Bile X-Glucuronide) ISO | 1151 | ● | | | |
| <i>Escherichia coli O157:H7</i> | CondaChrome® E. coli O157:H7 Chromogenic Agar Base | 1588 | ● | ● | | |
| <i>Enterococcus</i> | CondaChrome® Chromogenic Agar for Vancomycin-Resistant Enterococcus (VRE) | 2077 | | ● | | |
| | CondaChrome® m-El Chromogenic Agar Base, Modified | 2050 | | ● | | |
| | CondaChrome® M-El Chromogenic Agar Base | 1412 | | ● | | |
| <i>Escherichia coli</i> and <i>Coliforms</i> | CondaChrome® Lauryl Sulfate Chromogenic Agar | 2096 | ● | ● | | |
| | CondaChrome® Lauryl Sulfate Chromogenic Broth | 1465 | ● | ● | | |
| | CondaChrome® E. coli - Coliforms Chromogenic Medium | 1340 | ● | ● | | |
| | CondaChrome® E. coli - Coliforms Chromogenic Agar (CCA) ISO | 2080 | | ● | | |
| Gram-negative bacteria | CondaChrome® ESBL Chromogenic Agar | 2062 | | ● | | |
| | CondaChrome® KPC Chromogenic Medium | 2063 | | ● | | |
| <i>Urinary infections</i> | CondaChrome® Urinary Tract Infections Chromogenic Agar (UTIC) | 1424 | | ● | | |
| <i>Klebsiella</i> | CondaChrome® Klebsiella Chromogenic Agar Base | 2119 | | ● | | |
| <i>Listeria</i> | CondaChrome® Listeria Chromogenic Agar Base according to Ottaviani & Agosti (ALOA) ISO | 1345 | ● | | | |
| Mesophilic bacteria | CondaChrome® Standard Method Chromogenic Agar (PCA) | 1585 | ● | ● | ● | |
| <i>Pseudomonas spp</i> | CondaChrome® Pseudomonas Chromogenic Agar | 1493 | ● | ● | ● | ● |
| <i>Salmonella spp</i> | CondaChrome® Salmonella Chromogenic Agar | 1122 | ● | ● | ● | ● |
| <i>Staphylococcus spp</i> | CondaChrome® MRSA Chromogenic Modified Agar Base | 1498 | | | | |
| | CondaChrome® MRSA Chromogenic Agar Base | 1423 | | | | |
| | CondaChrome® Staphylococcus Chromogenic Agar | 2076 | ● | ● | ● | |
| <i>Vibrio spp</i> | CondaChrome® Vibrio Chromogenic Agar | 2054 | ● | ● | ● | |

CHROMOGENIC CULTURE MEDIA ACCORDING TO ISO STANDARDS

CRONOBACTER SPP

ISO 22964



CONDACHROME® CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI) ISO

Selective medium for isolation of presumptive *Cronobacter spp*

| CAT. 1446

ESCHERICHIA COLI

ISO 16649



CONDACHROME® TBX CHROMOGENIC AGAR (TRYPTONE BILE X-GLUCURONIDE) ISO

Selective medium for the detection and enumeration of *Escherichia coli* glucuronidase positive

| CAT. 1151

ESCHERICHIA COLI AND COLIFORMS

ISO 9308




CONDACHROME® E. COLI - COLIFORMS CHROMOGENIC AGAR (CCA) ISO

Selective medium for enumeration of *E. coli* and coliforms in water samples

| CAT. 2080

LISTERIA

ISO 11290



CONDACHROME® LISTERIA CHROMOGENIC AGAR BASE ACCORDING TO OTTAVIANI AND AGOSTI (ALOA) ISO

Supplements required (CAT. 6040 and 6031)
Selective medium for the detection and enumeration of *Listeria monocytogenes*

| CAT. 1345

APPLICATION AREAS



Water



Food




Cosmetic



Clinical

URINARY INFECTIONS




CONDACHROME® URINARY TRACT INFECTIONS
CHROMOGENIC AGAR (UTIC)

For the presumptive detection and differentiation
of organisms causing urinary tract infections



CAT. 1424

VIBRIO spp




CONDACHROME® VIBRIO CHROMOGENIC AGAR

For isolation and detection of *Vibrio cholerae*,
V. parahaemolyticus and *Vibrio alginolyticus*



CAT. 2054


STAPHYLOCOCCUS spp



CONDACHROME® MRSA
CHROMOGENIC AGAR BASE

Supplements required (CAT. 6069)


For the detection of methicillin resistant
Staphylococcus aureus from clinical samples



CONDACHROME® MRSA CHROMOGENIC
MODIFIED AGAR BASE

Supplements required (CAT. 6069)

Selective medium for the detection and differentiation
of methicillin resistant *Staphylococcus aureus*
and *Staphylococcus epidermidis*



CONDACHROME® STAPHYLOCOCCUS
CHROMOGENIC AGAR

For the detection and differentiation
of different species of *Staphylococcus*



CAT. 1423




CAT. 1498



CAT. 2076

CANDIDA spp




CONDACHROME® CANDIDA CHROMOGENIC AGAR

Selective and differential medium for isolation of and identification of *Candida* spp

| CAT. 1382

MESOPHILIC BACTERIAS




CONDACHROME® STANDARD METHOD CHROMOGENIC AGAR (PCA)

General medium for total microbial plate count

| CAT. 1585

GRAM-NEGATIVE BACTERIAS




CONDACHROME® ESBL CHROMOGENIC AGAR

Supplements required (CAT. 6042)

Selective medium for overnight detection of gram-negative bacteria producing Extended Spectrum Beta-Lactamase

| CAT. 2062




CONDACHROME® KPC CHROMOGENIC MEDIUM

Supplements required (CAT. 6044)

Chromogenic medium for detection of gram-negative with a reduced susceptibility to most of the carbapenem agents

| CAT. 2063

ENTEROCOCCUS



CONDACHROME® VANCOMYCIN-RESISTANT ENTEROCOCCUS (VRE) CHROMOGENIC AGAR

Selective medium for the detection of vancomycin-resistant *Enterococcus*

| CAT. 2077




CONDACHROME® M-EI CHROMOGENIC AGAR BASE, MODIFIED

Nalidixic acid required

Selective medium for the isolation and differentiation of *E. faecalis* and *E. faecium*

| CAT. 2050




CONDACHROME® M-EI CHROMOGENIC AGAR BASE

Nalidixic acid required

Selective medium for the detection and enumeration of *Enterococcus*

| CAT. 1412

PSEUDOMONAS spp




CONDACHROME® PSEUDOMONAS CHROMOGENIC AGAR

For the rapid isolation of *Pseudomonas* species



CAT. 1493

ESCHERICHIA COLI O157:H7



CONDACHROME® E. COLI O157:H7 CHROMOGENIC AGAR BASE
Supplements required (CAT. 6064)

Selective and differential medium for the detection of *E. coli* O157:H7



CAT. 1588

SALMONELLA spp




CONDACHROME® SALMONELLA CHROMOGENIC AGAR

Selective medium for isolation of *Salmonella* spp



CAT. 1122

ESCHERICHIA COLI




CONDACHROME® EC WITH MUG FLUOROGENIC AGAR

Medium for quick detection of *E. coli* by membrane filter technique



CAT. 1180

ESCHERICHIA COLI AND COLIFORMS



CONDACHROME® LAURYL SULFATE CHROMOGENIC AGAR

Selective medium for simultaneous detection of total coliforms and *E. coli* by fluorogenic procedure



CAT. 2096



CONDACHROME® LAURYL SULFATE CHROMOGENIC BROTH

For the enrichment and simultaneous detection of total coliforms and *E. coli*



CAT. 1465



CONDACHROME® E. COLI - COLIFORMS CHROMOGENIC MEDIUM

Selective medium for the simultaneous detection of *E. coli* and coliforms



CAT. 1340

Conda**Chrome**[®]

Rapid Chromogenic Media



Condalab

Inspired by knowledge

export@condalab.com | www.condalab.com