

# Buffers for Life Science Research

CellPURE™ Biological Buffers | JustPURE™ "Good" Buffers | Core Essential Buffers

# Quality. Consistency. Selection.





# Fisher BioReagents buffers meet the needs of every budget and scale.

- · Economical powders come in various package sizes
- Concentrated stock solutions provide convenience in one step
  of easy dilution
- · Ready-to-use solutions offer the biggest time savings of all

Obtaining optimal results in your research requires careful selection of reagents. When your experiments require exact buffering conditions, you can depend on the reliability of Fisher BioReagents buffers. All Fisher BioReagents buffers are manufactured from high-quality raw materials under ISO 9001:2008-certified manufacturing and testing processes.

The purpose of a buffer in a biological system is to maintain intracellular and extracellular pH within the physiological range and resist changes in pH due to the presence of internal and external influences. CellPURE Biological Buffers from Fisher BioReagents are ultrapure zwitterionic buffers that possess both positive and negative charges. First described by Good and co-workers in 1966, these organic buffers have pKa values at or near physiological Buffers are ideal for cell cultivation, isolation of cells, enzyme assays, and other biochemical applications.

(Reference: Good, N.E., et al. (1966) Hydrogen Ion Buffers for Biological Research. Biochemistry 5(2): 467-477)

- Ultrapure zwitterionic biological buffers
- Optimized for cell/tissue culture work
- Wide applicability to molecular biology and biochemical studies
- Manufactured under strict quality control guidelines to ensure performance and reliability

#### **Advantages**

- Cell culture tested
- · Analyzed for the absence of nucleases and proteases
- · Tested for endotoxin and bioburden levels
- pK<sub>a</sub> values mostly independent of temperature and concentration
- · High water solubility
- Minimal permeability to biological membranes

#### Applications

- · Tissue culture media and maintenance of cell lines
- Enzyme assays
- · Electrophoresis of RNA
- Transfection of mammalian cells

| Cat. No.   | Product<br>Description  | Formula  | Molecular<br>Weight | pK <sub>a</sub> @ 25º C | Useful pH Range | Cell Culture<br>Tested | Endotoxin<br>Assay | Nuclease and<br>Protease Tested | Size |
|------------|-------------------------|--|---------------------|-------------------------|-----------------|------------------------|--------------------|---------------------------------|------|
| BP2941-100 | BIS-TRIS                | $C_8H_{19}NO_5$                                  | 209.24              | 6.5                     | 5.8 to 7.2      | х                      | Х                  | х                               | 100g |
| BP2943-100 | <b>BIS-TRIS</b> propane | $C_{11}H_{26}N_2O_6$                             | 282.33              | 6.8†                    | 6.3 to 9.5      | х                      | Х                  | Х                               | 100g |
| BP2947-100 | BES                     | C <sub>6</sub> H <sub>15</sub> NO <sub>5</sub> S | 213.25              | 7.1                     | 6.4 to 7.8      | Х                      | Х                  | Х                               | 100g |
| BP2936-100 | MOPS                    | C <sub>7</sub> H <sub>15</sub> NO <sub>4</sub> S | 209.26              | 7.2                     | 6.5 to 7.9      | х                      | Х                  | Х                               | 100g |
| BP2946-25  | MOPS sodium salt        | C,H,NNaO,S                                       | 231.25              | 7.2                     | 6.5 to 7.9      | х                      | Х                  | Х                               | 25g  |
| BP2937-100 | HEPES                   | $C_{8}H_{18}N_{2}O_{4}S$                         | 238.30              | 7.5                     | 6.8 to 8.2      | х                      | Х                  | Х                               | 100g |
| BP2939-100 | HEPES Sodium Salt       | $C_{8}H_{17}N_{2}NaO_{4}S$                       | 260.29              | 7.5                     | 6.8 to 8.2      | х                      | Х                  | Х                               | 100g |
| BP2945-100 | TES                     | C <sub>6</sub> H <sub>15</sub> NO <sub>6</sub> S | 229.25              | 7.5                     | 6.8 to 8.2      | Х                      | Х                  | Х                               | 100g |

#### **Properties of CellPURE Biological Buffers**

 $+ pK_a = 9.0$  for the second dissociation stage

#### **Technical Tip**

The Water Makes a Difference. CellPURE Biological Buffers are of the highest quality (purity  $\geq$  99%). They are tested for low heavy metal content and the absence of endotoxins, nucleases, and proteases. It is important to use only water of the highest quality to prepare the buffer solutions. Water that stands too long in pipes or water produced by a system needing routine maintenance increases the risk for contamination of buffer solutions. Fisher BioReagents provides several grades of high purity water suitable for the preparation of high quality buffer solutions.



Zwitterionic buffers possessing both positive and negative charges were described in 1966 by Good and co-workers as being suitable for work with biological molecules. Popularly known today as "Good" buffers, these organic buffers have several advantages compared to traditional inorganic buffering systems such as phosphate, borate, and bicarbonate. "Good" buffers approach the "ideal" buffer state by having pKa values at or near physiological pH and minimal interference with biological processes. JustPURE "Good" buffers from Fisher BioReagents have very high purity (assay > 99%) and only trace amounts of metal ions, which makes them useful for applications requiring tight control of elemental content.

(Reference: Good, N.E., et al. (1966) Hydrogen Ion Buffers for Biological Research. Biochemistry 5(2): 467-477)

- Ultrapure zwitterionic buffers
- · Optimized for research in cellular and molecular biology
- Low interference with biological reactions
- pKa values mostly independent of temperature and concentration
- High water solubility
- Chemically and enzymatically stable
- Minimal permeability to biological membranes
- · Limited effect on biochemical reactions
- Minimal absorption in spectral range 240 to 700nm

#### **Applications**

- · High efficiency transfection of mammalian cells
- · Gel electrophoresis of RNA
- Protein isolation applications
- · Cell cultures and enzyme assays
- · Bioanalytical methods such as IEF, 2-D electrophoresis, SDS-PAGE

| Cat. No.   | Product<br>Description  | CAS No.    | Formula   | Molecular<br>Weight | pK <sub>a</sub> @ 25° C | Useful pH<br>Range | Form         | Size |
|------------|-------------------------|------------|---|---------------------|-------------------------|--------------------|--------------|------|
| BP2920-250 | MES hydrate             | 4432-31-9  | C <sub>6</sub> H <sub>13</sub> NO <sub>4</sub> S·xH <sub>2</sub> O          | 195.24 (anhydrous)  | 6.1                     | 5.5 to 6.7         | White powder | 250g |
| BP2935-100 | ACES                    | 7365-82-4  | C <sub>4</sub> H <sub>10</sub> N <sub>2</sub> O <sub>4</sub> S              | 182.20              | 6.8                     | 6.1 to 7.5         | White powder | 100g |
| BP2924-50  | PIPES                   | 5625-37-6  | C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O <sub>6</sub> S <sub>2</sub> | 302.37              | 6.8                     | 6.1 to 7.5         | White powder | 50g  |
| BP2929-25  | <b>BIS-TRIS</b> propane | 64431-96-5 | $C_{11}H_{26}N_2O_6$  | 282.33              | 6.8†                    | 6.3 to 9.5         | White powder | 25g  |
| BP2925-100 | MOPS                    | 1132-61-2  | C <sub>7</sub> H <sub>15</sub> NO₄S   | 209.26              | 7.2                     | 6.5 to 7.9         | White powder | 100g |
| BP2921-50  | HEPES                   | 7365-45-9  | C <sub>8</sub> H <sub>18</sub> N <sub>2</sub> O₄S                           | 238.30              | 7.5                     | 6.8 to 8.2         | White powder | 50g  |
| BP2933-100 | EPPS                    | 16052-06-5 | C <sub>9</sub> H <sub>20</sub> N <sub>2</sub> O <sub>4</sub> S              | 252.33              | 8.0                     | 7.3 to 8.7         | White powder | 100g |
| BP2922-100 | Tricine                 | 5704-04-1  | C <sub>6</sub> H <sub>13</sub> NO <sub>5</sub>                              | 179.17              | 8.1                     | 7.4 to 8.8         | White powder | 100g |
| BP2930-50  | Gly-Gly                 | 556-50-3   | C <sub>4</sub> H <sub>8</sub> N <sub>2</sub> O <sub>3</sub>                 | 132.12              | 8.2                     | 7.5 to 8.9         | White powder | 50g  |
| BP2923-100 | TAPS                    | 29915-38-6 | C <sub>7</sub> H <sub>17</sub> NO <sub>6</sub> S                            | 243.28              | 8.4                     | 7.7 to 9.1         | White powder | 100g |
| BP2934-100 | CHES                    | 103-47-9   | C <sub>8</sub> H <sub>17</sub> NO <sub>3</sub> S                            | 207.29              | 9.3                     | 8.6 to 10.0        | White powder | 100g |
| BP2928-100 | CAPS                    | 1135-40-6  | C <sub>9</sub> H <sub>19</sub> NO <sub>3</sub> S                            | 221.32              | 10.4                    | 9.7 to 11.1        | White powder | 100g |

### † pK<sub>a</sub> = 9.0 for the second dissociation stage



#### Advantages Properties of JustPURE Buffers

### **Choose Fisher BioReagents Buffers for:**

| QUALITY:     | tight specifications   |
|--------------|--|
| CONSISTENCY: | lot-to-lot uniformity  |
| SELECTION:   | powders, concentrated stock solutions, or ready-to-use liquids |
| PACKAGING:   | state-of-the-art containers designed for safety and utility    |
| CONVENIENCE: | pre-qualified for a variety of applications                    |
| ECONOMY:     | configurations to meet all budgets                             |
| SCALE:       | from bench to batch sizes                                      |

#### Fisher BioReagents buffers meet the needs of every budget and scale.

- · Economical powders come in various package sizes
- · Concentrated stock solutions provide convenience in one step of easy dilution
- · Ready-to-use solutions offer the biggest time savings of all

#### **Suitable for Life Science applications:**

- · Electrophoresis of nucleic acids and proteins
- · Isolation and purification of biomolecules
- · Cell and tissue culture
- · Guaranteed DNase-, RNase-, and protease-free

Obtaining optimal results in your research requires careful selection of reagents. When your experiments require exact buffering conditions, you can depend on the reliability of Fisher BioReagents buffers. All Fisher BioReagents buffers are manufactured from high-quality raw materials under ISO 9001-2008-certified manufacturing and testing processes. In addition, buffer sterilization is done by 0.2µm filtration and/or autoclaving.

# Additional Buffers from Fisher BioReagents

Phosphate Buffer Saline Tablets

100

| T  | BP2944-10<br>SAMPLE<br>Potassium chloride | 0 100<br>Produc<br>CAS 7447-40-<br>CAS 7647-14- |
|--|---|---|
|  | Sodium chloride                           | CAUT  |
| h-                                       |   |   |
| Description                              | Size                                      | Cat. No.  |
| Buffers for Protein Electrophoresis      |   |   |
| TG Tris-Glycine                          |   |   |
| 10X                                      | 1L  | BP1306-1  |
| 10X                                      | 4L  | BP1306-4  |
| 10X                                      | 1L**                                      | BP1307-1  |
| TGS Tris-Glycine-SDS                     | 41  |   |
| 10X                                      | 1L  | BP1341-1  |
| 10X                                      | 4L<br>1L*                                 | BP1341-4<br>BP1398-92                           |
| 5X<br>10X                                | 1L**                                      | BP1398-92<br>BP1342-1                           |
| SDS Sodium Dodecyl Sulfate               | IL  | DF 1342-1                                       |
| <i>SDS Sodium Dodecyl Suitate</i><br>10% | 200mL                                     | BP2436-200                                      |
| 10%                                      | 20011L<br>1L                              | BP2436-1  |
| 20%                                      |   |   |
| 20%                                      | 200mL<br>1L                               | BP1311-200<br>BP1311-1                          |
| 20%<br>White Powder                      |   |   |
| White Powder<br>White Powder             | 100g                                      | BP166-100<br>BP166-500                          |
| White Powder                             | 500g                                      | BP166-5   |
| Buffers for Nucleic Acid Electrophore    | 5kg                                       | DF 100-0  |
| TBE Tris-Borate-EDTA                     | 515                                       |   |
| 1X                                       | 1L  | BP2430-1  |
| 1X                                       | 4L  | BP2430-4  |
| 1X                                       | 4L<br>20L                                 | BP2430-4<br>BP2430-20                           |
| 5X                                       | 20L<br>1L*                                | BP1396-86                                       |
| 10X                                      | 1L  | BP1333-1  |
| 10X                                      | 4L  | BP1333-4  |
| 10X                                      | 4∟<br>20L                                 | BP1333-20                                       |
| 10X                                      | 20L<br>1L**                               | BP1334-1  |
| TAE Tris-Acetate-EDTA                    | IL  | DF 1334-1                                       |
| 1X                                       | 4L  | BP2434-4  |
| 1X<br>1X                                 | 4∟<br>20L                                 | BP2434-20                                       |
| 10X                                      | 500mL                                     | BP1335-500                                      |
| 10X                                      | 1L  | BP1335-1  |
| 10X                                      | 4L  | BP1335-4  |
| 10X                                      | 4∟<br>20L                                 | BP1335-20                                       |
| 25X                                      | 20L<br>1L                                 | BP1330-1  |
| 50X                                      | 500mL                                     | BP1332-500                                      |
| 50X                                      | 1L  | BP1332-500<br>BP1332-1                          |
| 50X                                      | 4L  | BP1332-4  |
| 50X                                      | 4∟<br>20L                                 | BP1332-4<br>BP1332-20                           |
| 25X                                      | 1L**                                      | BP1331-1  |
| MOPS Buffer                              |   |   |
| Powder                                   | 100g                                      | BP308-100                                       |
| Powder                                   | 500g                                      | BP308-500                                       |
| 10X Buffer Solution                      | 500g                                      | BP2900-500                                      |
| 10X Buffer Solution                      | 1L  | BP2900-1  |
| Buffers for Hybridization of Nucleic A   |   |   |
| SSPE Saline-Sodium Phosphate-ED          |   |   |
| 20X                                      | 1L  | BP1328-1  |
| 20X                                      | 4L  | BP1328-4  |
| 20X                                      | 20L                                       | BP1328-20                                       |
| SSC Saline-Sodium Citrate                |   | 1020 20   |
| 20X                                      | 1L  | BP1325-1  |
| 20X                                      | 4L  | BP1325-4  |
| 20X                                      | 20L                                       | BP1325-20                                       |
|  | 202                                       | 5. 1020 20                                      |

## Choose Fisher BioReagents<sup>™</sup> buffers for:

**QUALITY**: tight specifications

CONSISTENCY: lot-to-lot uniformity

**SELECTION**: powders, concentrated stock solutions, or ready-to-use liquids **PACKAGING**: state-of-the-art containers designed for safety and utility

| Description                           | Size        | Cat. No.   |
|---------------------------------------|-------------|------------|
| Buffers for Life Science Applications |             |            |
| EDTA Ethylenediamine Tetraacetic Acid |             |            |
| 0.5M (pH 8.0)                         | 100mL       | BP2482-100 |
| 0.5M (pH 8.0)                         | 500mL       | BP2482-500 |
| 0.5M (pH 8.0)                         | 1L          | BP2482-1   |
| 0.5M (pH 8.0)                         | 20L         | BP2482-20  |
| 0.5M (pH 8.0), DEPC                   | 100mL       | BP2483-100 |
| 0.5M (pH 8.0), DEPC                   | 500mL       | BP2483-500 |
| 0.5M (pH 8.0), DEPC                   | 1L          | BP2483-1   |
| Powder                                | 500g        | BP118-500  |
| HEPES                                 |             |            |
| 1.0M (pH 7.3)                         | 100mL       | BP299-100  |
| 1.0M (pH 7.3)                         | 500mL       | BP299-500  |
| 1.0M (pH 7.3)                         | 1L          | BP299-1    |
| Crystals                              | 100g        | BP310-100  |
| Crystals                              | 500g        | BP310-500  |
| Crystals                              | 1kg         | BP310-1    |
| Crystals                              | 5kg         | BP310-5    |
| PBS Phosphate Buffered Saline         |             |            |
| Tablets                               | 100 tablets | BP2944-100 |
| 1X                                    | 4L          | BP2438-4   |
| 1X                                    | 20L         | BP2438-20  |
| 10X                                   | 500mL       | BP399-500  |
| 10X                                   | 1L          | BP399-1    |
| CellPURE <sup>™</sup> PBS 10X         | 4L          | BP2940-4   |
| 10X                                   | 4L          | BP399-4    |
| 10X                                   | 20L         | BP399-20   |
| 1X Powder Concentrate                 | 10L         | BP661-10   |
| 1X Powder Concentrate                 | 50L         | BP661-50   |
| Powder with Tween <sup>™</sup> 20     | 10 pouches  | BP2938-10  |
| Powder with BSA                       | 10 pouches  | BP2942-10  |
| 10X Powder Concentrate                | 2x1L        | BP665-1    |
| STE Sodium Chloride-Tris-EDTA         |             |            |
| 1X (pH 8.0)                           | 1L          | BP2478-1   |
| 10X (pH 8.0)                          | 1L          | BP2479-1   |
| TBS Tris-Buffered Saline              |             |            |
| 1X (pH 7.4)                           | 1L          | BP2472-1   |
| 10X (pH 7.4)                          | 100mL       | BP2471-100 |
| 10X (pH 7.4)                          | 1L          | BP2471-1   |

**CONVENIENCE**: pre-qualified for a variety of applications **ECONOMY**: size configurations to meet all budgets **SCALE**: from bench to batch sizes

| Description                      | Size  | Cat. No.   |
|----------------------------------|-------|------------|
| TE Tris-EDTA                     |       |            |
| 1X (pH 7.4)                      | 100mL | BP2476-100 |
| 1X (pH 7.4)                      | 500mL | BP2476-500 |
| 1X (pH 7.4)                      | 1L    | BP2476-1   |
| 1X (pH 8.0)                      | 100mL | BP2473-100 |
| 1X (pH 8.0)                      | 500mL | BP2473-500 |
| 1X (pH 8.0)                      | 1L    | BP2473-1   |
| 1X (pH 7.6)                      | 100mL | BP2474-100 |
| 1X (pH 7.6)                      | 500mL | BP2474-500 |
| 1X (pH 7.6)                      | 1L    | BP2474-1   |
| 10X (pH 7.4)                     | 1L    | BP2477-1   |
| 10X (pH 7.6)                     | 100mL | BP2475-100 |
| 10X (pH 7.6)                     | 500mL | BP2475-500 |
| 10X (pH 7.6)                     | 1L    | BP2475-1   |
| 100X (pH 8.0)                    | 1L    | BP1338-1   |
| 100X (pH 8.0)                    | 4L    | BP1338-4   |
| 100X                             | 1L**  | BP1339-1   |
| Tris Buffer                      |       |            |
| 0.3M                             | 500mL | BP1761-500 |
| 0.3M                             | 1L    | BP1761-1   |
| 2.0M                             | 100mL | BP1759-100 |
| 2.0M                             | 500mL | BP1759-500 |
| Tris Hydrochloride               |       |            |
| 1.0M (pH 7.0)                    | 100mL | BP1756-100 |
| 1.0M (pH 7.0)                    | 500mL | BP1756-500 |
| 1.0M (pH 7.5)                    | 100mL | BP1757-100 |
| 1.0M (pH 7.5)                    | 500mL | BP1757-500 |
| 1.0M (pH 8.0)                    | 100mL | BP1758-100 |
| 1.0M (pH 8.0)                    | 500mL | BP1758-500 |
| Solid                            | 500g  | BP153-500  |
| Solid                            | 1kg   | BP153-1    |
| Tris Base                        |       |            |
| Crystals                         | 500g  | BP152-500  |
| Crystals                         | 1kg   | BP152-1    |
| Crystals                         | 5kg   | BP152-5    |
| Crystals                         | 10kg  | BP152-10   |
| Crystals                         | 25kg  | BP152-25   |
| Water                            |       |            |
| Biotech Grade                    | 4L    | BP2485-4   |
|                                  | 20L   | BP2485-20  |
| Nuclease-Free, Sterile           | 50mL  | BP2484-50  |
|                                  | 100mL | BP2484-100 |
| DNA Grade, Sterile               | 1L    | BP2470-1   |
| RNA Grade, DEPC-treated, Sterile | 1L    | BP561-1    |

\* Pre-weighed powder in poly bottle. Dissolve in water.

Size

100mL

500mL

4L

*Related Core BioReagents* Ethanol,

Molecular Biology Grade

**Cat. No.** BP2818-100 BP2818-500 BP2818-4



Quality. Consistency. Selection.

**Isopropanol,** Molecular Biology Grade

\*\* Pre-weighed powder in foil pack. Dissolve in water.

Size

1L

2.5L


500mL

| Cat. No.    |
|-------------|
| BP2618-500  |
| BP2618-1    |
| BP2618-212  |
| BP2618-4 4L |

## Water (0.1µm filtered), Molecular Biology Grade

| Cat. No.   | Size  |
|------------|-------|
| BP2819-100 | 100mL |
| BP2819-1   | 1L    |
| BP2819-4   | 4L    |
| BP2819-10  | 10L   |
| BP2819-20  | 20L   |
|            |       |





## To place an order, contact your local distributor.



Thermo Fisher Scientific ENA 23, Zone 1, nr 1350 Janssen Pharmaceuticalaan 3a 2440 Geel Belgium www.acros.com ©2014 Thermo Fisher Scientific Inc. All rights reserved. All other trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries.